

Report:

VITAL STATISTICS AND INDUCED TERMINATIONS OF PREGNANCY 1985



DIVISION OF HEALTH
Health Data Section

VITAL STATISTICS¹
and
INDUCED TERMINATIONS OF PREGNANCY
WASHINGTON STATE
1985

HEALTH DATA SECTION
DIVISION OF PUBLIC HEALTH
DEPARTMENT OF SOCIAL AND HEALTH SERVICES
MS ET-14
OLYMPIA, WASHINGTON 98504

ANALYSIS OF NATALITY AND MORTALITY BY:

Patricia Starzyk, Research Investigator, 586-6028

ANALYSIS OF INDUCED TERMINATIONS OF PREGNANCY BY:

Teresa Jennings, Research Investigator, 753-5938

Special acknowledgement to the Office of Information Systems

Robert Rolfs, Acting Director
Division of Public Health

Office of Public Health Systems Support
Health Data Section

Eugene E. Sabotta, Section Head

Julie Harris, Secretary

Patricia M. Starzyk, Research Investigator

Teresa J. Jennings, Research Investigator

Jeff Threatt, Research Analyst

Sandi Kindsvater, Health Program Specialist

M. Dave Jacobs, Data Compiler

INTRODUCTION

The 1985 Summary of Vital Statistics and Induced Terminations of Pregnancy combines two reports which were previously published as separate documents: The Vital Statistics Annual Summary and The Report on Induced Terminations of Pregnancy in Washington State. This change was made in the interests of economy and to facilitate the study of total pregnancy experience in the state.

This 1985 report continues the practice of presenting a data analysis section along with the tabular summary of data. This analysis is not intended to be sophisticated or exhaustive; instead it represents an attempt to look at vital statistics and abortion data in new ways which may stimulate further analyses by those involved in family planning, epidemiologic analysis, and program evaluation in the state.

The report also contains a summary presentation, in tabular form, of the vital events and induced abortions which occurred during the calendar year 1985. In the interest of easy comparison, essentially the same format of tabular presentation has been continued as was used in previous reports, with the following changes:

ADDED:

Births

- Mother's Age by Month Prenatal Care Began (Table 4)
- Number of Prenatal Visits by Month Care Began (Table 5)
- Births with Malformations by Place of Residence (Table 13)
- Single Mothers: Age by Place of Residence (Table 14)

Fetal Deaths

- Mother's Age by Place of Residence (Table 26)

Induced Terminations

- Selected Topics (Table 1)

DELETED: Chart of Daily Events in Washington State

CHANGED:

Deaths

Previous Tables 6-9 (Deaths with Rates by Selected Causes by Place of Residence) have been combined into two tables (6-7) and some of the categories changed to reflect major causes of death. Congenital Malformations and Causes of Mortality in Early Infancy have been removed from this table because most of these deaths are included with the infant death data (Table 19).

Marriages and Dissolutions

In previous reports, Table 3 (Dissolutions by Total Living Children by Place of Residence) was mislabelled as a residence table when it actually gave occurrence data. This table has been corrected for the 1985 report so that now it does give residence data (and it is now Table 4). Because of this change, some counties may appear to have drastic changes in the number of dissolutions tabulated.

For those who find that the tables in this report do not meet all their needs, additional tables are available and can be obtained by calling Statistics at (206) 753-5938.

TABLE OF CONTENTS

	<u>page</u>
Introduction.....	111
Map of Washington State.....	1
1985 In Brief.....	2
Graphs of Birth and Death Rates.....	3
Summary Table: Numbers with Rates for Live Births, Deaths, Deaths of Infants Under One Year of Age, Maternal Deaths, and Fetal Deaths. State of Washington 1920 - 1985.....	4
Analysis	
List of Tables and Figures of Analysis Section.....	9
Natality.....	11
Mortality.....	25
Induced Terminations of Pregnancy.....	39
Tables Section	
Natality.....	61
Table 1 - Live Births in Washington State by Selected Topics.....	62
1A - Residence, by Race by Sex	
1B - Residence, by Mother's Age Group by Sex	
1C - Residence, by Order of Live Birth to Mother	
1D - Residence, by Attendant	
1E - Residence and Occurrence, by Sex by Birth Weight in Grams	
1F - Residence and Occurrence, Live Births and Fetal Deaths by Month	
1G - Occurrence, Method of Delivery	
1H - Type of Place by Occurrence	
1I - Residence, Multiple Live Births	
1J - Residence, Maternal Smoking	
Table 2 - Live Births by Race by Birth Weight.....	65
Table 3 - Live Births by Mother's Age by Birth Weight.....	65
Table 4 - Live Births by Mother's Age by Month Prenatal Care Began, Washington State Residents.....	66


Table 5 - Live Births by Number of Prenatal Visits by Month Care Began, Washington State Residents.....	66
Table 6 - Live Births with Rates by Place of Residence by Sex, and Occurrence.....	67
Table 7 - Live Births Inter-County Travel Patterns.....	68
Table 8 - Live Births by Race by Place of Residence.....	70
Table 9 - Live Births by Mother's Age Group by Place of Residence.....	71
Table 10 - Live Births by Month by Place of Residence.....	72
Table 11 - Live Births by Birth Weight in Grams by Place of Residence.....	73
Table 12 - Residence, Multiple Births by Number Born Alive Each Set.....	74
Table 13 - Live Births with Malformations with Percent of Total Births by Place of Residence.....	75
Table 14 - Live Births to Single Mothers by Place of Residence by Age of Mother.....	76
Table 15 - Live Births by Institution by Place of Occurrence.....	77
Mortality.....	79
Table 1 - Deaths in Washington State by Selected Topics.....	80
1A - Residence, Race by Sex	
1B - Residence, Marital Status by Sex	
1C - Residence, Age Group by Sex	
1D - Residence, Infant Deaths by Race	
1E - Residence, by Leading Causes	
1F - Residence and Occurrence, by Month	
1G - Type of Place by Occurrence	
Table 2 - Deaths with Rates by Place of Residence and Occurrence.....	82
Table 3 - Deaths by Sex and Race by Place of Residence.....	83
Table 4 - Deaths by Age Group by Place of Residence.....	84
Table 5 - Deaths by Month of Occurrence by Place of Residence.....	85

Table 6 - Deaths with Rates by Selected Causes by Place of Residence	
Infectious and Parasitic Diseases, Malignant Neoplasms, Alcoholism, Diseases of the Heart, and Cerebrovascular Disease.....	86
Table 7 - Deaths with Rates by Selected Causes by Place of Residence	
General Arteriosclerosis, Influenza and Pneumonia, Chronic Obstructive Pulmonary Diseases, and Nephritis, Nephrotic Syndrome, and Nephrosis.....	87
Table 8 - Deaths with Rates by External Causes by Place of Residence	
Motor Vehicle, Falls, Drownings, Fires, All Other.....	88
Table 9 - Deaths with Rates by External Causes by Place of Residence	
Suicide, Homicide, Undetermined External Injuries.....	89
Table 10 - Residence Deaths with Rates and Percent by Age Group and Sex by Leading Causes.....	90
Table 11 - Residence Deaths with Rates by Selected Causes by Sex.....	92
Table 12 - Residence Deaths Due to Malignant Neoplasm with Rates by Sex.....	94
Table 13 - Residence Deaths by Non-transport Causes, by Place of Accident.....	95
Table 14 - Deaths with Rates by External Causes by Place of Occurrence	
Motor Vehicle, Falls, Drownings, Fires, All Other.....	96
Table 15 - Deaths with Rates by External Causes by Place of Occurrence	
Suicide, Homicide, Undetermined External Injuries.....	97
Table 16 - Deaths by Type of Place by Place of Occurrence.....	98

Table 17 - Occurrence Deaths by Month by Selected Causes.....	99
Table 18 - Infant Mortality by Race, by Place of Residence.....	100
Table 19 - Infant Mortality by Leading Causes, by Place of Residence.....	101
Table 20 - Infant Mortality by Age and Sex by Cause.....	102
Table 21 - Residence, Matched Infant Deaths by Mother's Age Group.....	103
Table 22 - Fetal, Perinatal, Neonatal and Infant Mortality by Place of Residence.....	104
Table 23 - Fetal, Perinatal, Neonatal and Infant Mortality by Place of Occurrence.....	105
Table 24 - Residence, Fetal Mortality by Sex and Weight.....	106
Table 25 - Fetal Mortality by Cause.....	107
Table 26 - Fetal Deaths by Mother's Age Group by Place of Residence.....	108
Induced Terminations of Pregnancy.....	109
Table 1 - Induced Terminations of Pregnancy by Selected Topics.....	110
1A - Residence, by Age Group	
1B - Residence, by Gestational Age	
1C - Residence, by Number of Previous Live Births	
1D - Residence, by Number of Previous Abortions	
1E - Residence, by Number of Previous Pregnancies	
1F - Residence, by Race	
1G - Residence and Occurrence by Travel Patterns	
1H - Occurrence, by Operative Procedure	
1I - Occurrence, by State or Country of Residence	
1J - Occurrence, by Rh Factor and Treatment Setting	
1K - Occurrence, by Type of Complication	
1L - Occurrence, by Type of Facility	
Table 2 - Induced Abortions, Live Births, and Abortion Ratio with Percent Changes, Washington State Residents, 1974-1985.....	112
Table 3 - Reported Pregnancies by Age of Patient and Pregnancy Outcome, Washington State Residents...	113
Table 4 - Age Group Specific Fertility Rate, Abortion Rate, and Abortion Ratio, Washington State Residents.....	113

Table 5 - Previous Live Births by Age of Patient, Washington Residents.....	114
Table 6 - Previous Induced Abortions by Age of Patient, Washington Residents.....	114
Table 7 - Induced Abortions by Age of Patient and Gestation of Pregnancy, Washington State Residents.....	115
Table 8 - Induced Abortions by Type of Procedure by Gestation of Pregnancy, Washington State Occurrences.....	115
Table 9 - Induced Abortions with Complications by Type of Procedure by Gestation of Pregnancy, Washington State Occurrences.....	116
Table 10 - Induced Abortions with Complications by Type by Gestation of Pregnancy, Washington State Occurrences.....	116
Table 11 - Induced Abortions with Complications by Gestation of Pregnancy with Rates, Washington State Occurrences, 1981-1985.....	117
Table 12 - Induced Abortions with Complications by Type of Procedure with Rates, Washington State Occurrences, 1981-1985.....	117
Table 13 - Abortion Inter-County Travel Patterns Washington State Residents and Occurrences.....	118
Table 14 - Live Births and Abortions, with Rate and Ratio Indicators by Place of Residence.....	120
Table 15 - Induced Abortions by Age of Patient by County of Residence.....	121
Table 16 - Pregnancy Outcome of Adolescents by Age of Patient by Place of Residence.....	122
Table 17 - Resident Abortion Rates with Ranks for Washington State Counties, 1981-1985.....	123
Marriages and Dissolutions.....	125
Table 1 - Marriages by County of Marriage by Bride and Groom Age Group.....	126
Table 2 - Dissolutions, Annulments, and Separate Maintenance by County of Decree.....	127
Table 3 - Dissolutions by County of Divorce by Husband and Wife Age Group.....	128

Table 4 - Dissolutions by Total Living Children by Place of Wife's Residence.....	129
Appendix.....	131
A - Definitions.....	132
B - Technical Notes.....	136
C - Conversion of Birth Weight Groups in Grams to Pounds and Ounces.....	139
D - Population of the State of Washington by Age Group, by Sex, April 1, 1985.....	140
E - Population, State of Washington, Counties and Cities of 10,000 Population and Over, April 1, 1985.....	141
F - Reporting Forms.....	142



1985 IN BRIEF

In 1985, the Washington State Vital Statistics and Abortion Reporting Systems show increases in reported total live births, deaths, and infant deaths among residents of the state and a decrease in total resident abortions. The total number of marriages and divorces occurring in the state, also, each declined.

Live births to residents in 1985 increased 1,279 over 1984's total to 70,226. The median age of women residents giving birth was 26.0. The crude birth rate remained unchanged (16.0 per 1,000 population). The fertility rate increased one percent (from 66.6 to 67.3 per 1,000 women aged 15-44). Nationally, the provisional birth rate was 15.7 and fertility rate, 66.1.

Total induced terminations of pregnancy to residents showed a 3.4% decrease over the total reported in 1984, dropping to 25,835 in 1985. The median age of women obtaining an abortion was 23.1. Ninety percent of the abortions performed were within the first trimester. The most frequently used procedure was suction curettage (91%). A little over two-fifths (41%; 10,562) of patients reported one or more previous abortions. Close to one-third (32%; 8,277) of the patients travelled outside their home county to obtain an abortion.

There were 687 more deaths of Washington residents in 1985 than in 1984 for a total of 34,475 deaths. The crude death rate rose from 7.8 per 1,000 population to 7.9, an increase of 1.3%. The Washington State rate is still below the national rate of 8.7. Five years previous, in 1981, the rate for the state was 7.5; for the nation, 8.6. The first two leading causes of death, diseases of the heart and malignant neoplasms accounted for 57% of all deaths. Non-arteriosclerotic diseases of the arteries became the ninth leading cause of death. Aneurysms, particularly aortic aneurysms, are the major contributor in this category. In comparison with 1981, the greatest decrease in crude death rates has occurred in deaths due to arteriosclerosis (-25%) and accidents (-15%), and the greatest increase among deaths from non-arteriosclerotic diseases of the arteries (30%) and influenza/pneumonia (27%). There were 78 deaths reported due to Acquired Immune Deficiency Syndrome (AIDS), more than twice the thirty deaths reported in 1984. (See Technical Notes, p. 138)

In 1985, there were 43 more infant deaths than in 1984 for a total of 747. The rate was 10.6 per 1,000 live births, four percent higher than the 1984 rate of 10.2. Sudden Infant Death Syndrome (SIDS) and perinatal conditions were the leading causes of death, each with 197.

There were 26,194 divorces in 1985, 805 less than the previous year for a rate of 5.9 per 1,000 population. Total marriages (43,771) were 1,309 fewer in 1985 than in 1984. The marriage rate was 10.0 per 1,000 population.

BIRTH and DEATH RATES 1915-1985

Washington Vital Statistics Summary, 1984



INFANT and FETAL DEATH RATES 1915-1985

Washington Vital Statistics Summary, 1984



SUMMARY OF THE NUMBER OF LIVE BIRTHS, DEATHS, DEATHS OF INFANTS UNDER ONE
YEAR OF AGE, MATERNAL DEATHS, AND FETAL DEATHS, WITH RATES
WASHINGTON STATE 1920 - 1985

Year	Population	Live Births		Deaths		Infant Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate***	Number	Ratio**
1920	1,367,000	27,072	19.8	15,164	11.1	1,797	66.4	249	92.0	888	32.8
1921	1,385,700	27,267	19.7	13,254	9.6	1,512	55.5	192	70.4	852	31.2
1922	1,407,100	25,378	18.0	14,249	10.1	1,566	61.7	190	74.9	731	28.8
1923	1,427,300	25,259	17.7	13,856	9.7	1,428	56.5	159	62.9	680	26.9
1924	1,447,200	25,378	17.5	14,580	10.1	1,426	56.2	167	65.8	711	28.0
1925	1,467,600	24,741	16.9	15,280	10.4	1,395	56.4	140	56.6	667	27.0
1926	1,487,600	23,989	16.1	15,670	10.5	1,352	56.4	174	72.5	719	30.0
1927	1,507,800	23,315	15.5	15,950	10.6	1,162	49.8	151	64.8	650	27.9
1928	1,528,200	23,161	15.2	16,723	10.9	1,115	48.1	175	75.6	641	27.7
1929	1,548,400	22,685	14.7	16,413	10.6	1,110	48.9	150	66.1	572	25.2
1930	1,568,000	23,019	14.7	16,678	10.6	1,122	48.7	148	64.3	601	26.1
1931	1,585,000	22,028	13.9	16,524	10.4	1,064	48.3	141	64.0	591	26.8
1932	1,602,500	21,379	13.3	16,581	10.3	967	45.2	139	65.0	530	24.8
1933	1,619,700	20,882	12.9	16,705	10.3	811	38.8	140	67.0	446	21.4
1934	1,636,900	22,484	13.7	17,456	10.7	968	43.1	105	46.7	520	23.1
1935	1,654,000	22,378	13.5	18,046	10.9	998	44.6	120	53.6	469	21.0
1936	1,671,400	23,354	14.0	19,057	11.4	1,064	45.6	115	49.2	468	20.0
1937	1,689,100	24,882	14.7	18,771	11.1	978	39.3	118	47.4	495	19.9
1938	1,706,000	26,702	15.7	18,514	10.9	1,035	38.8	94	35.2	440	16.5
1939	1,723,400	26,471	15.4	18,528	10.8	977	36.9	97	36.6	450	17.0
1940	1,752,400	27,952	16.0	19,837	11.3	969	34.7	89	31.8	459	16.4
1941	1,816,700	30,916	17.0	19,359	10.7	1,065	34.4	66	21.3	445	14.4
1942	1,880,700	38,744	20.6	20,190	10.7	1,278	33.0	78	20.1	606	15.6
1943	1,945,000	44,258	22.8	22,017	11.3	1,534	34.7	72	16.3	575	13.0
1944	2,009,600	44,246	22.0	21,144	10.5	1,493	33.7	72	16.3	607	13.7
1945	2,073,600	44,296	21.4	21,292	10.3	1,523	34.4	79	17.8	672	15.2
1946	2,137,600	51,941	24.3	21,620	10.1	1,723	33.2	65	12.5	869	16.7
1947	2,202,400	58,230	26.4	21,763	9.9	1,630	28.0	59	10.1	907	15.6
1948	2,266,400	55,460	24.5	21,925	9.7	1,525	27.5	36	6.5	776	14.0
1949	2,331,000	56,433	24.2	22,420	9.6	1,526	27.0	36	6.4	850	15.1

Year	Population	Live Births		Deaths		Infant Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate***	Number	Ratio**
1950	2,378,963	55,755	23.4	22,450	9.4	1,526	27.4	28	5.0	799	14.3
1951	2,444,000	57,994	23.7	23,300	9.5	1,412	24.3	23	4.0	852	14.7
1952	2,496,100	61,436	24.6	22,874	9.2	1,522	24.8	15	2.4	857	13.9
1953	2,528,200	61,571	24.4	23,279	9.2	1,556	25.3	18	2.9	834	13.5
1954	2,566,000	62,703	24.4	23,238	9.1	1,514	24.1	29	4.6	829	13.2
1955	2,586,100	62,290	24.1	24,410	9.4	1,520	24.4	16	2.6	806	12.9
1956	2,651,900	64,999	24.5	24,207	9.1	1,524	23.4	13	2.0	777	12.0
1957	2,712,700	65,982	24.3	25,140	9.3	1,596	24.2	20	3.0	793	12.0
1958	2,767,900	65,574	23.7	25,429	9.2	1,707	26.0	11	1.7	764	11.7
1959	2,819,000	65,729	23.3	26,229	9.3	1,570	23.9	9	1.4	749	11.4
1960	2,853,214	65,251	22.9	26,505	9.3	1,528	23.4	17	2.6	738	11.3
1961	2,897,000	65,013	22.4	26,353	9.1	1,467	22.6	19	2.9	756	11.6
1962	2,948,000	64,812	22.0	27,343	9.3	1,476	22.8	6	0.9	704	10.9
1963	2,972,000	61,013	20.5	27,550	9.3	1,339	21.9	10	1.6	657	10.8
1964	3,008,000	57,148	19.0	28,106	9.3	1,277	22.3	7	1.2	637	11.1
1965	3,065,000	52,806	17.2	27,379	8.9	1,130	21.4	15	2.8	639	12.1
1966	3,125,000	51,777	16.6	29,035	9.3	1,084	20.9	13	2.5	554	10.7
1967	3,229,000	54,875	17.1	29,302	9.1	1,050	19.1	12	2.2	573	10.4
1968	3,329,000	57,206	17.2	30,360	9.1	1,120	19.6	8	1.4	620	10.8
1969	3,365,000	59,354	17.6	30,504	9.1	1,118	18.8	12	2.0	651	11.0
1970	3,409,169	60,499	17.7	29,901	8.8	1,135	18.8	9	1.5	640	10.6
1971	3,433,000	55,304	16.1	30,318	8.8	1,008	18.2	5	0.9	574	10.4
1972	3,418,800	48,250	14.1	29,747	8.7	805	17.0	6	1.2	428	8.8
1973	3,424,300	47,636	13.9	30,751	9.0	781	16.4	3	0.6	430	9.0
1974	3,448,100	50,096	14.5	29,773	8.6	763	15.2	4	0.8	450	9.0
1975	3,494,124	50,821	14.5	29,778	8.5	798	15.7	5	1.0	421	8.3
1976	3,571,600	53,004	14.8	30,275	8.5	765	14.4	3	0.6	439	8.3
1977	3,661,975	57,256	15.6	29,789	8.1	696	12.2	5	0.9	426	7.4
1978	3,774,294	58,725	15.6	30,469	8.1	737	12.6	4	0.7	465	7.9
1979	3,911,200	64,377	16.5	30,418	7.8	737	11.4	8	1.2	466	7.2
1980	4,130,163	67,857	16.4	32,012	7.8	798	11.8	10	1.5	533	7.9
1981	4,250,123	69,756	16.4	32,022	7.5	731	10.5	7	1.0	489	7.0
1982	4,264,000	69,529	16.3	32,309	7.6	744	10.7	8	1.2	501	7.2
1983	4,285,100	68,705	16.0	32,631	7.6	653	9.5	6	0.9	474	6.9
1984	4,328,100	68,947	15.9	33,788	7.8	704	10.2	7	1.0	444	6.4
1985	4,384,100	70,226	16.0	34,475	7.9	747	10.6	5	0.7	403	5.7

*Per 1,000 Population

**Per 1,000 Live Births

***per 10,000 Live Births

1961-1969 population figures are revised estimates provided by the Office of Program Planning and Fiscal Management.
1979-1982 maternal death figures are revised totals based on studies conducted by the Health Data Unit.

ANALYSIS

LIST OF
TABLES AND FIGURES OF ANALYSIS SECTION

	<u>page</u>
 Natality	
Figure 1 - Marital Status by Race - WA vs US, 1984.....	13
Figure 2 - Marital Status by Age, Race, Residence.....	15
Figure 3 - Prenatal Care by Marital Status.....	17
Figure 4 - Travel for Delivery by Marital Status by Residence.....	19
Figure 5 - Birth Weight by Marital Status.....	21
 Mortality	
Figure 6 - Characteristics of Childhood Deaths.....	27
Figure 7 - Birth Weight by Cause of Death.....	29
Figure 8 - Family Characteristics by Cause of Death.....	31
Figure 9 - Injury Deaths: More Detail.....	33
Figure 10 - Time and Place of Injury Deaths.....	35
 Induced Terminations of Pregnancy	
Table 1a - Selected Statistics by County.....	55
Figure 11 - Statewide Trends, Washington State Residents..	41
Figure 12 - Statewide Trends, Washington State Occurrences.....	41
Figure 13 - Percent of Pregnancies Terminated by Induced Abortion by Age Group, 1981 and 1985..	43
Figure 14 - Comparative Rates by Year.....	43
Figure 15 - Comparative Median Ages by Year.....	45
Figure 16 - Abortion Ratio by Year.....	45
Figure 17 - Age-Specific Abortion Rates by Year.....	47

Figure 18 - Age-Specific Fertility Rates by Year.....	47
Figure 19 - Repeat Abortions, Proportion by Individual Age Group.....	49
Figure 20 - Pregnancy History of Abortion Patients.....	49
Figure 21 - Complication Rates, First and Second Trimester by Year.....	51
Figure 22 - Second Trimester Abortions, Proportion by Individual Age Group, 1983-1985.....	51
Figure 23 - Travel by Patients, Comparative Proportions by Availability of Treatment Setting.....	53
Figure 24 - Patients Travelling, Proportion by Individual Age Group.....	53
Figure 25 - Map of Abortion Ratios, Washington State Residents.....	57
Figure 26 - Map of Age-Specific Pregnancy Rates, 15-17 Year-Olds, Washington State Residents...	59

NATALITY

PRESENTED THIS YEAR: DATA ON BIRTHS TO UNMARRIED WOMEN

The number and proportion of births to unmarried mothers has risen steadily since statistics were first collected in 1940. Changing social values have removed some of the stigma from unwed motherhood. This change means that the woman may feel less pressure to have an abortion which she may not want or to marry the baby's father, adding the stresses of a new and possibly unstable marriage to those of childbearing.

On the other hand, despite these changes, single mothers and their children are still more likely to face handicaps such as:

- a. Lower socioeconomic status. The prevalence of unwed motherhood is one of the predictors of welfare dependency+.
- b. For teenage mothers, interrupted education, making it more difficult to find employment, thus increasing the need for public assistance.
- c. Poorer performance by the child on tests of general knowledge and skills, even controlling for social class differences.
- d. Social stigma for the child--the feeling of being different from other children.

These adverse outcomes are largely eliminated if the child is adopted after birth++. There may also be differences in risk status between children living with only one parent and children of two parent families where the couple simply chooses not to marry. Unfortunately, available data do not allow differentiation between these situations.

To help determine the possible public health impact of the increase in single motherhood, this report presents data on characteristics of unmarried mothers in Washington State and examines changes over time in those characteristics. The analysis is based primarily on data reported on birth certificates registered with the State of Washington Department of Social and Health Services.

+Moore KA, Caldwell SB, Hofferth SL et al: The Consequences of Early Childbearing, An Analysis of Selected Parental Outcomes Using Results from the National Longitudinal Survey of Young Women. Working Paper 0999-01. The Urban Institute. Washington, 1977.

++Berkov B and Sklar J: Does Illegitimacy Make a Difference? A Study of the Life Chances of Illegitimate Children in California. Pop. Devel. Rev. 2(2) 201-217, 1976.

NATALITY

THE PROPORTION OF SINGLE MOTHERS IS LOW IN WASHINGTON, BUT ONLY FOR BLACKS


In 1984+, about 17 percent of Washington resident births were to unmarried women. This ratio is about 20 percent lower than the national ratio of 21 percent. Thus, Washington ranks relatively low (32nd) in its proportion of mothers who are unmarried. However, this favorable position is largely due to Washington's relatively large white population. Whites generally have lower ratios of single motherhood++ than do other races.

A different relationship is seen when Washington is compared to the US for individual racial groups. The ratio of single motherhood for Washington State blacks is about 30 percent lower than the corresponding US ratio. In general, blacks in the Western states have the lowest ratios of single motherhood, possibly because of their higher socioeconomic status compared to blacks in other areas.

On the other hand, Washington State has a relatively high proportion of single white mothers; Washington State whites have the ninth highest ratio of single motherhood in the country. Also, Washington ratios for 'other' races are about 25 percent higher than US ratios. However, data for this group are difficult to interpret because the mixture of races undoubtedly varies from state to state.

+1984 is used for comparison with the US because national statistics are not yet available for 1985. US data taken from Advance Report of Final Natality Statistics, 1984. NCHS Monthly Vital Statistics Report Vol. 35 No. 4 Supplement, July 18, 1986.
++Ratio of single motherhood = Number of births to unmarried women per 100 live births in particular group.

FIGURE 1



NATALITY

THE LARGEST INCREASES IN SINGLE MOTHERHOOD ARE FOR WOMEN AGED 20-34 AND ASIANS

Single motherhood is more common in certain groups, notably teenagers+, blacks and Indians, and urban residents. Population characteristics can account in part for these differences. For example, more teenagers are unmarried, so the chances of unwed pregnancy are greater in this age group. It has already been noted that single motherhood is more common among groups of lower socioeconomic status. This factor can explain some of the racial differences. Another factor could be the timing of marriage. There is evidence++ that white couples tend to marry soon after the discovery of the pregnancy, thus 'legitimizing' the child. In contrast, non-white couples may wait to marry until after the birth of the child. Urban residents may have higher ratios of single motherhood because of weaker family and relational structures found in larger cities.

Substantial changes in single motherhood ratios have reduced some of these differences, as the groups with the largest increases are those which had the lowest ratios in 1980. Ratios for women aged 20-34 increased 50 to 70 percent over the five-year period. In addition, for this group there has been a significant decrease+++ in the proportion of unmarried women having their first child, indicating a possible increase in repeat childbearing by unmarried women.

'Other' racial groups had the largest increase in single motherhood, as the ratio more than doubled between 1980 and 1985. This change is largely due to a nearly five-fold increase in the single motherhood ratio for foreign-born Asians (mostly southeast Asians). Typically, foreign-born Asians have been unmarried mothers less often than their US-born counterparts, but this pattern was reversed in 1985. It has been hypothesized++++ that unwed motherhood is more common among groups that have not been completely assimilated, which could be true of the foreign-born Asians who have recently entered Washington State.

+All subsequent data are age-adjusted to permit comparisons of other characteristics independent of age differences.


++Pratt W: Premarital Pregnancy in a Metropolitan Community, unpublished work.

+++from 49 to 45 percent, $P(X^2) = 0.0001$. Married women had a smaller decrease, from 39 to 38 percent.

+++Goode WJ: Illegitimacy, Anomie, and Cultural Penetration. Amer. Sociol. Rev. 26, 910-925, 1961.

FIGURE 2

MARITAL STATUS BY AGE, RACE, RESIDENCE



*, AGE-ADJUSTED RATES FOR PERCENT UNMARRIED BY RACE AND RESIDENCE

++, NUMBERS REFER TO POPULATION OF CITY OF RESIDENCE; UNDER 10,000 INCLUDES THOSE LIVING OUTSIDE THE LIMITS OF A LARGER CITY. RATES ARE AGE AND RACE-ADJUSTED

NATALITY

SINGLE MOTHERS BEGIN PRENATAL CARE LATER, BUT LATE CARE HAS INCREASED FOR NEARLY EVERYONE

Because they generally have less money and because they may wish to deny or conceal their pregnancies as long as possible, unmarried mothers might be expected to begin care later than married mothers. In fact, in 1985, single mothers had either late+ or no care nearly three times as often as married mothers. The difference in timing of care was smallest for blacks and largest for mothers of 'other' races.


In 1980, urban residents had the lowest incidence of late or no care regardless of marital status. However, recent changes have reduced these differences. Unfortunately, this reduction occurred because of deterioration in some groups rather than improvements in others. For example, the percent of late or no care for unmarried urban residents rose 60 percent between 1980 and 1985, so that now there is no significant difference in the timing of care between urban and other residents.

Since 1980 there has been an increase of about 40 percent in the proportion of late or no care for nearly all races. Only Mexican/Chicano mothers had improvements in use of prenatal care for both married and unmarried women. In contrast, for 'other' races, access to care improved for married mothers but worsened substantially for unmarried mothers, so that this group now has the highest frequency of late or no care. Much of this change is due to an increase in late or no care for unmarried Filipino mothers, particularly foreign-born Filipinos.

For each racial group, similar increases were found for nearly all age groups, so that it was not just the high-risk groups whose use of early care lessened. These changes indicate a reversal of gains made in the previous decade. This reversal is unfortunate because, through early prenatal care, existing medical and obstetric problems can be identified and treated and the prospective mother can be educated about proper hygiene and nutrition, to insure good health for both her and her child.

+Late care is care beginning in the third trimester of pregnancy.

FIGURE 3



+, AGE-ADJUSTED RATES, LATE CARE IS CARE BEGINNING IN THIRD TRIMESTER OF PREGNANCY

++, NUMBERS REFER TO POPULATION OF CITY OF RESIDENCE; UNDER 10,000 INCLUDES THOSE LIVING OUTSIDE THE LIMITS OF A LARGER CITY. RATES ARE AGE AND RACE-ADJUSTED.

NATALITY


SINGLE MOTHERS GO ELSEWHERE FOR DELIVERY LESS OFTEN THAN MARRIED MOTHERS DO

The decision of where to deliver a baby depends on several factors, such as the type of facilities available nearby, personal preference for a particular type of facility (such as a birthing center), or a perceived need for specialized services only available in large areas. In addition, early, unanticipated labor may cause delivery in a facility or at a place other than the chosen one. For single mothers, the desire for anonymity could make the woman decide to have the baby farther away from her residence. On the other hand, lack of money may preclude such travel, and in fact fewer unmarried mothers had their baby in a different city or town in 1985 (53% of unmarried mothers, as compared to 64% of married mothers). This difference is found for moderate to large cities of residence (10,000 population or greater). For smaller areas, most women have their babies elsewhere, regardless of marital status, probably because facilities are not available in these areas. There was relatively little change in these travel patterns between 1980 and 1985.

Most (more than 90%) of the 1985 mothers had their babies in hospitals, regardless of travel status. There is very little difference in the type of facility used by women who travel and those who do not, except for the obvious difference, that women who do not travel have home births more often.

The above results suggest that neither the desire for anonymity by unwed mothers nor the desire for a particular type of facility has a strong influence on travel patterns for delivery. The need for specialized services may affect the unmarried mother's choice of a facility within her area of residence, however. Compared to married women, single mothers have their babies more often in hospitals and less often at home or in birthing centers, as befits their general higher risk status.

FIGURE 4



+, AGE AND RACE-ADJUSTED RATES; PERCENT TRAVEL IS PERCENT OF CASES WHERE CITY OR TOWN OF DELIVERY IS DIFFERENT FROM CITY OR TOWN OF RESIDENCE

++, NUMBERS REFER TO POPULATION OF CITY OF RESIDENCE; UNDER 10,000 INCLUDES THOSE LIVING OUTSIDE THE LIMITS OF A LARGER CITY

NATALITY

SINGLE MOTHERS HAVE LOW BIRTH WEIGHT INFANTS MORE OFTEN THAN MARRIED MOTHERS DO

In 1985, about 8 percent of babies born to unmarried mothers were of low birth weight+, as compared to 4.6 percent of babies born to married mothers. Similar differences were found for children of all races. These differences persist even when demographic and socioeconomic differences++ and differences in maternal smoking+++ are taken into account. Apparently, within a given social or demographic class, an unmarried mother faces additional difficulties which adversely affect fetal development. It has been suggested that perhaps the desire to conceal the pregnancy as long as possible causes the unmarried woman to diet and thus gain less weight during her pregnancy++++.

Despite increased frequencies of late or no prenatal care, there were very few changes in the incidence of low birth weight between 1980 and 1985. There was very little association between changes in prenatal care and changes in low birth weight, except for Mexican/Chicano mothers, where the decrease in low birth weight paralleled a decrease in late or no care for both married and unmarried mothers.

The problems experienced by unmarried mothers are not confined to their greater chance of bearing a low birth weight infant. Unmarried mothers are nearly twice as likely to have their pregnancy end in fetal death. Even for infants of normal birth weight, those born to unmarried mothers have a 40 percent greater chance of having sepsis, seizures, or fetal distress and a 25 percent greater chance of dying in infancy. On the positive side, normal weight infants born to unmarried mothers do not have congenital malformations more often and their five-minute Apgar score shows most (97%) of them to be in the good-to-excellent range, in agreement with the distribution of Apgar scores for babies born to married mothers.


+Low birth weight is 2500 grams (5.5 lbs) or less.

++Iaffel S: Factors Associated with Low Birth Weight. Vital and Health Statistics Series 21, No. 37. DHEW Publication No (PHS)80-1915. Public Health Service, Hyattsville, Md., April 1980.

+++More unmarried mothers smoke during pregnancy; however, even among non-smokers, children born to unmarried mothers have low birth weight more often.

++++Ventura SJ: Trends and Differentials in Births to Unmarried Women: United States, 1970-76. Vital and Health Statistics Series 21, No. 36. DHHS Publication No (PHS)80-1914. Public Health Service, Hyattsville, Md., May 1980.

FIGURE 5



+, AGE-ADJUSTED RATES, LOW WEIGHT IS ≤ 2500 GRAMS BIRTH WEIGHT

NATALITY

CONCLUSIONS FROM ANALYSIS: PROBLEMS OF SINGLE MOTHERHOOD REMAIN

Characteristics of single mothers determined in this analysis agree with those identified in other studies, namely that single mothers are more often non-white, they begin prenatal care later, and their pregnancies have worse outcomes (even adjusting for mother's age and race). In addition, this analysis has identified several areas of concern for Washington State:

1. Washington's ratios of single motherhood are higher than US ratios for all races other than blacks. This difference is found for all white mothers under the age of 30 and for all mothers of other (non-black) races aged 20 and older.
2. Much of the recent increase in unwed motherhood has been for women in the 20-34 year age group. To date, much of the concern over unwed motherhood has focussed on teenagers. However, the birth data suggest that attention needs to be paid to single mothers in their 20's and 30's, particularly in view of possible increases in repeat childbearing in this group.
3. The increase in late or no prenatal care does not appear to be correlated with more babies having low birth weight thus far. However, the reasons for this increase should be identified so that the possible future effect can be determined. The potential effect is large, as the increase in late or no care occurred for most age/race groups.
4. Single motherhood has increased sharply for foreign-born Asians. Furthermore, unmarried foreign-born Asian mothers now have late or no care and low birth weight infants+ considerably more often. This result suggests that the role of mother's birth place should be examined as a measure of cultural attitudes towards pregnancy and the role of prenatal care. Some cultural and/or social groups believe that pregnancy is a natural state which does not require medical intervention++. Thus, these groups would be less likely to use prenatal care even if it were available.

+Although the increase in low birth weight between 1980 and 1985 was substantial (56%), it was not significant because of the small numbers involved (<300 births in 1985).

++Herzog E and Bernstein R: Health Services for Unmarried Mothers, Children's Bureau Publication #425, USDHEW, Children's Bureau, Washington D.C., 1964.

MORTALITY

PRESENTED THIS YEAR: DATA ON DEATHS OF PRESCHOOL CHILDREN

Young children, more than any other group except infants, are dependent for their well-being on parents and other concerned adults. At the same time, these children are more mobile than infants and this increased mobility, combined with their curiosity, can lead them more often into potentially hazardous situations, where they can suffer serious injury or even die. The vulnerability of young children makes it the responsibility of all adults to try to prevent injury and death to children if possible and protect those who cannot protect themselves.

To assist prevention programs, this report presents data on deaths of preschool children (i.e., those aged 1-4 years). Much of the analysis is based on data reported on death certificates registered with the State of Washington Department of Social and Health Services during the years 1979-85. Additional data were obtained by linking these deaths to births for children born in Washington State+. Although this analysis is confined to childhood deaths, it is likely that the same or similar characteristics may apply to non-fatal childhood injuries as well, as it has been shown++, at least for infants, that similar factors account for both death and morbidity.

+ This linkage covered 80 percent of the 1979-85 childhood deaths of Washington State residents. Details of the linkage procedure are available upon request.

++Shapiro S, McCormick MC, et al: Relevance of Correlates of Infant Death for Significant Morbidity at One Year of Age. Am. J. Obstet. Gynecol. 136(3), 363-373, 1980.

MORTALITY

DEATH RATES FOR PRESCHOOL CHILDREN ARE HIGHEST FOR ONE-YEAR OLDS, BLACK FEMALES, AND INJURIES

The likelihood of death decreases about five-fold if an infant survives the first year+. Even after the first year, death rates decrease steadily as the child grows older. Both infant and childhood death rates have been declining over time. Infant death rates decreased by 80 percent and childhood death rates by 50 percent between 1970 and 1985.

Although in general preschool boys have about 33 percent higher death rates than girls do, this difference is not found for all races. Black girls actually have higher death rates than black boys, at least for Washington State++. However, Washington is unique in this respect; this pattern is not found at the national level or for most other states. Disease conditions (especially blood disorders and diseases of the nervous, circulatory, and respiratory systems) account for many of the 'excess' deaths among black girls in Washington State.

For other races, rates can only be estimated, because of the scarcity of population data. These estimates show that Indian children are about three times as likely to die in early childhood as are white children and 'other' (mostly Asian) children are about half as likely to die. For both Indian and 'other' children, death rates for boys are higher than death rates for girls.

The largest number (49%) of deaths to preschool children are due to injuries (generally received in accidents), regardless of sex or race. In this respect, accident prevention programs might help to save the lives of nearly half of the children who die in their preschool years.


+Comparing one-year old child death rates to post-neonatal infant death rates.

++It should be noted that the number of deaths is small for both black girls (28 deaths) and black boys (22 deaths).

FIGURE 6

DEATHS, CHILDREN AGED 1-4, 1979-85

CHARACTERISTICS OF CHILDHOOD DEATHS



+, DEATH RATE = NUMBER OF DEATHS/100,000 POPULATION

MORTALITY

THE PROBLEMS OF LOW BIRTH WEIGHT EXTEND INTO CHILDHOOD, AT LEAST THROUGH AGE FOUR

Infants of low birth weight (2500 grams or less) have nearly a 30-fold greater chance of dying before their first birthday than do normal birth weight infants. Does this increased risk extend into childhood as well? There are indications that it does, but to a lesser extent. Children who were small at birth have a three-fold greater chance of dying before their fifth birthday, compared to children of normal birth weight.

Birth weight is a particularly important factor in deaths from certain disease conditions (diseases of the nervous system, circulatory system and respiratory system, perinatal conditions, and sudden death). This result is consistent with a British study⁺ which showed that premature children were more likely to die from certain conditions, including lower respiratory infections. Although premature children also have higher death rates from congenital anomalies, this difference occurs largely because more premature children have these anomalies at birth. When deaths are compared to births with congenital anomalies only, the dependence of death rate on birth weight disappears. The only other causes for which birth weight has a significant effect—are certain injury conditions (drowning, fire, suffocation, and homicide).


Several factors can account for the increased mortality among premature children. The nervous and respiratory systems are the last to develop and mature in the fetus. Therefore, these systems may be poorly developed in the premature child, increasing his or her susceptibility to certain diseases or to smoke inhalation during fires, or to suffocation. Low birth weight children may not encounter these conditions more often, but they may react more strongly when they do. Alternatively, birth weight may simply be an indicator of some other factor (such as low socioeconomic status or parental stress resulting in poor parent-child bonding⁺⁺) which explains the vulnerability of the low birth weight child.

⁺Douglas JWB and Mogford C: Health of Premature Children from Birth to Four Years. Brit. Med. J. 1, 748-754, 1953.

⁺⁺Caplan G, Mason LA, and Kaplan DM: Four Studies of Crisis in Parents of Prematures. Comm. Mental Health J. 1(2), 149-161, 1965.

FIGURE 7

DEATHS, CHILDREN AGED 1-4, 1979-85

BIRTH WEIGHT⁺ BY CAUSE OF DEATH⁺, BIRTH WEIGHT CATEGORIES USED

- 1 = ≤ 2500 GRAMS
- 2 = 2501-3000 GRAMS
- 3 = 3001+ GRAMS

⁺⁺, DEATH RATE = NUMBER OF DEATHS/100,000 SURVIVORS (LIVE BIRTHS MINUS INFANT DEATHS)⁺⁺⁺, INCLUDES DISEASES OF THE NERVOUS SYSTEM, CIRCULATORY SYSTEM, RESPIRATORY SYSTEM, PERINATAL CONDITIONS, AND SUDDEN DEATH

MORTALITY

PRESCHOOL CHILDREN WHO DIE FROM INJURIES MORE OFTEN HAVE SIBLINGS

Family characteristics may influence childhood mortality in that childhood death may be more common in certain types of family. Family characteristics available from the birth certificate are age and marital status of the mother and presence of other children in the family (as measured by parity).

The mothers of children who die from disease conditions are younger and more often unmarried and the child is more likely to be the first born (compared to all live births). These characteristics suggest that maternal inexperience may play a role in disease deaths. On the other hand, young unmarried first-time mothers also tend to have low birth weight infants more often. Possibly, the combination of low birth weight and maternal inexperience increases the child's susceptibility to disease.

No strong patterns emerge for deaths from cancer and congenital anomalies. Mothers of children who die of cancer are somewhat (but not substantially) older, relative to births. Children dying of anomalies have family characteristics that resemble those of all children born with anomalies.

Injury deaths occur in families with younger, unmarried mothers and families of higher parity (i.e., more children in the family). This same relationship was found for infant deaths+. There is evidence that mothers spend less time interacting with and caring for second-born children++ and also that children of higher parity are less often wanted+++ compared to first-born children. These factors could contribute to injury deaths among higher-parity children. In these cases, the mother's attention could be divided between several siblings or she may leave the infant or child in care of older siblings who are not well-equipped to provide such care.

+Wicklund K, Moss S, and Frost F: Effects of Maternal Education, Age, and Parity on Fatal Infant Accidents. *Am. J. Public Health* 74(10), 1150-1152, 1984.

++Jacobs BS and Moss HA: Birth Order and Sex of Sibling as Determinants of Mother-Infant Interaction. *Child Devel.* 47, 315-322, 1976.


+++Weller RH and Heuser RL: Wanted and Unwanted Childbearing in the United States: 1968, 1969, and 1972 National Natality Surveys. *Vital and Health Statistics Series 2, No. 32.* DHEW Publication No (PHS)78-1918. Public Health Service, Hyattsville, Md., September, 1978.

FIGURE 8

DEATHS, CHILDREN AGED 1-4, 1979-85

FAMILY CHARACTERISTICS
BY CAUSE OF DEATH+P
E
R
C
E
N
T

O
F

C
A
S
E
S

+, CAUSES OF DEATH

1=DISEASES

2=CANCER

3=CONGENITAL ANOMALIES

4=INJURIES

Bir=LIVE BIRTHS (FOR COMPARISON)

++, PERCENTAGES HAVE BEEN ADJUSTED FOR DIFFERENCES IN AGE OF THE MOTHER; PARITY IS NUMBER OF PREVIOUS LIVE BIRTHS

MORTALITY

THE LARGEST NUMBER OF PRESCHOOL CHILDREN DIE BY DROWNING

As previously noted, about half of the deaths of preschool children are due to injuries and therefore preventable, at least in theory. Studying these injuries in more detail may help to determine how they can be prevented.

The leading categories of injury death are drowning, motor vehicle accidents (where the child is a passenger in the car), fires, pedestrian traffic accidents (children being hit by cars), and pedestrian nontraffic accidents (children being run over by vehicles in driveways or parking lots). Together, these five causes account for 74 percent of injury deaths and 36 percent of all deaths of preschool children. Drowning is the leading cause of death for preschool children, but only for white children. For Indian children, the leading cause is fire and for black children, homicide accounts for the largest number of deaths.

The association between injury death and other children in the family (nonzero parity) is found for all categories except motor vehicle accidents and 'other' causes+. Childhood injury deaths occur more often in families of farm workers or unemployed fathers (17% of the deaths, as compared to 5% of all live births) and less often in white collar families (18% of deaths and 32% of births).


For preschool children, the largest number (37%) of injury deaths occur between the first and second years of life. This age dependence is particularly dramatic for suffocation, where one-year olds account for 61 percent of the deaths. In contrast, deaths from motor vehicle accidents and homicides peak at age two. Motor vehicle accidents are relatively unimportant as a cause of death for one-year old children; presumably either the parents don't take their one-year old child in the car or they are more careful when they do.

+the main causes in this category are falls, being struck by falling objects, and accidental poisoning.

FIGURE 9

DEATHS, CHILDREN AGED 1-4, 1979-85

INJURY DEATHS: MORE DETAIL+



MORTALITY

MANY INJURY DEATHS OF PRESCHOOL CHILDREN OCCUR AT HOME, ON SUMMER AFTERNOONS OR EARLY EVENINGS

Motor vehicle and pedestrian accidents and drownings, which are generally 'outside' accidents, occur most often in the summertime and during the hours of 1-8PM. These are the times when the preschool child is likely to be outside playing, when traffic may be heavy, and when the mother's attention might be focussed on other household duties. In contrast, 'inside' deaths such as fires occur more often in winter in the early morning hours, when the family is asleep. Other 'inside' causes such as suffocation and homicide have less seasonal and temporal variation; however, nearly 40 percent of the times of injury are missing for these causes, so that patterns are difficult to discern.


A relatively large number of injury deaths occur on weekends, particularly for fires and pedestrian nontraffic accidents, where children are run over by vehicles in driveways or parking lots. Greater alcohol consumption on the weekends could make the parents more careless and thus increase the possibility of such accidents. Also, parents are likely to be home and using vehicles (for running errands) more often.

Most of the fatal injuries occur at home, probably because preschool children spend most of their time there. The exceptions are traffic accidents, most of which happen on the street, and drownings. Drowning deaths are about evenly divided between those which occur at home (in bathtubs and swimming pools) and in other locations (lakes, rivers, ponds, canals). About 11 percent of the drowning deaths occur in ditches, puddles, or shallow pools, emphasizing how little water it takes for a child to drown.

FIGURE 10

DEATHS, CHILDREN AGED 1-4, 1979-85

TIME AND PLACE OF INJURY DEATHS+



+, CAUSES OF DEATH

1-3, MOTOR VEHICLE ACCIDENTS

1=PASSENGER IN CAR

2=PEDESTRIAN TRAFFIC ACCIDENT

3=PEDESTRIAN NONTRAFFIC ACCIDENT

4=DROWNING

5=FIRE

6=SUFFOCATION

7=HOMICIDE

8=OTHER

HORIZONTAL LINES SHOW PERCENTAGES EXPECTED IF ALL DEATHS WERE EVENLY DISTRIBUTED

MORTALITY

CONCLUSIONS FROM ANALYSIS: CHARACTERISTICS OF PRESCHOOL CHILDREN'S DEATHS PRESENTED

Strategies for the prevention of childhood deaths can start by identifying a vulnerable population (in terms of who, what, when, and where) and continue by studying reasons why they are vulnerable. This approach makes it possible both to treat the symptoms (i.e., protect the vulnerable children) and to remove the causes. This analysis of early childhood deaths has identified the following characteristics:

- a. Who: One-year olds and black and Indian children (especially black girls) have relatively high death rates.
- b. What: The leading causes of death for preschool children are injuries and diseases. The major injuries are from drowning, motor vehicle accidents, and fires (and homicide for black children). The major diseases are diseases of the nervous system (primarily central nervous system disorders such as bacterial meningitis) and respiratory system (primarily pneumonia and influenza).
- c. When: Summer days from 1-8PM (and possibly weekends) are the most deadly times for preschool children. This pattern is only found for injuries; other causes have no strong seasonal/temporal variations.
- d. Where: Although many (44%) of the early childhood deaths occur in hospitals, the triggering incident generally occurs at home, particularly for injuries. These incidents can occur both inside and outside the house. Driveways or parking lots (for pedestrian accidents) and swimming pools (drowning) are the site of many outside deaths. Bedrooms (fires, suffocation) and bathtubs (drowning, scalding) account for many inside deaths.
- e. Why: Factors which may be associated with early childhood death are: maternal inexperience at recognizing the seriousness of some diseases, maternal attention distracted by other children in the family, leaving the child in care of siblings, parental use of alcohol or other drugs on weekends, lower socioeconomic status, and problems arising at birth, such as congenital anomalies and low birth weight. This last factor is of concern because more low birth weight babies survive through infancy today and thus a larger number of children may be at risk for dying in their preschool years.

INDUCED TERMINATIONS OF PREGNANCY

INTRODUCTION

Abortion remains a continuing controversy for Americans. A little over forty laws pertaining to abortion issues were enacted in the various state legislatures in 1985. This was the largest number since 1973; that year, the U.S. Supreme Court recognized a woman's constitutional right to an abortion.(1)

In Washington State, the Legislature addressed the issue of violence and harassment at facilities which provide abortion services. In one action, a resolution condemning violence at clinics was issued. In another, the Legislature acted less specifically, but more firmly, passing the Anti-Harassment Act of 1985. Although the Act does not speak directly to clinic demonstrations, some consider it important protective legislation. The law makes unlawful "the repeated invasions of a person's privacy by acts and threats which show a pattern of harassment." (2)

The intensity of the climate surrounding abortion may have several effects. Undoubtedly, it discourages good reporting by service providers. In addition, abortion likely becomes less attractive as an option to pregnant women, particularly for those most vulnerable to public opinion, such as teenagers. Some may delay their decision into later stages of pregnancy. Ultimately, the lack of consensus dims the clarity of public health goals.

The mission of public health, in its broad sense, can be divided into three principle arenas: prevention, treatment, and cost containment. Certainly, procedures of induced termination with their potential health risk, increase the importance of prevention of unintended pregnancy among public health goals. It is joined by interest in safe, effective treatment and a concern for costs.

The rule requiring the reporting of induced terminations of pregnancy, promulgated in 1973, cites as justification: the assurance of "safe and adequate care and treatment of patients".(3) In addition to the concern for health risks, attention is turned to the evidential contraceptive failure. To evaluate abortion services and issues of unintended pregnancy, there is a need to assess, not only medical factors, such as, gestational age and relative complication risk of procedures, but also, demographic and economic variables as important policy determinants. Social and moral factors, not easily quantified or separated, inescapably cloud any final assessment.

(1) Terry Sollom and Patricia Donovan, "State Laws and the Provision of Family Planning and Abortion Services in 1985," Family Planning Perspectives vol. 17, No. 6, Nov/Dec 1985:266.

(2) Washington Senate Bill 3012, Anti-Harassment Act of 1985, 13 May 1985. Qtd. Sollom.

(3) Washington Administrative Code (WAC) 248-140.

INDUCED TERMINATIONS OF PREGNANCY

This analysis separates the issues in unintended pregnancy and induced abortion along the lines of the previously mentioned public health arenas: prevention, treatment, and cost. This is to suggest a broader context, while facilitating structure of the discussion. Unavoidably, some topics overlap due to the inter-relationship of the arenas, themselves.

Concern over prevention in the areas of unintended pregnancy and abortion leads to interest in total abortions, abortions to women under 25 (especially teenagers), and repeat abortion. Treatment issues focus on the health risks of abortion procedures, particularly second trimester procedures. Costs are related to charges by abortion service providers, type of procedure, available treatment setting, and travel. In addition to these topics, differences in rates and ratios for the 39 counties are explored.

SUMMARY OF FINDINGS

An assessment of trends in statewide totals shows decline since 1981 in both total and teenage resident abortions and increase in second trimester and repeat abortions by residents. As will be shown later, while the drop in teenage and total abortions is very likely real, the rise in repeat and second trimester abortions is to some degree an artifact. Occurrence data for the state shows decrease overall in the twelve-year pattern of complications. Examination of information pertinent to cost reveals a definite preference for nonhospital services, and some reduction in travel by patients.

County statistical indicators show wide variation. The abortion rates are moderately associated with metropolitan status. County abortion ratios correlate strongly with median age and urban status. Differences in abortion ratios for women in the 20-24 year age group and pregnancy rates for high school age women are also notable.

LIMITATIONS

The analysis is limited by the data in three ways. First, an undeniable factor is the underreporting of abortion, estimated at 14 percent in 1982 for Washington State by the Alan Guttmacher Institute (AGI).⁽⁴⁾ Second, reporting is incomplete as in: patient's race where there is a large quantity of unknowns, or complications where followup is carried out after reports have been completed or by a different provider. Third, data are potentially inaccurate, especially where they must be based on:

(4) Susan Tew, Alan Guttmacher Institute (AGI), personal conversation, 3 June 1987.

FIGURE 11

WASHINGTON STATE 1985





FIGURE 12



*Data unavailable for prior years.

**1974-1977 yearly residence totals are estimates based on occurrence data.

INDUCED TERMINATIONS OF PREGNANCY

an estimate, such as gestational age, or patients' self-reporting, such as with pregnancy history and age of patient. In this analysis, therefore, discussion of race and the relative safety of procedures are considered outside the potential of the data. The latter topic can be found thoroughly covered in professional literature.(5)

In the analysis which follows, the findings noted earlier are discussed in greater detail, beginning with issues in prevention of contraceptive failure--the changes since 1981 in total resident abortions, including abortions by younger aged women, and repeat abortion.

ISSUES IN PREVENTION

Decline in Total Abortions

Except for a small rise in the number of induced abortions for residents in 1984, there has been a steady decline since 1981, when total reported abortions peaked at 28,968, approximately 3,000 more than the 25,835 reported in 1985.

This decrease in abortions among residents is made up of four components:

- 1) an overall decline in the number of women becoming pregnant,
- 2) a change in the population distribution to the extent that there are fewer younger aged women, those with the highest probability of choosing an abortion, and
- 3) an increasing tendency by women, in nearly all age groups, to carry pregnancies to term, but chiefly
- 4) fewer induced terminations to younger aged women.

----fewer Women Becoming Pregnant

In 1981, approximately 99 in every 1,000 resident women in Washington State between the ages of 15 and 44 at some point were pregnant. Of these, roughly 70 gave birth and another 29 obtained an abortion. In comparison in 1985, of every 1,000 resident women in this age group: 92 were pregnant--67 gave birth and 25 received an abortion. Fetal deaths amounted to less than one statistically as part of these figures in each year.

Total reported pregnancies dropped 2,749 from 99,213 in 1981 to 96,464 in 1985. An examination of the slope in the trendline for the rate of pregnancy since 1981 shows an average drop of 1.8 points per year. The pregnancy rate is roughly a sum of abortion and fertility rates--any further difference is accounted for by fetal deaths. Both abortion and fertility rates show nearly equal decline (-0.9 and -0.7, respectively). Part of the de-

(5)See Centers for Disease Control: Abortion Surveillance 1981, issued November, 1985.

FIGURE 13

WASHINGTON STATE 1985





FIGURE 14



INDUCED TERMINATIONS OF PREGNANCY

cline in abortion appears reflective, therefore, of a larger pattern showing that overall, fewer women became pregnant.

---Distributional Change In Population

An additional portion of the decline in total abortions can be attributed to a drop in population of women under the age of 25, a consequence of the aging of the "baby boom" generation. For women aged 15 to 24, there was a decrease of ten percent, approximately 36,000 in total population, from 1981 to 1985.(6) Of the total resident abortions, 60% were by women in this age group, a relatively consistent proportion over time.

The distributional change among the age groups for women residing in Washington State is illustrated by the increase in median age for women in the general population, as well as for those obtaining an abortion and for those giving birth. While in 1974, fifty percent of the women in the general population were under the age 28.6, in 1985, the 50% demarcation line moved to 32.2 years of age. The changes in median ages for women undergoing induced terminations or birth delivery mirror the same phenomenon with median ages climbing from 21.4 to 23.1 for abortions and 24.1 to 26.0 for births in the twelve years.

---Increasing Tendency To Carry Pregnancies To Term

The abortion ratio (the number of abortions per 1,000 live births) is the parameter used to compare the prevalence of abortion among pregnant women. It is not a function of the total number of women in a population as is a rate, but instead is mindful of only that part of the population of women who became pregnant. It is indicative, moreover, of the decisions by women to carry their pregnancies to term. It should be noted that between abortion rates and ratios, changes are more apparent with ratios, due to the smaller denominator in the ratio.

In 1981, 29 out of every hundred pregnancies (total live births, fetal deaths, and induced abortions) ended in an induced termination. In 1985, this proportion dropped seven percent to 27 in every 100. As a result, there is a corresponding decline in the abortion ratio. The ratio since 1974, was highest in 1978, when it was 447 abortions per 1,000 live births. It peaked again in 1981 at 415. In 1985, it declined eleven percent to 368.

Except for those over 45 years of age, an increasing tendency toward live birth outcomes extends across all age groups. This change in the individual proportion by age group of pregnancies ending as induced terminations is illustrated in Figure 13 on the previous page.

(6) Washington State, Office of Financial Management, Forecasts of the State Population 1986-2010, December 1985.

FIGURE 15

WASHINGTON STATE 1985





FIGURE 16



*Abortions per 1,000 live births.

INDUCED TERMINATIONS OF PREGNANCY

----Women Under 25

Almost the entire difference in the yearly abortion totals for 1981 and 1985 can be attributed to a decrease in induced abortion by women under 25 years of age. The total for 20-24 year olds dropped approximately 1,300, while the number for the 15-19 year old age group is nearly 1,700 less than in 1981. The largest percent of abortions remains with the the 20-24 year old age group, close to 34% of all induced terminations.

An examination of abortion rates for these age groups indicates that the lower totals in 1985 are due not only to a smaller risk population in these specific age groups. The age specific abortion rate also experienced a six point decline (47 to 41) for 15-19 year-olds and two points (51 to 49) for 20-24 year-olds.

A comparison of fertility rates also shows decline but nearly the reverse in extent for the two age groups. In contrast, to the small decline in the fertility rate for 15-19 year-olds (47 to 45), the rate for 20-24 year-olds dropped more sharply from 124 to 117. Both downward trends are contrary to an overall pattern of increase in the other age groups.

A corresponding decrease in the pregnancy rates for resident woman aged 15-19 and 20-24 (8 points and 10 points, respectively) follows consequently the decline in abortion and fertility rates. On the other hand, the pregnancy rate for those under 15, even considering the small numbers, shows resistance to any trend, fluctuating between 1.8 to 2.0 in the five years from 1981 to 1985. For these women, the total number of pregnancies differed by 17, from 287 to 270. Of these 270, in 1985, 40% (109) carried the pregnancy to term and 59% (159) obtained an abortion. This compares to 29% (83) and 70% (202), respectively, in 1981. There were two fetal deaths each of these years to women under 15.

The abortion ratio, which compares births and induced abortions directly, shows that the most dramatic percentage decrease in the the number of abortions per thousand live births is for women under fifteen--forty percent. For 15-19 year-olds, the ratio decreased nine percent, to 903; while for 20-24 year-olds the percentage drop is one percent, to 421.

The comparison between 1985 and 1981, the peak reporting year in the twelve years since the Supreme Court ruling on the constitutionality of induced abortion, is interesting for revealing the makeup of the differences between age groups and pregnancy outcomes. It is not meant to be used as a forecast. Five year trends are normally too short for any reliable projection. Some levelling can be expected as a natural consequence in social statistics.

The next part of the analysis pertains to a second issue in prevention of contraceptive failure, repeat abortion. It will be observed that the increase which has occurred over time can be considered to be largely an artifact.

FIGURE 17

WASHINGTON STATE 1985





FIGURE 18



*Abortions per 1,000 female population in each age group.

**Live births per 1,000 female population in each age group.

INDUCED TERMINATIONS OF PREGNANCY

Repeat Abortion

There has been a continuous increase in the proportion of repeat abortions since pregnancy history was first collected on the Abortion Reporting Form in 1981. For some, patient histories of one or more previous abortions generate concern that induced abortion is used instead of less costly, more preferable pregnancy avoidance methods or as a backup measure for contraceptive failure. The short time period in which induced abortions have been legal has not allowed for a conclusive study concerning the medical risks of repeat abortions. It is currently under investigation in the Department of Epidemiology at the University of Washington.

In 1981, 9,918 (37%) of resident induced abortions with reported pregnancy histories could be termed repeat abortions. In 1985, the proportion increased to 44%, 10,562 abortions.(7) This rise in repeat abortions, can be attributed to the short time frame in which induced abortion has been legal. As this time period expands, repeat abortions are expected to achieve and maintain a flatter trend line, as when legal abortions will have been available to women throughout their fertile period.

The pattern of individual age group proportions is, as expected, skewed towards those of an older age, a result of the longer risk period for pregnancy of older women. Over time, the proportion of repeat abortion has been increasing among older aged women, while for those under twenty it has remained constant at approximately one-fifth.

Examination of reported pregnancy histories for abortion patients shows nearly 57% (13,886) were childless, suggesting that the procedure was used in these instances, to delay childbearing. Approximately 5,000 patients with nulliparous backgrounds, 21% of the total resident abortions with reported pregnancy histories, had a history of one or more previous pregnancy terminations. Other pregnancy history patterns, as shown in Figure 20, point to child spacing and termination of childbearing as reasons for seeking abortion. Other factors, not related to pregnancy history, such as improved prenatal tests which can predict the presence of malformations in an unborn fetus, may also influence patients to terminate a pregnancy.

A possible course of action in the area of repeat abortion might be more contraceptive counseling by providers. In the next part of the analysis attention is turned to concerns of treatment and cost. As will be shown the two are somewhat interwoven.

(7) 2,299 Abortion reports had no reported pregnancy history in 1981; 1,617 were without histories in 1985. These were excluded in determining the percentages.

FIGURE 19

WASHINGTON STATE 1985





FIGURE 20

PREGNANCY HISTORY OF ABORTION PATIENTS*

WASHINGTON STATE RESIDENTS, 1985



*Does not include 2,299 reported abortions with unknown pregnancy histories in 1981; or 1,617 in 1985.

INDUCED TERMINATIONS OF PREGNANCY

ISSUES IN TREATMENT AND COST

Second Trimester Abortions

Second trimester abortions, induced terminations performed after the twelfth gestational week, draw attention despite their small number, 2,562 (9.9%). The demonstrated increased risk, "a disproportionate amount of morbidity and mortality" accompanying these procedures warrant this additional scrutiny.(8) Moreover, these second trimester terminations of pregnancy have an acknowledged greater cost.

In Washington State, in 1985, the rate of complications for second trimester procedures is more than three times that of first trimester abortions. There are five reported complications per 1,000 procedures among first trimester abortions performed in Washington State in 1985 compared to 17 per 1,000 for second trimester abortions.

In addition to more complications, the differences in procedures and more elaborate attendant care which are required for terminations of second trimester pregnancies, add to their cost. In 1985, in this state, the most common procedure used in first trimester terminations was suction curettage (98%). In second trimester procedures, it was dilatation and curettage (57%), followed by suction curettage (29%), saline (8%), and prostaglandin (5%).

Both the number and proportion of second trimester terminations by resident women have increased steadily since 1978 when residency data were first made available. The increase in second trimester abortions is, however, partly a reporting artifact caused by a 1983 change in the abortion law.

In December, 1982, the law regulating abortion was liberalized to allow terminations of second trimester pregnancies in approved nonhospital facilities. Some of the increase, therefore, might be a result of improved reporting. Since 1983, nevertheless, the proportion of second trimester abortions has continued to climb, up 28% from 7.7% to 9.9%.

The greatest number of second trimester procedures by residents were obtained by adolescent women, 477 (18%). The probability of a woman having an abortion in her second trimester increases inversely by age. For women under the age of twenty it was 15%; those 20-29, 9%; and women over 30, 6%. The change in these percents from 1983 to 1985 are shown in the figure on the opposite page.

The next section will discuss other items which add financial burden--service availability and provider remuneration.

(8)David A. Grimes, MD and Kenneth F. Shulz, MBA, "Morbidity and Mortality from Second-Trimester Abortions", Journal of Reproductive Medicine Vol 30, No. 7, July 1985:506.

FIGURE 21

WASHINGTON STATE 1985





FIGURE 22



*Induced terminations with complications per 1,000 procedures.

INDUCED TERMINATIONS OF PREGNANCY

Service Availability and Costs

Issues connected with cost containment center around second trimester abortions, already discussed, and service accessibility measured by fees charged by providers, available treatment settings, and amount of travel.

Washington State is among five states with an average cost for an abortion in a nonhospital setting (at ten weeks or less since the patient's last menstrual period) for under \$190.00 in 1984-1985.(9) State funded abortions numbered 5,460 in fiscal year 1986 at an average cost of \$320.00.(10) The noticeable difference between this cost and the just mentioned average state cost could be from several factors including: (1) a lack of available low cost services to poor women, (2) an excess of second trimester abortions among these women, or (3) the relatively small number of State funded abortions increasing the vulnerability of the average to a few extreme values. The data are insufficient to be conclusive.

Abortion funding is available to all women eligible for medicaid and to other women at or below 150% of the poverty level depending on appropriation levels and the number of applicants within a locale. No federal funds are used to finance induced terminations in Washington State. The comparative number and cost of State funded birth deliveries was 15,108 at an average cost of \$1,885.(11)

Added to the cost of an abortion may be the cost of travel and an out-of-town stay. Patients travelling out of their home county account for 32% (8,277) of the total resident abortions in 1985. This evident need to travel is moderately associated with type and availability of service.(12)

Where both hospital and clinic or private office facilities are available, almost 80% of patients sought a provider in their home county. In counties where the only setting available is a hospital, 97% (1,749) of the patients travelled to another county. In addition, there are 13 counties without any providers requiring 1,514 patients seeking induced terminations in 1985 to travel away from their home county. Conversely, despite the availability of a nonhospital setting in their home county, 5,013 (19%) abortion patients obtained an abortion outside of their home county. In addition to a lack of providers in their

(9) Stanley Henshaw, Jacqueline Forrest, and Jenifer Van Vort, "Abortion Services in the United States, 1984 and 1985", Family Planning Perspectives March/April 1987:69.

(10) State of Washington, Department of Social and Health Services, unpublished data sheet.

(11) Ibid.

(12) $\lambda = .391$

FIGURE 23

WASHINGTON STATE 1985





FIGURE 24



INDUCED TERMINATIONS OF PREGNANCY

home county, the reasons that women travel are speculated to be: 1) a neighboring county has available, affordable services closer to the patient's home and 2) a desire for anonymity.

The probability of a patient obtaining an abortion in a county other than where they reside decreases with age. For women under twenty years of age, 36% sought services outside their home county. For those 20-29 years old, 31% travelled to another county; women 30 years of age and over, 28%. This has changed only slightly downward for all age categories since 1981.

Reducing some of the need to travel and the problems and number of second trimester abortions could have positive effects toward decreasing health risks and monetary costs.

The next section of the analysis will discuss the considerable variation in abortion rates and ratios among counties. The influence of differences in age group distribution and urban character will be noted.

VARIATION AMONG COUNTIES

Abortion rates and ratios vary widely among the 39 counties. This section discusses these variations and the contribution of the variables: age group distribution and metropolitan status. In addition, county data for women of high school age, because of their increased risk, and those aged 20-24, because of their predominance in total induced terminations among all age groups, are analysed separately.

Abortion Rates

A comparison of resident abortion rates by county for the years, 1981 and 1985, shows decline for all but three--Adams, Walla Walla, and Columbia Counties. The increases in these counties might be an artifact due to the small number of events and small populations. The differences in the totals between 1981 and 1985 for these counties is never more than eight. Averaging rates over several years would give a more stable picture in these small counties. A two year moving average over the five years for these counties shows only Columbia County has had a steady increase, rising from 12.4 to 20.2 abortions per 1,000 population in the five years.

A look at the resident abortion rates among the Washington State counties shows a range of 6.9 to 32.1 abortions per 1,000 women. To understand the differences in the abortion rates between counties and to facilitate analysis, the rates for individual counties were adjusted for age to remove the effects of age group differences among the counties. The standard population used was the 1970 U.S. population.

Correlation between the actual resident abortion rates for the 39 counties with their age-adjusted rates is very high indicating that differences in age-group distribution explain little

TABLE 1a

SELECTED STATISTICS BY COUNTY

	AGE-ADJUSTED RATE*	MEDIAN AGE FOR WOMEN AGED 15-44	POPULATION DENSITY**	ABORTION RATIO 20-24 YEAR OLDS***	TOTAL PREGNANCIES 15-17 YEAR OLDS	PREGNANCY RATE 15-17 YEAR OLDS****
STATE		29.3		421	5,136	53.4
ADAMS	11.4	29.0	7	222	23	69.5
ASOTIN	9.1	29.3	27	289	28	79.8
BENTON*	10.1	29.4	61	305	133	56.7
CHELAN	12.3	29.5	17	364	65	66.9
CLALLAM	4.1	29.2	30	106	42	39.7
CLARK*	11.8	30.0	324	362	275	60.8
COLUMBIA	10.9	31.0	5	235	4	59.7
COWLITZ	5.1	29.5	70	143	78	45.4
DOUGLAS	6.0	30.3	13	174	23	46.1
FERRY	3.8	29.3	3	23	9	68.2
FRANKLIN*	10.4	28.0	29	267	57	73.5
GARFIELD	3.2	30.8	4	0	5	113.7
GRANT	10.1	29.2	19	218	66	58.3
GRAYS HARBOR	10.9	29.2	33	268	103	76.6
ISLAND	9.1	29.8	232	237	38	41.0
JEFFERSON	3.8	30.2	10	132	14	47.1
KING*	14.7	29.5	633	798	1,492	53.1
KITSAP*	8.5	30.0	427	236	171	51.5
KITTITAS	10.6	26.1	11	675	21	27.0
KLICKITAT	4.6	29.9	9	154	10	30.0
LEWIS	9.5	29.7	24	263	75	60.5
LINCOLN	4.4	30.8	4	103	7	37.3
MASON	7.3	29.7	36	259	37	53.3
OKANOGAN	6.2	30.2	6	98	35	54.8
PACIFIC	7.3	29.3	19	172	16	51.2
PIED OREILLE	7.3	30.6	7	205	13	66.7
PIERCE*	12.2	28.7	313	388	766	63.5
SAN JUAN	5.1	31.0	50	429	3	25.0
SKAGIT	8.5	29.7	39	223	72	50.8
SKAMANIA	6.0	30.0	5	275	8	46.5
SNOHOMISH*	7.8	29.9	178	280	367	44.5
SPOKANE*	10.2	28.6	201	387	377	45.4
STEVENS	6.4	30.1	12	159	38	64.2
THURSTON*	12.6	29.7	192	432	166	54.1
WAHKIAUM	3.3	30.6	14	0	3	41.1
WALLA WALLA	10.3	27.8	38	400	56	45.5
WHATCOM*	8.8	27.9	55	435	99	34.7
WHITMAN	6.2	23.5	18	634	15	9.2
YAKIMA*	9.6	29.3	43	241	326	78.9
MEDIAN AMONG COUNTIES	8.5	29.5	27	241	38	53.1

*STANDARD METROPOLITAN STATISTICAL AREA (SMSA). SEE TECHNICAL NOTES.

**ABORTIONS PER 1,000 POPULATION ADJUSTED FOR AGE BASED ON 1970 US POPULATION AS A STANDARD.

***POPULATION PER SQUARE MILE, ROUNDED. (WASHINGTON STATE OFFICE OF FINANCIAL MANAGEMENT, 1985 DATA BOOK.)

****ABORTIONS PER 1,000 LIVE BIRTHS FOR 20-24 YEAR OLDS.

*****PREGNANCIES PER 1,000 FEMALE POPULATION, AGED 15-17. COUNTY POPULATIONS FOR THIS AGE GROUP WERE DETERMINED BY USING STATE TOTALS FOR THIS AGE GROUP AND APPLYING THE SAME PROPORTION TO THE INDIVIDUAL COUNTIES. SOME INACCURACIES MAY HAVE OCCURRED AS A RESULT. (WASHINGTON STATE OFFICE OF FINANCIAL MANAGEMENT, FORECASTS OF THE STATE POPULATION BY AGE AND SEX, 1986-2010, DECEMBER, 1985.)

INDUCED TERMINATIONS OF PREGNANCY

of the variation between counties.(13) This is further corroborated by the low correlation of the actual rates with the median age of women in each county.(14)

Another factor explored for possible explanation of the variation in individual county abortion rates was urban versus rural character. Metropolitan or urban status was accorded to those counties classified as Standard Metropolitan Statistical Areas (SMSAs) by the U.S. Census Bureau. (See Technical Notes). All other counties were considered rural or nonmetropolitan. The age-adjusted rate was divided at the median (8.5) into low and high rates. The association of rural counties with lower rates and urban counties with higher rates is moderate.(15) Rural counties show an average age-adjusted abortion rate of 7.2; SMSAs, 10.7.

The abortion rate measures the prevalence of abortion within a population of women. Some understanding of the rate and the differences between counties is gained when it is seen logically as a function of two other indicators, the pregnancy rate and the abortion ratio. The pregnancy rate (pregnancies per thousand women, aged 15-44) is a measure of how many of the risk population became pregnant. The abortion ratio (abortions per thousand live births) closely approximates the degree to which pregnant women within a given population obtained an abortion. Changes in either directly effects the abortion rate.

Examination of the abortion rate should include some appreciation for the influence of both these indicators. In the next portion, variation between Washington State counties' abortion ratios is discussed.

Abortion Ratios

The propensity for carrying a pregnancy to term, as measured by the abortion ratio, also shows large differences among the counties. The range is 10/ to 560 abortions per thousand live births. Somewhat dissimilar to the case for the abortion rate, differences in age group distribution, expressed by median age, and urban character, measured by population density, provide strong statistical explanation for the variation in county abortion ratios.(16)

A mathematical model built on these two variables shows that for every year of increase in median age, the abortion ratio for an individual county averages a 50 point decrease in the abortion


(13) $R = .978$; $R^2 = .956$

(14) $R = -.392$; $R^2 = .153$

(15) $LAMBDA = .368$

(16) R abortion ratio, mdn age, pop. density = .781; $R^2 = .610$
 R abortion rate, mdn age, pop. density = .632; $R^2 = .399$

ABORTION RATIOS WASHINGTON STATE RESIDENTS, 1985



INDUCED TERMINATIONS OF PREGNANCY

ratio; and for every additional 5 people per square mile, a two point increase. Counties with a high population density and large younger age population are predicted to have a high abortion ratio. The equation explains approximately 61% of the variation; 38% by changes in median ages; 23%, by population density.

Those counties showing the greatest distance between actual and predicted values, with their standardized residual scores listed parenthetically are Kittitas (+2.6), Clark (+2.2), Kitsap (-2.1), and Whitman (-2.0). Those with positive scores have a higher ratio and those with negative scores have a lower ratio than might be expected under the assumptions of the model. The distances between the predicted and actual values are an indication of the need for additional analysis with the inclusion of more variables.

Younger Aged Women

County variation of statistical indicators for pregnancy and abortion of women under the age of 18 and women between the ages, 20 and 24, deserves special consideration. Women in the 20-24 years age group have the highest abortion rate of all age groups. Women under 18 are vulnerable not only to increased health risk, but also financial and social pressures. In addition, there is presumed increased social dependency by these high school aged pregnant women.

Induced terminations by women aged 20-24 contribute the most of any age group to the total of induced terminations. It is not unexpected then, that the individual county abortion ratios correlate most highly with abortion ratios of this age group.(17) The range in the abortion ratio for the 20-24 years age group is from zero in Garfield and Wahkiakum Counties to 798 abortions per thousand live births in King County. Two other counties with relatively high ratios for 20-24 year olds are Kittitas (675) and Whitman (634). It may be of some importance to planning to note that counties which rank as the leading five, also, each contain a four-year college. Resident abortion ratios for 20-24 year-olds by county are listed in Table 1a.

Counties which have high abortion ratios for 20-24 year-olds do not also have high rates of pregnancy for high school age women, those aged 15-17. Whitman and Kittitas are in the lowest three and King County is at the median when the 39 counties are ranked by high school age pregnancy rate. The numbers of births and abortions in some individual counties are too small to allow for comparison of abortion ratios. These numbers, however, are available in the tables section of this report. Statewide, there were 5,136 reported pregnancies among high school age women residents in 1985, and women in this age group terminated 53% (2,723) of their pregnancies by induced abortion.

(17) $R = .908$; $R^2 = .824$

INDUCED TERMINATIONS OF PREGNANCY

The social and medical risks for pregnant teenagers are both apparent and well documented. The table on page 55 shows the variation in age-specific pregnancy rates for high school age women in each county. Some caution should be used in interpreting these rates. Eight counties had ten or fewer total pregnancies among these 15-17 year-old resident women. These are Columbia, Ferry, Garfield, Klickitat, Lincoln, San Juan, Skamania, and Wahkiakum Counties.

The different rates and ratios of the 39 counties invite further analysis which might lead to age and location specific strategies.

CONCLUSION

The environmental setting for issues related to unintended pregnancy and induced abortion includes demographic variables of age, race, residency, socioeconomic standing, and marital status of patients; medical factors of gestational age, procedures, complications, and pregnancy history; service delivery variables of geographic access and costs--in addition, to societal attitudes and legal sanctions. The State Abortion Reporting System is able to offer only a few of these factors for study.

The attempt has been to present possible trends and associations and to explain qualifications which would assist interpretation. The downward trend in total induced terminations may not continue; instead, establishment of a more level pattern might reasonably be expected. Second trimester terminations, repeat abortions, and cost components should continue to be monitored as health risk and financial factors. Finally, study of differences between age groups and locations could assist efficient resource allocation.

Page 60 should be blank.

NATALITY

TABLE 1

LIVE BIRTHS IN WASHINGTON STATE BY SELECTED TOPICS, 1985

A. RESIDENCE, BY RACE BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	70,226	35,852	34,372	2
WHITE	59,046	30,181	28,863	2
BLACK	3,251	1,629	1,622	
MEXICAN/ CHICANO	2,181	1,105	1,076	
INDIAN	1,793	908	885	
JAPANESE	360	179	181	
CHINESE	249	135	114	
FILIPINO	672	334	338	
OTHER ASIAN	2,333	1,214	1,119	
OTHER	15	4	11	
UNKNOWN	326	163	163	

B. RESIDENCE, BY MOTHER'S AGE GROUP BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	70,226	35,852	34,372	2
UNDER 15	109	64	45	
15 - 17	2,391	1,202	1,189	
18 - 19	4,720	2,388	2,332	
20 - 24	20,918	10,779	10,139	
25 - 29	22,878	11,665	11,213	
30 - 34	14,314	7,254	7,058	2
35 - 39	4,344	2,242	2,102	
40 - 44	496	233	263	
45 AND OVER	17	11	6	
UNKNOWN	39	14	25	

C. RESIDENCE, BY ORDER OF BIRTH
TO MOTHER

		%*
TOTAL	70,226	100.0
1ST CHILD	28,316	40.3
2ND CHILD	22,969	32.7
3RD CHILD	10,728	15.3
4TH CHILD	3,799	5.4
5TH CHILD	1,261	1.8
6TH CHILD	575	.8
7TH CHILD	267	.4
8TH CHILD	118	.2
9TH CHILD	53	.1
10TH OR MORE	58	.1
UNKNOWN	2,082	3.0

D. RESIDENCE, BY ATTENDANT

		%*
TOTAL	70,226	100.0
M.D.	65,344	93.0
MIDWIFE	2,728	3.9
OSTEOPATH	1,314	1.9
NURSE	262	.4
FATHER	92	.1
MOTHER	8	
OTHER	184	.3
UNKNOWN	294	.4

TABLE 1 (CONT'D)

LIVE BIRTHS IN WASHINGTON STATE BY SELECTED TOPICS, 1985

E. RESIDENCE AND OCCURRENCE, BY SEX BY BIRTH WEIGHT IN GRAMS

	RESIDENCE				OCCURRENCE			
	TOTAL	MALE	FEMALE	UNK	TOTAL	MALE	FEMALE	UNK
TOTAL	70,226	35,852	34,372	2	69,297	35,351	33,944	2
1,000 GRAMS & UNDER	336	175	161		336	173	163	
1,001 - 1,500	333	186	147		324	185	139	
1,501 - 2,000	724	372	352		730	376	354	
2,001 - 2,500	2,301	991	1,310		2,278	979	1,299	
2,501 - 3,000	8,866	3,852	5,013	1	8,756	3,796	4,959	1
3,001 - 3,500	23,724	11,084	12,640		23,419	10,927	12,492	
3,501 - 4,000	23,323	12,532	10,791		22,995	12,371	10,624	
4,001 - 4,500	8,466	5,191	3,274	1	8,336	5,095	3,240	1
4,501 AND OVER	2,010	1,393	617		1,976	1,370	606	
UNKNOWN	143	76	67		147	79	68	

F. RESIDENCE AND OCCURRENCE, LIVE BIRTHS AND FETAL DEATHS BY MONTH

	LIVE BIRTHS		FETAL DEATHS	
	RESIDENCE	OCCURRENCE	RESIDENCE	OCCURRENCE
TOTAL	70,226	69,297	403	412
JANUARY	5,610	5,558	39	40
FEBRUARY	5,210	5,145	30	30
MARCH	6,002	5,903	26	27
APRIL	5,896	5,817	26	28
MAY	6,253	6,150	30	32
JUNE	5,982	5,910	47	47
JULY	6,295	6,229	37	37
AUGUST	6,098	6,008	36	37
SEPTEMBER	5,986	5,908	32	32
OCTOBER	5,903	5,822	27	28
NOVEMBER	5,337	5,290	31	33
DECEMBER	5,654	5,557	42	41

TABLE 1 (CONT'D)

LIVE BIRTHS IN WASHINGTON STATE BY SELECTED TOPICS, 1985

G. OCCURRENCE, METHOD OF DELIVERY

TOTAL	69,297
INDUCED LABOR	
C-SECTION	
PRIMARY	195
REPEAT	12
VAGINAL DELIVERY	
VACUUM EXTRACTION	56
OUTLET FORCEPS	207
AFTER PREVIOUS	
C-SECTION	13
WITHOUT OTHER OB PROC.	1,192
OTHER	18

LABOR, NOT INDUCED

C-SECTION	
PRIMARY	7,453
REPEAT	4,432
VAGINAL DELIVERY	
SPONTANEOUS	42,288
VACUUM EXTRACTION	1,875
OUTLET FORCEPS	5,095
AFTER PREVIOUS	
C-SECTION	374
OTHER	549

METHOD OF DELIVERY

UNKNOWN 5,538

H. TYPE OF PLACE BY OCCURRENCE

TOTAL	69,297	%*
GENERAL HOSPITAL	62,760	90.6
FEDERAL FACILITY	4,499	6.5
HOME	1,058	1.5
BIRTH CENTER	636	.9
BORN ON ARRIVAL	82	.1
OTHER AND UNKNOWN	262	.4

I. RESIDENCE, MULTIPLE LIVE BIRTHS

SETS OF TWINS	756
SETS OF TRIPLETS	14

J. RESIDENCE, MATERNAL SMOKING

YES	16,625
NO	48,867
UNKNOWN	4,534

*DETAIL MAY NOT ADD TO 100% DUE TO ROUNDING

TABLE 2

LIVE BIRTHS BY RACE BY BIRTH WEIGHT, WASHINGTON STATE RESIDENTS 1985											
BIRTH WEIGHT IN GRAMS	TOTAL	WHITE	BLACK	MEXICAN/ CHICANO	INDIAN	JAPA- NESE	CHI- NESE	FILI- PINO	OTHER ASIAN	OTHER	UNKNOWN
STATE TOTAL	70,226	59,046	3,251	2,181	1,793	360	249	672	2,333	15	326
1,000 AND UNDER	336	259	39	7	12		3	1	11	1	3
1,001 - 1,500	333	260	35	12	12	1	1	1	7	1	3
1,501 - 2,000	724	580	74	20	16	1		6	25		2
2,001 - 2,500	2,301	1,819	195	70	64	17	1	35	87		13
2,501 - 3,000	8,866	6,990	652	285	225	52	52	133	425		52
3,001 - 3,500	23,724	19,472	1,206	805	614	148	100	266	990	5	118
3,501 - 4,000	23,323	20,198	775	714	575	109	72	190	601	5	84
4,001 - 4,500	8,466	7,551	220	219	217	31	19	30	147	2	30
4,501 AND OVER	2,010	1,808	46	43	55	1	1	9	31	1	15
NOT STATED	143	109	9	6	3			1	9		6

TABLE 3

LIVE BIRTHS BY MOTHER'S AGE BY BIRTH WEIGHT, WASHINGTON STATE 1985											
BIRTH WEIGHT IN GRAMS	TOTAL	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTAL	70,226	109	2,391	4,720	20,918	22,878	14,314	4,344	496	17	39
1,000 AND UNDER	336	3	16	27	92	120	60	15	1	1	1
1,001 - 1,500	333	2	29	29	97	88	66	18	2		2
1,501 - 2,000	724	4	32	58	211	219	147	43	9	1	
2,001 - 2,500	2,301	10	102	185	714	697	442	130	19	2	
2,501 - 3,000	8,866	17	396	732	2,796	2,754	1,618	479	65	4	5
3,001 - 3,500	23,724	37	907	1,741	7,436	7,649	4,456	1,336	142	3	17
3,501 - 4,000	23,323	26	689	1,443	6,762	7,853	4,931	1,445	158	5	11
4,001 - 4,500	8,466	10	178	408	2,257	2,786	2,060	688	77	1	1
4,501 AND OVER	2,010		34	82	509	674	510	179	22		
NOT STATED	143		8	15	44	38	24	11	1		2

TABLE 4

LIVE BIRTHS BY MOTHER'S AGE BY MONTH PRENATAL CARE BEGAN, WASHINGTON STATE RESIDENTS 1985											
MONTH PRENATAL CARE BEGAN	ALL AGES	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNKNOWN
STATE TOTAL	70,226	109	2,391	4,720	20,918	22,878	14,314	4,344	496	17	39
FIRST	10,151	3	127	333	2,597	3,776	2,524	726	60	2	3
SECOND	26,599	19	495	1,158	7,250	9,634	6,072	1,769	183	4	15
THIRD	16,423	14	522	1,138	5,082	5,294	3,259	1,012	94	4	4
FOURTH	6,375	16	345	692	2,250	1,656	1,019	330	61	3	3
FIFTH	3,515	12	283	466	1,248	864	437	160	37	2	6
SIXTH	2,079	16	190	310	769	457	245	76	16		
SEVENTH	1,377	6	141	233	496	287	149	50	12	1	2
EIGHTH	835	5	71	127	324	176	95	32	5		
NINTH	357	3	33	47	133	71	40	24	6		
NO CARE	542	7	77	66	176	108	73	26	6	1	2
UNKNOWN	1,973	8	107	150	593	555	401	139	16		4

TABLE 5

LIVE BIRTHS BY NUMBER OF PRENATAL VISITS BY MONTH CARE BEGAN, WASHINGTON STATE RESIDENTS 1985						
NUMBER OF PRENATAL VISITS	MONTH CARE BEGAN				NO CARE	UNKNOWN
	TOTAL	1-3	4-6	7-9		
TOTAL	70,226	53,173	11,969	2,569	542	1,973
9 OR MORE	54,420	47,141	6,554	275		450
5 - 8	10,165	4,576	4,416	1,064		109
1 - 4	2,547	512	796	1,187		52
NO VISITS	542				542	
UNKNOWN	2,552	944	203	43		1,362

TABLE 6

LIVE BIRTHS WITH RATES BY PLACE OF RESIDENCE AND OCCURRENCE, BY SEX, WASHINGTON STATE 1985

COUNTY AND CITY	RESIDENCE				OCCURRENCE	
	NUMBER	RATE	MALE	FEMALE	NUMBER	RATE
STATE TOTALS	70,226	16.0	35,852	34,372	69,297	15.8
ADAMS	289	20.9	159	130	265	19.2
ASOTIN	276	16.2	137	139	2	.1
BENTON	1,881	17.9	956	925	2,248	21.4
KENNEWICK	812	22.0	412	400	798	21.6
RICHLAND	459	15.0	245	214	1,159	38.0
CHELAN	860	17.7	454	406	1,270	26.2
WENATCHEE	365	21.0	204	161	1,152	66.4
CLALLAM	749	14.2	383	366	753	14.3
PORT ANGELES	255	14.8	134	121	669	38.9
CLARK	3,316	16.3	1,676	1,640	2,251	11.1
VANCOUVER	1,312	30.7	640	672	2,219	51.9
COLUMBIA	51	12.4	27	24	25	6.1
COWLITZ	1,114	14.0	570	543	1,206	15.2
KELSO	198	18.1	97	101	1	.1
LONGVIEW	492	16.2	249	243	1,202	39.7
DOUGLAS	371	16.2	191	180	9	.4
FERRY	94	15.4	43	51	43	7.0
FRANKLIN	743	20.8	403	340	474	13.3
PASCO	478	25.6	258	220	473	25.3
GARFIELD	28	11.2	15	13	6	2.4
GRANT	1,043	20.9	555	488	862	17.3
ROSES LAKE	222	21.4	116	106	646	62.3
GHAYS HARBOR	1,040	16.3	544	496	789	12.3
ABERDEEN	288	16.7	157	131	778	45.1
ISLAND	912	18.5	467	445	767	15.6
OAK HARBOR	359	28.5	178	181	7	.6
JEFFERSON	223	12.7	120	103	168	9.6
KING	19,790	14.7	9,995	9,795	21,381	15.9
AUBURN	546	18.3	278	268	589	19.7
BELLEVUE	589	11.1	461	428	2,321	28.9
DES MOINES	50	3.7	24	26	1	.1
KENT	471	17.5	239	232	13	.5
KIRKLAND	336	17.5	181	155	1,180	61.4
MERCER ISLAND	131	6.4	72	59	3	.1
REDMOND	446	15.9	216	230	1,660	59.0
RENTON	662	19.5	338	324	2,104	61.8
SEATTLE	6,855	13.9	3,468	3,387	13,083	26.6
KITSAP	2,804	16.7	1,442	1,362	2,505	14.9
BHEMERTON	834	22.1	411	423	1,492	39.5
KITTITAS	316	12.6	155	161	276	11.0
ELLENSBURG	145	12.4	77	68	262	22.5
Klickitat	252	15.1	123	129	203	12.2
LEWIS	833	14.7	426	407	653	15.1
CENTRALIA	220	18.6	116	104	379	32.1
LINCOLN	131	13.5	64	67	56	5.8
MASON	516	14.8	275	241	196	5.6
OKANOGAN	506	16.0	244	262	479	15.1
PACIFIC	241	13.8	139	102	119	6.8
PEND OREILLE	132	14.5	65	67	81	8.9
PIERCE	9,535	18.2	4,864	4,671	10,778	19.5
PUYALLUP	371	19.3	184	187	1,268	1
TACOMA	3,189	19.8	1,612	1,577	6,721	41.8
SAN JUAN	115	12.9	61	54	21	2.4
SKAGIT	1,098	16.1	554	544	1,388	20.4
MOUNT VERNON	294	20.7	157	137	896	63.1
SKAMANIA	101	12.8	45	56	2	.3
SNOHOMISH	6,519	17.5	3,328	3,191	4,744	12.7
EDMONDS	397	14.2	195	202	1,589	57.0
EVERETT	1,419	24.9	757	662	2,629	46.1
LYNNWOOD	474	20.3	223	251	12	.5
MOUNTLAKE TERRACE	282	17.7	147	135	7	.4
SPOKANE	9,582	15.8	2,875	2,707	6,373	18.0
SPOKANE (CITY)	3,028	17.8	1,576	1,452	5,935	34.5
STEVENS	494	16.4	260	234	328	10.9
THURSTON	2,203	15.8	1,149	1,054	2,130	15.3
LACEY	258	17.0	148	110	5	.3
OLYMPIA	866	30.3	461	405	2,120	74.2
WAKIACUM	30	8.1	13	17	1	.3
WALLA WALLA	660	13.6	348	312	929	19.2
WALLA WALLA (CITY)	395	15.4	211	184	926	36.1
WHATCOM	1,619	14.0	808	810	1,563	13.5
BELLINGHAM	615	13.3	295	320	1,536	33.1
WHITMAN	448	11.3	231	217	468	11.8
PULLMAN	226	10.0	115	111	407	18.0
YAKIMA	3,311	18.1	1,688	1,623	3,285	18.0
YAKIMA (CITY)	913	18.4	464	449	2,456	49.6

OCCURRENCE



TABLE 7 — LIVE BIRTH INTER-COUNTY TRAVEL PATTERNS

RESIDENCE	ADAMS	ASOTIN	BENTON	CHELAN	CLALLAM	CLARK	COLUMBIA	COWLITZ	DOUGLAS	FERRY	FRANKLIN	GARFIELD	GRANT	GRAYS HARBOR	ISLAND	JEFFERSON	KING
ADAMS	188		11	1							1		38				
ASOTIN		1										1					
BENTON	1		1661								132		2				3
CHELAN	1			820					1				1				16
CLALLAM					722									4			15
CLARK						2153		9						1			5
COLUMBIA							23	3									
COWLITZ						37		1015									4
DOUGLAS			1	320					8				3				6
FERRY										42			1				
FRANKLIN	20		357				1				327		8				1
GARFIELD												5					
GRANT	51		6	108									777				6
GRAYS HARBOR						1								722		1	23
ISLAND															744		41
JEFFERSON					25									8		167	8
KING			1	1	2	1		3		1				1	1		18420
KITSAP			1		1										1		216
KITTITAS	1			6													7
Klickitat																	
LEWIS								22									8
LINCOLN	1												7				
MASON														4			13
OKANOGAN				10									20				11
PACIFIC								3						45			
PEND OREILLE																	
PIERCE			1		1			1					2				468
SAN JUAN																	11
SKAGIT															15		33
SKAMANIA						24											
SNOHOMISH				1											1		1950
SPOKANE													2				6
STEVENS																	
THURSTON						1		2						2			17
Wahkiakum						1		22									
WALLA WALLA			27	1			1				7						2
WHATCOM			1												4		14
WHITMAN																	3
YAKIMA			137	1							1						7
OUT-OF-STATE	2	1	44	2	2	33		126			6		1	2	1		67

WASHINGTON STATE RESIDENTS AND OCCURRENCES, 1985

KITSAP	KITTITAS	Klickitat	LEWIS	LINCOLN	MASON	OKANOGAN	PACIFIC	PEND OREILLE	PIERCE	SAN JUAN	SKAGIT	SKAMANIA	SNOHOMISH	SPOKANE	STEVENS	THURSTON	WAHIAKUM	WALLA WALLA	WHATCOM	WHITMAN	YAKIMA	OUT-OF-STATE
				3										42						1	1	3
														4						4		266
				1		1			1		1			7				1	1		59	10
						15							1	2								3
3			1						1												1	2
									2				1			3						1142
																		25				
			2						4							1						51
						28							1	3								1
						3			1					21	26							
									1					12				9		1	4	2
																		1		1		21
	13			3		4								57					1		13	4
			29		2		36		14							210					1	1
									5		84		29						2			7
8									4				1								1	1
25					1				1013		6		262	3		11		1	3		2	32
2255	1				3				305		1		11									9
	261					1			3												35	2
		137																			7	108
			711		1		1		20							63			1			6
				43		1			1					77								1
109					183				31				3	1		170						2
						424					1			36							2	2
			1				79		1							6						106
								57						65	5			1				4
94			6			1	1		8887				4	2		39			1		3	24
										21	76		1						5	1		
1		1							1		1017		14						14			2
		28										2			1							46
			1			1	1		10		135		4404	2					4		2	7
			2	1				1					1	5534	2	1						32
				5										194	293			1				1
4			95		6				445		1		1			1620						9
1																	1					5
														1				617				5
1											60		6	4		1			1525			3
											1			52						355		37
	1	2	1						1		2		1								3148	9
4		35	4			1	1	22	27		3		3	254	1	5		273	6	105	6	

TABLE 8

LIVE BIRTHS BY RACE BY PLACE OF RESIDENCE, WASHINGTON STATE 1965											
COUNTY AND CITY	TOTAL	WHITE	BLACK	MEXICAN/ CHICANO	INDIAN	JAPA- NESE	CHI- NESE	FILI- PINO	OTHER ASIAN	OTHER	UNKNOWN
STATE TOTALS	70,226	59,046	3,251	2,181	1,793	360	249	672	2,333	15	328
ADAMS	289	267		16	3		1		2		
ASOTIN	276	259	3	1	8	2			3		
BENTON	1,881	1,634	19	157	20	7	2	2	38		2
KENNEWICK	812	722	9	49	8	1	2	2	18		1
RICHLAND	459	421	6	8	6	3			15		
CHELAN	860	713	1	116	11		1	3	12	2	1
WENATCHEE	365	300	1	45	5		1	3	9	1	
CLALLAM	749	649	2	11	68	2	3	2	8	1	3
PORT ANGELES	255	238		1	9	1		1	3	1	1
CLARK	3,316	2,960	84	45	51	12	6	14	88	1	55
VANCOUVER	1,312	1,097	56	24	36	2	3	11	59		24
COLUMBIA	51	50		1							
COWITZ	1,114	1,069	1	5	20	1	2	3	13		
KELSO	198	193		2	1			1	1		
LONGVIEW	492	467	1	1	8		2	1	12		
DOUGLAS	371	312	1	57					1		
FERRY	94	60			34						
FRANKLIN	743	503	23	181	9	1	2	1	23		
PASCO	478	279	22	149	7		1	1	19		
GARFIELD	28	27			1						
GHANT	1,043	953	11	42	15	11	2	3	6		
MOSES LAKE	222	202	8	3	4	4			1		
GHAYS HARBOR	1,040	919	3	9	88	1	1	5	12		2
ABERDEEN	288	250		7	19			2	9		1
ISLAND	912	802	39	7	5	5	2	26	23		3
OAK HARBOR	359	292	28	4			1	16	18		
JEFFERSON	223	210			11		1	1			
KING	19,790	15,930	1,491	113	318	183	173	338	1,135	6	103
AUBURN	546	489	11	2	18			4	18	1	1
BELLEVUE	889	749	32	4	2	22	8	4	66		2
DES MOINES	50	43	2	2	1				2		
KENT	471	416	14	4	3	4	2	4	21		3
KIRKLAND	336	316	2	1	1	1	3	1	8	1	1
MERCER ISLAND	131	114	1	1	1	3	2	2	10		2
REDMOND	446	404	9	3	2	7	2	8	35	1	6
RENTON	662	535	44	7	8	6	8	12	53	2	48
SEATTLE	6,855	4,535	1,110	42	150	70	100	203	593		
KITSAP	2,804	2,449	117	22	55	13	5	80	60	1	2
BREHERTON	834	678	70	11	12	5	4	32	22		
KITTITAS	316	293	2	5	6			5	5		
ELLENSBURG	145	129	2	4	2			3	5		
Klickitat	252	219	2	10	14	2		1	3		1
LEWIS	833	798	4	13	9	1			7		1
CENTRALIA	220	208	1	4	6				1		
LINCOLN	131	128			3						
MASON	516	462	3	2	31	2	1	2	4		9
OKANOGAN	506	381	2	42	73			1	3	1	3
PACIFIC	241	223		3	5	1	2	1	6		
PEND OREILLE	132	124	1	1	6						
PIERCE	9,535	7,476	1,133	98	182	51	13	87	489	1	5
PUYALLUP	371	345	3	5	8		1	2	7		
TACOMA	3,189	2,290	532	34	96	19	2	26	189		1
SAN JUAN	115	112	1	1					1		
SKAGIT	1,098	994	3	43	40	5		2	10		1
MOUNT VERNON	294	259	2	24	2	4			3		
SKAMANIA	101	97			3						1
SNOHOMISH	6,519	5,994	71	17	128	19	11	43	162	1	73
EDMONDS	397	368	3	2	7	1		2	13		1
EVERETT	1,419	1,256	27	4	40	1	3	13	46		29
LYNNWOOD	474	429	6	1	7		2	3	24		
MOUNTLAKE TERRACE	282	245	10	1	7	2	1	5	11		
SPOKANE	5,582	5,167	114	26	124	23	12	20	94		2
SPOKANE (CITY)	3,028	2,762	78	15	82	15	7	8	60		
STEVENS	494	436	3	1	48	1			3		2
THURSTON	2,203	1,989	51	11	36	8		15	70	1	22
LACEY	258	213	13	2	3			1	25		
OLYMPIA	866	778	16	3	15	7		7	30		10
Wahkiakum	30	28		2							
WALLA WALLA	660	614	4	33	2	1	1	1	3		1
WALLA WALLA (CITY)	395	368	2	17	2	1	1	1	3		
WHATCOM	1,619	1,412	7	35	106	2	2	5	23		27
BELLINGHAM	615	536	5	8	44	2	1	2	11		8
WHITMAN	448	421	7		4	3	5		8		
PULLMAN	226	202	7		3	2	4				
YAKIMA	3,311	1,912	48	1,055	256	3	1	11	18		7
YAKIMA (CITY)	913	620	39	205	32			4	9		4

TABLE 9

LIVE BIRTHS BY MOTHER'S AGE GROUP BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	ALL AGES	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTALS	70,226	109	2,391	4,720	20,918	22,878	14,314	4,344	496	17	39
ADAMS	289	1	10	23	108	81	53	12	1		
ASOTIN	276		16	22	97	89	42	7	3		
BENTON	1,881	2	68	121	593	637	353	97	10		
KENNEWICK	812	1	24	62	281	278	134	30	2		
RICHLAND	459		17	25	124	155	102	30	6		
CHELAN	660		37	76	258	282	152	46	8		1
WENATCHEE	365		17	33	112	117	66	17	3		
CLALLAM	749	1	28	61	255	228	124	47	5		
PORT ANGELES	255		6	18	93	87	40	10	1		
CLARK	3,316	5	118	271	1,035	1,032	651	174	24	2	4
VANCOUVER	1,312	2	65	155	476	360	192	50	9		3
COLUMBIA	51		1	3	17	16	13	1			
COWLITZ	1,114	2	49	106	421	319	166	48	3		
KELSO	198		8	23	86	53	21	6	1		
LONGVIEW	492		22	46	187	138	74	24	1		
DOUGLAS	371		16	39	115	126	57	14	2		2
FERRY	94		8	9	43	22	9	2	1		
FRANKLIN	743		38	72	262	212	115	38	6		
PASCO	478		31	50	188	115	67	23	4		
GARFIELD	28		3	1	11	6	6	1			
GRANT	1,043	1	34	80	357	343	163	54	11		
MOSES LAKE	222		10	15	60	72	30	12	3		
GRAYS HARBOR	1,040	2	61	97	373	285	171	44	7		
ABERDEEN	288	1	22	22	116	70	44	10	3		
ISLAND	912	2	16	72	325	290	149	49	9		
OAK HARBOR	359		10	35	145	117	43	7	2		
JEFFERSON	223		8	11	53	75	53	20	3		
KING	19,790	22	517	882	4,519	6,723	5,211	1,710	182	8	16
AUBURN	546	2	22	30	110	191	70	18	2		1
BELLEVUE	889		7	26	177	329	261	80	8		1
DES MOINES	50		2	14	19	14	1				
KENT	471		15	35	146	149	78	23	4		1
KIRKLAND	336		5	4	75	114	105	26	5		2
MERCER ISLAND	131			1	9	41	57	19	3	1	
REDMOND	446		3	11	65	176	131	55	5		
RENTON	662		18	33	221	230	126	39	1		
SEATTLE	6,655	9	213	328	1,385	2,086	2,035	717	76	3	3
KITSAP	2,804	4	60	202	914	892	521	168	20	1	2
BREMERTON	834	1	31	88	326	251	105	27	4		1
KITTITAS	316		7	17	120	87	60	21	4		
ELLENSBURG	145		1	9	63	43	21	8			
Klickitat	252		8	20	78	75	54	14	3		
LEWIS	833	1	41	76	320	238	124	28	5		
CENTRALIA	220	1	10	27	82	60	30	8	2		
LINCOLN	131	1	3	9	39	50	24	4	1		
MASON	516	2	23	42	166	162	88	33			
OKANOGAN	506	1	21	38	153	162	94	34	3		
PACIFIC	241		9	19	43	69	39	11	1		
PEND OREILLE	132		9	8	44	35	24	7	2		
PIERCE	9,535	24	382	797	3,304	3,034	1,529	419	40	1	5
PUYALLUP	371	2	20	23	122	128	57	16	2		1
TACOMA	3,189	12	157	275	1,124	982	485	134	16	1	3
SAN JUAN	115		2	2	14	36	40	19	2		
SKAGIT	1,098	2	39	90	323	377	209	56	1	1	
MOUNT VERNON	294	1	15	30	94	102	42	9	1		
SKAMANIA	101	1	6	9	40	28	11	5	1		
SNOWHOMISH	6,519	5	191	363	1,813	2,353	1,367	388	35	3	1
EDMONDS	397		8	17	46	155	95	23	2	1	
EVERETT	1,419	4	75	125	498	438	215	58	6		
LYNNWOOD	474		14	24	152	167	89	27	1		
MOUNTLAKE TERRACE	282		7	10	70	128	54	13			
SPOKANE	5,582	6	163	403	1,831	1,862	1,017	261	36	1	2
SPOKANE (CITY)	3,028	5	100	255	960	1,013	545	127	20	1	2
STEVENS	494	1	23	45	157	151	90	25	2		
THURSTON	2,203	4	66	150	723	678	420	145	17		
LACEY	258		6	17	88	81	45	17	4		
OLYMPIA	666	1	23	50	289	261	174	63	5		
WAHIAKUM	30		1		13	8	5	2	1		
WALLA WALLA	660		32	49	195	211	138	33	1		1
WALLA WALLA (CITY)	395		21	32	117	114	90	21			
WHATCOM	1,619	3	44	75	503	508	358	113	13		2
BELLINGHAM	615	2	21	34	177	178	140	57	6		2
WHITMAN	448		3	12	123	173	99	36	7		1
PULLMAN	226			5	60	78	55	22	5		1
YAKIMA	3,311	16	210	348	1,110	920	515	164	26		2
YAKIMA (CITY)	913	6	86	93	318	245	144	37	4		

TABLE 10

LIVE BIRTHS BY MONTH BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	TOTAL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
STATE TOTALS	70,226	5,610	5,210	6,002	5,896	6,351	5,982	6,295	6,098	5,986	5,903	5,337	5,654
ADAMS	289	23	23	27	22	49	25	24	23	22	21	17	22
ASOTIN	276	26	16	25	22	22	27	23	30	26	20	17	22
BENTON	1,881	152	163	155	160	175	145	167	175	173	148	143	125
KENNEWICK	812	71	64	62	70	77	70	68	66	67	59	55	63
RICHLAND	459	44	38	39	37	45	30	47	33	45	36	34	31
CHELAM	860	76	55	71	80	68	77	83	78	67	61	63	81
WENATCHEE	365	35	24	31	35	29	31	28	31	30	30	28	33
CLALLAM	749	52	55	67	60	60	79	68	61	64	62	53	68
PORT ANGELES	255	21	21	19	20	19	25	29	21	19	18	11	32
CLARK	3,316	267	242	273	297	294	276	283	302	258	297	248	279
VANCOUVER	1,312	85	104	100	116	121	116	115	108	103	124	108	112
COLUMBIA	51	5	1	5	4	4	3	9	8	4	2	3	3
COWLITZ	1,114	90	88	121	89	94	104	88	98	81	100	68	93
KELSO	198	21	11	19	14	19	22	13	17	12	27	5	18
LONGVIEW	492	39	43	54	29	40	36	41	50	42	41	40	37
DOUGLAS	371	34	24	32	30	28	38	33	34	32	30	30	26
FERRY	94	8	11	14	6	10	6	11	10	5	4	5	4
FRANKLIN	743	60	44	72	58	70	54	79	68	63	54	47	74
PASCO	478	42	26	48	43	48	41	45	43	42	27	26	47
GARFIELD	28	1	3	3	1	1	3	2	3	1	2	6	2
GRANT	1,043	72	77	80	86	95	85	119	97	87	77	77	91
MOSES LAKE	222	18	16	16	19	19	16	31	18	20	17	14	18
GRAY'S HARBOR	1,040	91	62	89	82	94	107	92	95	75	102	80	71
ABERDEEN	288	19	15	23	23	24	27	32	36	17	29	16	27
ISLAND	912	79	61	76	72	88	78	81	85	82	71	72	67
OAK HARBOR	359	27	32	30	25	29	25	27	33	35	32	30	34
JEFFERSON	223	23	27	19	15	18	21	21	16	13	11	17	22
KING	19,790	1,528	1,436	1,655	1,634	1,709	1,707	1,807	1,690	1,773	1,700	1,499	1,652
AUBURN	546	34	39	55	39	50	45	41	62	50	35	35	61
BELLEVUE	887	55	61	68	76	86	78	68	71	78	66	73	73
DES MOINES	50	7	1	7	4	4	5	3	5	4	7	2	1
KENT	471	32	35	39	48	39	44	45	41	39	44	29	36
KIRKLAND	336	36	27	23	18	35	28	28	40	27	19	30	25
MERCER ISLAND	131	11	5	11	5	19	9	22	9	14	10	5	11
REDMOND	446	22	32	40	44	46	42	34	41	31	29	42	43
RENTON	412	54	60	55	56	66	51	51	48	50	66	54	51
SEATTLE	6,655	534	503	568	589	552	572	635	576	622	585	524	575
KITSAP	2,804	253	214	239	228	281	240	249	248	220	203	219	210
BREMERTON	834	94	62	66	63	65	62	49	77	60	76	83	77
KITTITAS	316	28	33	26	31	27	32	24	17	17	29	21	31
ELLensburg	145	13	13	7	17	11	19	10	9	8	15	10	15
Klickitat	252	18	13	23	18	28	24	17	28	22	26	19	16
LEWIS	833	68	57	83	63	70	61	67	77	65	68	79	75
CENTRALIA	220	12	19	21	15	21	12	19	20	15	14	24	28
LINCOLN	131	9	10	15	6	10	10	10	14	10	10	10	17
MASON	516	45	38	54	47	54	38	42	42	48	41	36	31
OKANOGAN	506	61	42	36	57	44	41	58	35	37	31	39	25
PACIFIC	241	14	14	15	15	17	20	18	30	21	17	18	22
PEND OREILLE	132	6	10	6	17	8	12	9	16	10	20	12	6
PIERCE	9,535	746	729	791	779	860	761	865	851	851	804	727	771
PUYALLUP	371	36	29	29	25	39	26	35	32	36	20	24	40
TACOMA	3,189	254	245	231	272	290	241	287	268	272	264	266	279
SAN JUAN	115	5	10	8	9	7	14	12	8	10	14	7	11
SKAGIT	1,098	83	92	98	87	86	101	90	98	94	104	77	88
MOUNT VERNON	294	15	28	29	22	21	28	26	26	20	33	24	22
SKAMANIA	101	4	10	12	7	11	10	6	7	9	6	9	8
SNYDER	6,519	589	471	550	583	579	522	561	561	571	553	533	499
EDMONDS	397	31	24	28	37	30	35	40	43	32	35	37	25
EVERETT	1,419	122	99	124	126	126	103	108	126	134	124	124	103
LYNNWOOD	474	39	37	38	44	35	41	50	35	36	41	29	49
MOUNTLAKE TERRACE	282	18	21	25	31	22	22	26	23	20	33	23	18
SPOKANE	5,582	433	423	494	482	502	478	554	466	459	439	419	443
SPOKANE (CITY)	3,088	224	214	252	271	251	259	285	254	253	255	245	265
STEVENS	494	43	31	40	42	49	56	42	32	43	44	40	32
THURSTON	2,203	174	186	183	181	204	183	168	182	181	203	183	175
LACEY	258	23	12	13	20	23	20	30	28	25	27	16	21
OLYMPIA	866	79	104	81	68	85	72	49	74	58	73	64	59
WAHIAKUM	30	4	2	1	4	3	1	1	2	3	2	2	5
WALLA WALLA	660	56	50	56	63	61	57	54	51	56	59	52	45
WALLA WALLA (CITY)	395	26	34	27	39	38	37	36	32	34	30	28	24
WHATCOM	1,619	127	120	142	134	143	152	141	152	127	133	122	126
BELLINGHAM	615	35	48	47	56	62	60	63	55	46	48	44	51
WHITMAN	448	32	39	50	31	40	33	45	32	40	34	29	43
PULLMAN	226	14	20	23	13	20	15	27	14	20	17	16	27
YAKIMA	3,311	275	228	276	294	299	311	272	276	266	299	242	273
YAKIMA (CITY)	913	77	63	81	73	76	82	79	82	76	77	71	76

TABLE 11

LIVE BIRTHS BY BIRTH WEIGHT IN GRAMS BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	TOTAL	1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501 AND OVER	NOT STATED
STATE TOTALS	70,226	336	333	724	2,501	8,666	23,724	23,323	8,466	2,010	143
ADAMS	289	2	2	3	11	35	95	105	29	7	
ASOTIN	276	1	3	3	7	34	86	93	36	13	
BENTON	1,681	8	5	16	61	206	643	636	242	63	1
KENNEWICK	812	2	2	5	34	97	308	242	94	28	
RICHLAND	459	2	2	4	12	48	144	171	59	17	
CHELAN	860	4	3	5	22	98	282	296	122	21	7
WENATCHEE	365			2	10	41	123	129	48	10	2
CLALLAM	749	3	2	7	23	95	251	252	90	25	1
PORT ANGELES	255	1	1	1	9	34	78	87	35	6	1
CLARK	3,316	13	18	32	105	397	1,129	1,127	391	97	7
VANCOUVER	1,312	7	7	13	47	176	487	412	130	30	3
COLUMBIA	51			1	2	7	20	14	5	2	
COMLITZ	1,114	5	2	7	36	149	383	345	144	41	2
KELSO	198	2	1		9	24	56	64	33	6	1
LONGVIEW	492			4	22	81	175	136	56	18	
DOUGLAS	371	1	1	2	14	45	124	132	40	11	1
FERRY	94	1	2		4	9	32	35	9	2	
FRANKLIN	743	5	5	3	20	93	250	255	101	11	
PASCO	478	4	2	3	14	62	164	161	60	8	
GARFIELD	28			1	1	5	5	11	4	1	
GRANT	1,043	10	5	10	29	123	348	365	123	29	1
MOSES LAKE	222	5	1		7	23	76	74	28	8	
GRAY'S HARBOR	1,040	3	7	8	38	136	333	343	129	37	6
ABERDEEN	288	2	3	6	17	39	98	86	28	7	2
ISLAND	912	3	4	5	23	96	297	324	121	38	1
DAK HARBOR	359	2		2	10	38	116	124	50	17	
JEFFERSON	223		1		6	25	60	87	33	11	
KING	19,790	98	92	223	725	2,602	6,725	6,482	2,289	503	51
AUBURN	546	7	4	8	21	54	208	167	66	10	1
BELLEVUE	889	2	2	6	31	105	294	336	86	27	
DES MOINES	50	1	1		2	12	13	15	4		
KENT	471	3		5	24	62	166	142	57	11	1
KIRKLAND	336	1	2	6	14	37	100	116	46	13	1
MERCER ISLAND	131			1	4	14	45	44	17	6	
REDMOND	446	1	3	5	10	57	158	143	57	8	4
RENTON	662	5	2	5	30	80	260	197	71	11	1
SEATTLE	6,855	43	38	96	279	1,031	2,388	2,117	687	155	21
KITSAP	2,804	14	10	28	79	293	953	921	400	101	5
BREMERTON	834	5	4	11	28	100	287	257	107	32	3
KITTITAS	316		2	2	15	35	102	122	28	8	2
ELLENSBURG	145		1	2	9	18	42	58	10	4	1
Klickitat	252	2	3		12	31	90	83	29	2	
LEWIS	833		7	6	21	113	283	267	108	27	1
CENTRALIA	220		2		5	28	85	65	26	9	
LINCOLN	131		1	1	3	16	44	41	24	1	
MASON	516	1	2	5	18	63	155	174	73	22	3
OKANOGAN	506	2	4	7	19	70	155	167	60	20	2
PACIFIC	241		2	1	4	42	72	84	30	6	
PEND OREILLE	132				2	19	50	50	8	3	
PIERCE	9,535	69	42	122	318	1,343	3,374	2,983	1,055	220	9
PUYALLUP	371		1	3	13	50	132	115	42	12	3
TACOMA	3,189	22	15	59	121	492	1,114	951	329	82	4
SAN JUAN	115		1	2	3	8	31	45	18	7	
SKAGIT	1,098	4	6	17	27	111	354	387	152	39	1
MOUNT VERNON	294	2	3	3	7	28	93	111	37	9	1
SKAMANIA	101			1	2	13	39	29	15	2	
SNOHOMISH	6,519	27	32	67	206	745	2,089	2,240	859	246	8
EDMONDS	397	1	3	1	12	49	122	144	50	15	
EVERETT	1,419	5	11	16	55	194	481	453	166	56	2
LYNNWOOD	474	4		8	16	47	147	177	60	13	2
MOUNTLAKE TERRACE	282	2	1	4	7	34	93	105	26	10	
SPOKANE	5,582	26	28	56	175	711	1,938	1,867	630	169	2
SPOKANE (CITY)	3,028	15	22	31	93	423	1,023	998	338	84	1
STEVENS	494	2	1	6	9	52	163	184	62	15	
THURSTON	2,203	12	13	24	60	288	707	724	288	67	20
LACEY	258	2	1	2	6	36	73	90	37	10	1
OLYMPIA	866	5	6	10	23	130	292	245	123	23	9
WAHIAKUM	30			2		7	11	9	1		
WALLA WALLA	660	2		2	23	75	226	238	73	17	
WALLA WALLA (CITY)	395	1		2	16	50	130	140	42	12	
WHATCOM	1,619	6	3	9	46	204	504	566	230	47	
BELLINGHAM	615	1		2	17	74	202	214	85	18	
WHITMAN	448	2		2	16	52	154	156	54	12	
PULLMAN	228			1	7	20	81	80	32	5	
YAKIMA	3,311	10	24	38	116	420	1,167	1,084	361	87	4
YAKIMA (CITY)	913	5	8	9	34	125	322	285	92	31	2

TABLE 12

RESIDENCE, MULTIPLE BIRTHS BY NUMBER BORN ALIVE EACH SET, WASHINGTON STATE 1985								
COUNTY AND CITY	SETS OF TWINS			SETS OF TRIPLETS				SETS OF FOUR OR MORE TOTAL
	2 BORN ALIVE	1 BORN ALIVE	NONE ALIVE	3 BORN ALIVE	2 BORN ALIVE	1 BORN ALIVE	NONE ALIVE	
STATE TOTAL	741	15		12	2			
ADAMS	3							
ASOTIN	6							
BENTON	22							
KENNEWICK	8							
RICHLAND	6							
CHELAN	6							
WENATCHEE	1							
CLALLAM	9							
PORT ANGELES	4							
CLARK	33	1		1				
VANCOUVER	12	1						
COLUMBIA								
COMLITZ	9							
KELSO	2							
LONGVIEW	5							
DOUGLAS	1							
FERRY	2							
FRANKLIN	5							
PASCO	4							
GARFIELD								
GRANT	18							
MOSES LAKE	4							
GRAYS HARBOR	17	1						
ABERDEEN	10	1						
ISLAND	10							
OAK HARBOR	6							
JEFFERSON								
KING	224	5		5				
AUBURN	3							
BELLEVUE	18							
DES MOINES								
KENT	5							
KIRKLAND	6							
MERCER ISLAND								
REDMOND	8							
RENTON	5							
SEATTLE	75	1		2				
KITSAP	26							
BREMERTON	7							
KITTITAS	4							
ELLENSBURG	3							
KLICKITAT	3					1		
LEWIS	9							
CENTRALIA	1							
LINCOLN		2						
MASON	4							
OKANOGAN	6							
PACIFIC	3							
PEND OREILLE								
PIERCE	84	2		2				
PUYALLUP	4							
TACOMA	26							
SAN JUAN	1							
SKAGIT	9			1				
MOUNT VERNON	2							
SKAMANIA								
SNOHOMISH	78	1				1		
EDMONDS	3	1						
EVERETT	20					1		
LYNNWOOD	3							
MOUNTLAKE TERRACE	3							
SPOKANE	57	1						
SPOKANE (CITY)	30	1						
STEVENS	3							
THURSTON	18	1						
LACEY	2							
OLYMPIA	6							
WAHKIAKUM								
WALLA WALLA	7							
WALLA WALLA (CITY)	2							
WHATCOM	19							
BELLINGHAM	7							
WHITMAN	7							
PULLMAN	2							
YAKIMA	38	1		3				
YAKIMA (CITY)	12			1				

TABLE 13

LIVE BIRTHS WITH MALFORMATIONS WITH PERCENT OF TOTAL BIRTHS BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	TOTAL BIRTHS	BIRTHS WITH MALFORMATIONS	PERCENT OF TOTAL BIRTHS*	TOTAL MALFORMATIONS**
STATE TOTAL	70,226	1,256	1.8	1,412
ADAMS	289	5	1.7	5
ASOTIN	276	5	1.8	6
BENTON	1,881	42	2.2	48
KENNEWICK	812	10	1.2	14
RICHLAND	459	10	2.2	12
CHELAN	860	39	4.5	48
WENATCHEE	365	6	1.6	7
CLALLAM	749	19	2.5	21
PORT ANGELES	255	5	2.0	5
CLARK	3,316	27	.8	30
VANCOUVER	1,312	4	.3	5
COLUMBIA	51	2	3.9	2
COWLITZ	1,114	26	2.3	33
KELSO	198	2	1.0	2
LONGVIEW	492	3	.6	4
DOUGLAS	371	12	3.2	13
FERRY	94	1	1.1	1
FRANKLIN	743	20	2.7	26
PASCO	478	13	2.7	15
GARFIELD	28			
GHANT	1,043	37	3.6	41
HOSES LAKE	222	5	2.3	7
GRAYS HARBOR	1,040	28	2.7	29
ABERDEEN	288	3	1.0	3
ISLAND	912	40	4.4	43
OAK HARBOR	359	6	1.7	7
JEFFERSON	223	3	1.4	3
KING	19,790	426	2.2	493
AUBURN	546	10	1.8	14
BELLEVUE	889	9	1.0	10
DES MOINES	50	1	2.0	1
KENT	471	4	.9	4
KIRKLAND	336	3	.9	3
MERCER ISLAND	131	2	1.5	2
REDMOND	446	5	1.1	5
PLINTON	662	9	1.4	11
SEATTLE	6,855	139	2.0	159
KITSAP	2,804	62	2.2	67
BREMERTON	834	13	1.6	13
KITTITAS	316	9	2.9	11
ELLENSBURG	145	4	2.8	4
KLICKITAT	252	6	2.4	6
LEWIS	833	13	1.6	13
CENTRALIA	220	1	.5	1
LINCOLN	131	1	.8	1
MASON	516	9	1.7	10
OKANOGAN	506	10	2.0	13
PACIFIC	241	6	2.5	6
PEND OREILLE	132			
PIERCE	9,535	466	4.9	490
PUYALLUP	371	5	1.4	5
TACOMA	3,189	76	2.4	79
SAN JUAN	115	1	.9	1
SKAGIT	1,098	34	3.1	40
MOUNT VERNON	294	2	.7	2
SKAMANIA	101			
SNOHOMISH	6,519	207	3.2	228
EDMONDS	397	8	2.0	8
EVERETT	1,419	43	3.0	49
LYNNWOOD	474	11	2.3	12
MOUNTLAKE TERRACE	282	3	1.1	3
SPOKANE	5,582	87	1.6	101
SPOKANE (CITY)	3,028	30	1.0	32
STEVENS	494	8	1.6	8
THURSTON	2,203	70	3.2	81
LACEY	258	9	3.5	11
OLYMPIA	666	14	1.6	15
WAMKIAKUM	30	1	3.3	1
WALLA WALLA	660	18	2.7	26
WALLA WALLA (CITY)	395	6	1.5	11
WHATCOM	1,619	36	2.2	46
BELLINGHAM	615	14	2.3	21
WHITMAN	448	7	1.6	9
PULLMAN	226	2	.9	3
YAKIMA	3,311	64	1.9	76
YAKIMA (CITY)	913	7	.8	7
COUNTY UNKNOWN				

** INDIVIDUAL BIRTHS MAY HAVE MORE THAN ONE MALFORMATION

TABLE 14

LIVE BIRTHS TO SINGLE MOTHERS BY PLACE OF RESIDENCE BY AGE OF MOTHER WASHINGTON STATE, 1985

COUNTY AND CITY	ALL AGES	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTAL	12,968	105	1,766	2,318	4,774	2,490	1,078	366	59	1	11
ADAMS	37	1	8	6	15	4	2		1		
ASOTIN	69		13	15	26	8	4	2	1		
BENTON	289	2	52	53	106	49	20	5	2		
KENNEWICK	140	1	21	26	50	26	13	2	1		
RICHLAND	66		11	10	31	10	2				
CHELAN	149		21	27	58	21	16	5			1
WENATCHEE	80		11	16	32	10	9	2			
CLALLAM	154	1	17	32	66	23	8	6	1		
PORT ANGELES	50		3	10	23	10	1	3			
CLARK	709	5	93	145	266	129	49	18	2		2
VANCOUVER	400	2	48	87	155	69	29	7	1		2
COLUMBIA	10		1	2	5	2					
COMLITZ	253	2	34	58	91	51	13	3	1		
KELSO	60		7	13	21	14	2		1		
LONGVIEW	123		14	28	50	24	7				
DOUGLAS	56		11	15	17	10	3				
FERRY	27		4	5	11	3	3	1			
FRANKLIN	152		25	25	58	26	12	6			
PASCO	124		19	18	49	22	11	5			
GARFIELD	4		3	1							
GRANT	166	1	23	29	67	33	7	5	1		
MOSES LAKE	43		7	9	20	5	1	1			
GHAYS HARBOR	260	2	46	54	95	40	14	8	1		
ABERDEEN	91	1	18	13	39	12	7		1		
ISLAND	93	2	6	18	36	19	7	4	1		
OAK HARBOR	25		2	6	13	3	1				
JEFFERSON	31		4	4	3	13	7				
KING	3,508	21	425	542	1,252	731	380	132	21		4
AUBURN	128	2	18	19	55	23	9	2			
BELLEVUE	91		6	15	27	26	13	3	1		
DES MOINES	6		1		3	1	1				
KENT	99		8	18	36	27	6	3	1		
KIRKLAND	26		5	3	9	4	5				
MERCER ISLAND	5		1	1	1	1	1	1			
REDMOND	27		1	4	12	4	4	1	1		
RENTON	126		14	15	53	30	11	3			
SEATTLE	1,674	9	193	242	567	365	215	73	9		1
KITSAP	414	4	64	76	151	69	38	11	1		
BREHERTON	161	1	23	30	57	37	12	1			
KITTITAS	46		5	7	19	7	6	2			
ELLENSBURG	30			6	13	5	4	2			
KLICKITAT	45		3	7	23	6	5	1			
LEWIS	186	1	27	35	78	25	16	3	1		
CENTRALIA	66	1	8	16	26	6	7	1	1		
LINCOLN	11		2	4	5						
MASON	110	2	16	26	40	15	11				
OKANOGAN	115	1	17	18	40	23	9	6	1		
PACIFIC	47		4	5	20	12	5	1			
PEND OREILLE	26		7	4	7	4	4				
PIERCE	1,905	24	276	341	713	364	135	45	6		1
PUYALLUP	69	2	15	13	22	11	4	1	1		
TACOMA	928	12	127	165	353	185	61	21	3		1
SAN JUAN	19		2	1	1	3	8	3	1		
SKAGIT	214	2	24	52	65	55	12	3	1		
MOUNT VERNON	75	1	9	21	19	20	1	3	1		
SKAMANIA	16	1	4	2	5	2	2				
SNOHOMISH	1,068	5	147	176	403	230	77	25	5		
EDMONDS	55		6	6	22	12	7	2			
EVERETT	385	4	61	62	149	73	25	9	2		
LYNNWOOD	69		11	7	32	13	3	3			
MOUNTLAKE TERRACE	39		6	6	15	7	4	1			
SPOKANE	982	5	114	195	382	195	61	24	4	1	1
SPOKANE (CITY)	666	4	69	130	250	146	44	18	3	1	1
STEVENS	94	1	14	22	31	15	7	4			
THURSTON	388	4	44	61	159	67	41	12			
LACEY	33		3	6	13	5	5	1			
OLYMPIA	179	1	19	21	79	30	20	9			
WAHKIAKUM	7				2	1	3		1		
WALLA WALLA	112		22	19	35	22	12	2			
WALLA WALLA (CITY)	85		15	15	28	13	12	2			
WHATCOM	248	2	30	38	103	40	24	8	2		1
BELLINGHAM	122	1	17	16	52	18	16	3			1
WHITMAN	21			6	7	5	3				
PULLMAN	9			2	5	2					
YAKIMA	927	16	158	192	313	168	54	21	4		1
YAKIMA (CITY)	271	6	48	51	97	46	18	4	1		
COUNTY UNKNOWN											

TABLE 15

LIVE BIRTHS BY INSTITUTIONS BY PLACE OF OCCURRENCE, WASHINGTON STATE 1985

COUNTY AND CITY	TOTAL	GENERAL HOSPITAL	BIRTH CENTER	FEDERAL FACILITY	HOME	BORN ON ARRIVAL	OTHER AND NOT STATED
STATE TOTALS	89,297	62,760	636	4,499	1,058	82	262
ADAMS	265	263			1	1	
ASOTIN	2				2		
BENTON	2,248	2,141	96		7	3	1
CLANNECK	798	795	96		6	1	
RICHLAND	1,159	1,156			1	2	
CHELAN	1,270	1,255			13	2	
WENATCHEE	1,152	1,146			6		
CLALLAM	753	738			14	1	
PORT ANGELES	869	865			4		
CLARK	2,251	2,190			58	3	
VANCOUVER	2,219	2,189			28	2	
COLUMBIA	25	25					
COWLITZ	1,206	1,200			5	1	
KELSO	1				1		
LONGVIEW	1,202	1,200			1	1	
DOUGLAS	9				9		
FERRY	43	40			3		
FRANKLIN	474	471			2	1	
PASCO	473	471			1	1	
GARFIELD	6	5			1		
GRANT	862	850			7	5	
MOSES LAKE	846	840			3	3	
GRAYS HARBOR	789	771			14	2	2
APERIEEN	778	770			4	2	2
ISLAND	767	241		489	17		
OAK HARBOR	7				7		
JEFFERSON	168	152			16		
KING	21,381	20,861	52		556	27	85
ALBURN	589	583			6		
BELLEVUE	2,321	2,288			20		13
DES MOINES	1				1		
KENT	13				13		
KIRKLAND	1,180	1,172			8		
MERCER ISLAND	3				3		
REDMOND	1,880	1,850			10		
RENTON	2,104	2,091			13		
SEATTLE	13,083	12,774	13		212	27	57
KITSAP	2,505	1,476		943	50	3	33
BREMERTON	1,492	1,476			13	2	1
KITTITAS	276	262			1		13
ELLENSBURG	262	261			1		
Klickitat	203	200			3		
LEWIS	853	829			21	2	1
CENTRALIA	379	375			4		
LINCOLN	56	55			1		
MASON	196	185			10	1	
OKANOGAN	479	448			24	1	6
PACIFIC	119	117			2		
PEND OREILLE	81	77			2	1	1
PIERCE	10,778	7,811	112	2,865	95	4	91
PUYALLUP	1,268	1,253			12	3	
TACOMA	6,721	6,557	112		48	1	3
SAN JUAN	21				9		12
SKAGIT	1,388	1,128	231		25		4
MOUNT VERNON	896	858	231		4		3
SKAMANIA	2				2		
SNOHOMISH	4,744	4,608			121	8	7
EDMONDS	1,589	1,576			11	2	
EVERETT	2,629	2,589			37	3	
LYNNWOOD	12				6	1	5
MOUNTLAKE TERRACE	7				7		
SPOKANE	6,373	5,795	134	402	35	6	1
SPOKANE (CITY)	5,935	5,762	134		32	6	1
STEVENS	328	314			14		
THURSTON	2,130	2,088			37	4	1
LACEY	5				5		
OLYMPIA	2,120	2,088			27	4	1
WAKKIAKUM	1				1		
WALLA WALLA	929	922			6	1	
WALLA WALLA (CITY)	926	922			4		
WHATCOM	1,563	1,503	11		45	1	3
BELLINGHAM	1,536	1,503	11		19	1	2
WHITMAN	468	464			2	1	1
PULLMAN	407	406			1		
YAKIMA	3,285	3,275			7	3	
YAKIMA (CITY)	2,456	2,450			4	2	

MORTALITY

TABLE 1

DEATHS IN WASHINGTON STATE BY SELECTED TOPICS, 1985

A. RESIDENCE, RACE BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	34,475	18,309	16,164	2
WHITE	32,783	17,315	15,466	2
BLACK	714	421	293	
MEXICAN/ CHICANO	100	70	30	
INDIAN	329	169	160	
JAPANESE	142	60	82	
CHINESE	96	62	34	
FILIPINO	116	90	26	
OTHER ASIAN	181	114	67	
OTHER	2	1	1	
UNKNOWN	12	7	5	

B. RESIDENCE, MARITAL STATUS BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	34,475	18,309	16,164	2
SINGLE	3,680	2,418	1,262	
MARRIED	15,662	10,941	4,720	1
DIVORCED	3,235	1,919	1,316	
WIDOWED	11,731	2,917	8,814	
UNKNOWN	167	114	52	1

C. RESIDENCE, AGE GROUP BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	34,475	18,309	16,164	2
UNDER 1	747	417	329	1
1 - 4	127	72	55	
5 - 14	188	120	68	
15 - 19	255	192	63	
20 - 24	346	268	78	
25 - 34	844	603	241	
35 - 44	1,056	683	373	
45 - 54	1,702	1,018	684	
55 - 64	4,457	2,751	1,706	
65 - 74	8,017	4,786	3,230	1
75 - 84	9,252	4,804	4,448	
85 - 94	6,348	2,284	4,064	
95 & OVER	1,134	311	823	
UNKNOWN	2		2	

D. RESIDENCE, INFANT DEATHS BY RACE

	TOTAL
TOTAL	747
WHITE	658
BLACK	40
MEXICAN/CHICANO	7
INDIAN	20
JAPANESE	3
CHINESE	1
FILIPINO	3
OTHER ASIAN	15
OTHER	
UNKNOWN	

TABLE 1 (CONT'D)

DEATHS IN WASHINGTON STATE BY SELECTED TOPICS, 1985

E. RESIDENCE, BY LEADING CAUSES

	INTERNATIONAL LIST NUMBER	NUMBER OF DEATHS	PERCENT OF TOTAL DEATHS*
ALL CAUSES		34,475	100.0
1 DISEASES OF THE HEART	391-392.0,393-398,402	11,713	34.0
	404,410-417,420-429		
2 MALIGNANT NEOPLASMS	140-208,230-234	8,007	23.2
3 CEREBROVASCULAR DISEASE	430-438	2,709	7.9
4 ALL ACCIDENTS	E800-949	1,635	4.7
5 CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	1,597	4.6
6 INFLUENZA AND PNEUMONIA	480-487	1,191	3.5
7 SUICIDE	E950-959	627	1.8
8 DIABETES MELLITUS	250	621	1.8
9 DISEASES OF THE ARTERIES EXC. ATHERIOLOSCLEROTIC	441-444,446-448	456	1.3
10 CIRRHOSIS OF LIVER	571	442	1.3
ALL OTHER CAUSES		5,477	15.9

F. RESIDENCE AND OCCURRENCE, BY MONTH

	RESIDENCE	OCCURRENCE
TOTAL	34,475	34,574
JANUARY	3,141	3,132
FEBRUARY	2,995	2,966
MARCH	3,061	3,080
APRIL	2,898	2,899
MAY	2,933	2,933
JUNE	2,613	2,631
JULY	2,816	2,855
AUGUST	2,629	2,641
SEPTEMBER	2,596	2,619
OCTOBER	2,959	2,984
NOVEMBER	2,749	2,760
DECEMBER	3,085	3,074

G. TYPE OF PLACE BY OCCURRENCE

TOTAL	34,574
GENERAL HOSPITAL	15,758
NURSING HOME	8,588
HOME	7,564
FEDERAL FACILITY	1,080
PSYCHIATRIC HOSPITAL	29
STATE FACILITY	5
DEAD ON ARRIVAL	57
OTHER AND UNKNOWN	1,493

*DETAIL MAY NOT ADD TO 100% DUE TO ROUNDING

TABLE 2

DEATHS WITH RATES* BY PLACE OF RESIDENCE AND OCCURRENCE, WASHINGTON STATE 1985				
COUNTY AND CITY	RESIDENCE		OCCURRENCE	
	TOTAL	RATE	TOTAL	RATE
STATE TOTAL	34,475	7.9	34,574	7.9
ADAMS	110	8.0	100	7.2
ASOTIN	194	11.4	148	8.7
BENTON	644	6.1	641	6.1
KENNEWICK	264	7.1	269	7.3
RICHLAND	220	7.2	284	9.3
CHELAN	502	10.4	621	12.8
WENATCHEE	261	15.0	443	25.5
CLALLAM	533	10.1	492	9.4
PORT ANGELES	210	12.2	306	17.8
CLARK	1,473	7.2	1,337	6.6
VANCOUVER	656	15.3	1,140	26.7
COLUMBIA	61	14.9	47	11.5
COWLITZ	687	8.6	708	8.9
KELSO	124	11.3	41	3.8
LONGVIEW	347	11.5	600	19.8
DOUGLAS	165	7.2	62	2.8
FERRY	36	5.9	20	3.3
FRANKLIN	245	6.9	195	5.5
PASCO	167	8.9	175	9.4
GARFIELD	28	11.2	19	7.6
GRANT	381	7.6	319	6.4
HOSES LAKE	86	8.3	151	14.6
GRAYS HARBOR	691	10.8	604	9.5
ABERDEEN	221	12.8	391	22.7
ISLAND	376	7.6	267	5.4
OAK HARBOR	72	5.7	64	5.1
JEFFERSON	147	8.4	129	7.4
KING	10,355	7.7	11,145	8.3
AUBURN	206	6.9	303	10.1
BELLEVUE	511	6.4	537	6.7
DES MOINES	91	6.7	179	13.3
KENT	155	5.7	112	1.2
KIPKLAND	194	10.1	373	19.4
MERCER ISLAND	140	6.8	113	5.5
REDMOND	119	4.2	287	10.2
RENTON	317	9.3	566	16.6
SEATTLE	5,330	10.8	7,913	16.1
KITSAP	1,105	6.6	1,022	6.1
BREMERTON	379	10.0	641	17.0
KITTITAS	238	9.5	221	8.8
ELLENSBURG	122	10.5	168	14.4
Klickitat	137	8.2	97	5.8
LEWIS	593	10.5	540	9.6
CENTRALIA	190	16.5	292	24.7
LINCOLN	108	11.1	88	9.1
MASON	315	9.1	222	6.4
OKANOGAN	314	9.9	252	7.9
PACIFIC	230	13.1	195	11.1
PEND OREILLE	88	9.7	74	8.1
PIERCE	3,949	7.5	4,102	7.8
PUYALLUP	239	12.3	622	32.4
TACOMA	1,778	11.1	2,848	17.7
SAN JUAN	91	10.4	54	6.1
SKAGIT	655	9.6	708	10.4
MOUNT VERNON	154	10.8	271	19.1
SKAMANIA	49	5.8	25	3.2
SNOHOMISH	2,600	7.0	2,271	6.1
EDMONDS	271	9.7	426	15.3
EVERETT	660	11.6	993	17.4
LYNNWOOD	193	8.2	108	4.6
MOUNTLAKE TERRACE	63	4.0	19	1.2
SPOKANE	2,965	8.4	3,475	9.8
SPOKANE (CITY)	1,949	11.3	3,263	19.0
STEVENS	227	7.5	170	5.6
THURSTON	935	6.7	932	6.7
LACEY	152	10.0	124	8.2
OLYMPIA	325	11.4	706	24.7
WAHKIAKUM	39	10.5	27	7.3
WALLA WALLA	501	10.4	652	13.1
WALLA WALLA (CITY)	326	12.7	547	21.3
WHATCOM	887	7.4	863	7.4
BELLINGHAM	437	9.4	682	14.7
WHITMAN	242	6.1	177	4.5
PULLMAN	65	2.9	66	2.9
YAKIMA	1,610	8.8	1,572	8.6
YAKIMA (CITY)	674	13.6	1,116	22.5

*RATES PER 1,000 POPULATION.

TABLE 3

DEATHS BY SEX AND RACE BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	TOTAL	MALE	FEMALE	UNK	WHITE	BLACK	MEXICAN/ CHICANO	INDIAN	JAPA- NESE	CHI- NESE	FILIP- PINO	OTHER ASIAN	OTHER	UNK
STATE TOTAL	34,475	18,309	16,164	2	32,783	714	100	329	142	96	116	181	2	12
ADAMS	110	62	48		108		2							
ASOTIN	194	96	98		191	1		2						
BENTON	644	343	301		628	3	8	2				3		
KENNEWICK	264	139	125		257		7							
RICHLAND	220	128	92		213	3		1				3		
CHELAN	502	276	226		494		6	2						
WENATCHEE	261	132	129		257		3	1						
CLALLAM	533	300	233		523		1	7	1			1		
PORT ANGELES	210	113	97		210									
CLARK	1,473	800	673		1,445	13	1	2		1	2	8		1
VANCOUVER	656	341	315		642	9		2				2		1
COLUMBIA	61	30	31		61									
COWLITZ	687	379	307	1	681		3					2		1
KELSO	124	70	54		123		1							
LONGVIEW	347	183	164		342		2					2		1
DOUGLAS	165	95	70		163		1	1						
FERRY	34	18	18		30			6						
FRANKLIN	245	129	116		216	17	12							
PASCO	167	83	84		142	16	9							
GAFFIELD	28	16	12		28									
GRANT	381	224	157		366	7	2	3	3					
MOSES LAKE	86	48	38		80									
GRAYS HARBOR	691	374	317		671	1	7	14		2	1	1		
ABERDEEN	221	117	104		217		1	1		2				
ISLAND	376	208	168		371	1					3	1		
OAK HARBOR	72	34	38		67	1					3	1		
JEFFERSON	147	86	61		145			2						
KING	10,355	5,357	4,998		9,439	472	9	68	113	83	75	95		1
AUBURN	206	114	90		203				1	1		1		
BELLEVUE	511	262	229		490	3		3	4	1		2		
DES MOINES	91	31	60		90	1						8		
KENT	155	79	76		150	1	1				1	1		
KIRKLAND	194	79	115		188	5	1							
MERCER ISLAND	140	56	84		137				3					
REDMOND	119	67	52		118									
RENTON	317	165	152		300	5		1	3	1		5		
SEATTLE	5,330	2,719	2,611		4,568	433	6	45	87	74	59	58		
KITSAP	1,105	608	497		1,066	12	1	7	1	2	8	7		1
BREHERTON	379	206	173		359	7	1	3			4	4		1
KITTITAS	238	124	114		236							1		1
ELLENSBURG	122	59	63		121							1		
KLICKITAT	137	76	61		132			4	1					
LEWIS	593	329	264		589		1	3						
CENTRALIA	195	88	107		194			1						
LINCOLN	108	62	46		107			1						
MASON	315	178	137		307			6			1	1		
OKANOGAN	314	180	134		276		1	36	1					
PACIFIC	230	124	106		230									
PEND OREILLE	88	52	36		86			2						
PIERCE	3,949	2,114	1,835		3,741	126	3	18	8	1	10	40	1	1
PUYALLUP	236	122	114		232	1		2				1		
TACOMA	1,778	894	884		1,658	66	1	9	3	1	1	17	1	1
SAN JUAN	93	52	41		93									
SKAGIT	655	360	295		650			4				1		
MOUNT VERNON	154	73	81		154									
SKAMANIA	46	32	14		46									
SNOHOMISH	2,600	1,384	1,216		2,562	5	5	14	2	1	5	5		1
EDMONDS	271	130	141		269			1			1			
EVERETT	660	331	329		650	2	2	3	2			1		
LYNNWOOD	193	93	100		186	2		3			2			
MOUNTLAKE TERRACE	63	36	27		60						1	2		
SPOKANE	2,965	1,509	1,456		2,900	23	3	17	10	1	3	4	1	3
SPOKANE (CITY)	1,949	985	964		1,895	21	1	16	9		3	3		1
STEVENS	227	128	98	1	215			12						
THURSTON	935	496	439		913	5	2	7		1		6		1
LACEY	152	66	86		145	1	1	1				4		
OLYMPIA	325	178	147		317	1		3		1		2		1
WAMIKIAKUM	39	25	14		38			1						
WALLA WALLA	501	264	237		493	2	3	1		2				
WALLA WALLA (CITY)	326	170	156		320	2	1	1		2				
WHATCOM	857	437	420		825	2		24			1	4		1
BELLINGHAM	437	194	243		422	2		10				3		
WHITMAN	242	133	109		240					1		1		
PULLMAN	65	32	33		63					1		1		
YAKIMA	1,610	849	761		1,478	24	35	63	2	1	7			
YAKIMA (CITY)	674	322	352		635	22	10	3	1	1	2			

TABLE 4

DEATHS BY AGE GROUP BY PLACE OF RESIDENCE, WASHINGTON STATE 1985														AGE UNK	
COUNTY AND CITY	TOTAL	UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 AND OVER		
STATE TOTAL	34,475	747	127	188	255	346	844	1,056	1,702	4,457	8,017	9,252	7,482	2	
ADAMS	110	1	1	1	4		2	1	5	18	23	35	19		
ASOTIN	194	6		1	3	2	3	6	5	18	45	58	47		
BENTON	644	20	4	1	8	11	19	22	39	90	139	172	119		
KENNEWICK	264	13	2		4	4	13	10	13	31	53	65	56		
RICHLAND	220	2	1		2	4	3	9	14	30	49	64	42		
CHELAM	502	12		3	6	3	11	13	24	60	105	154	111		
WENATCHEE	261	3		1	2	2	7	7	8	29	56	78	68		
CLALLAM	533	9	1	1	1	4	9	15	19	59	159	140	116		
PORT ANGELES	210	3		1	1	1	4	8	5	20	61	53	54		
CLARK	1,473	25	8	6	11	9	42	48	92	205	370	385	272		
VANCOUVER	656	10	2		3	3	16	18	30	88	168	182	136		
COLUMBIA	61				1	1	1	3	2	6	14	19	14		
COWLITZ	687	9	3	4	6	5	12	19	35	92	183	196	123		
KELSO	124	2	1		3	3	1	5	2	16	37	38	16		
LONGVIEW	347	2	2	1	2	1	8	9	14	47	93	99	69		
DOUGLAS	165	4	3	2	1	2	3	5	10	22	41	48	24		
FERRY	36						1	4	2	7	8	7	7		
FRANKLIN	245	11	1	1		7	12	11	18	42	60	50	32		
PASCO	167	7	1			4	10	6	10	26	38	40	25		
GARFIELD	28				1				1	2	9	9	6		
GRANT	381	15	2	3	6	4	9	7	15	49	115	88	68		
MOSES LAKE	86	4			1	1	2	1	2	8	28	24	15		
GRAYS HARBOR	691	14	3	1	3	7	17	13	45	87	179	191	131		
ABERDEEN	221	3	1	1	2		2	5	18	31	58	55	45		
ISLAND	376	9	2	3	1	3	13	17	18	48	96	94	72		
OAK HARBOR	72	5	1	1			1	4	4	10	12	17	14		
JEFFERSON	147	2		1		1	2	3	5	20	43	38	31		
KING	10,355	197	26	55	73	112	286	375	550	1,331	2,303	2,708	2,338	1	
AUBURN	206	8			1	1	4	8	13	23	56	56	36		
BELLEVUE	511	7		2	2	11	9	15	27	84	120	130	104		
DES MOINES	91	2			1	1	4	1	6	4	22	50	50		
KENT	155	10	1	3	1	3	3	12	12	23	34	34	19		
KIRKLAND	194	5	1	3	1	1	2	4	14	17	44	48	54		
MERCER ISLAND	140		1		1	2	2	3	11	15	28	34	43		
REDMOND	119	6		1	2	1	2	5	11	15	19	27	30		
RENTON	317	10	1	1	3	6	3	7	17	48	66	83	72		
SEATTLE	5,350	75	9	13	21	38	161	191	241	594	1,191	1,519	1,277		
KITSAP	1,105	31	3	6	3	14	23	32	61	135	263	312	228		
BREHERTON	379	12	2	1		6	6	6	14	42	87	115	88		
KITTITAS	238	2		2	4	2	2	8	7	29	53	69	60		
ELLENSBURG	122	2			2	1	1	4	2	9	24	37	40		
Klickitat	137	5		3	2	2	5	4	7	14	34	31	30		
LEWIS	593	8	1	3	4	4	10	15	26	87	129	155	150	1	
CENTRALIA	195	1		1		1	3	3	13	18	33	60	62		
LINCOLN	108	1				1	4	3	2	9	25	32	31		
MAISON	315	6		1	1	1	8	10	14	37	90	86	61		
OKANOGAN	314	9	1	1	1	4	3	8	12	45	76	81	73		
PACIFIC	250	4		2		1	2	4	2	31	69	76	39		
PEND OREILLE	88	2				1		4	3	14	25	24	15		
PIERCE	3,949	123	21	22	33	46	96	113	198	580	903	1,007	807		
PUYALLUP	236	7		1	2	2	5	3	4	29	49	70	64		
TACOMA	1,778	42	11	8	9	16	46	45	78	241	381	479	422		
SAN JUAN	93			1			3	9	1	14	28	25	12		
SKAGIT	655	11	5	4	4	3	11	18	26	67	137	202	168		
MOUNT VERNON	154	5	2		1		1	5	4	9	30	53	44		
SKAMANIA	46	2		1	2	1		2	2	9	15	8	4		
SHOHWISH	2,600	72	15	13	30	26	80	92	130	324	613	674	531		
EDMONDS	271	4	1	1	2	2	4	7	17	38	42	71	82		
EVERETT	660	21	1	2	2	8	10	15	28	74	146	195	158		
LYNNWOOD	193	6	1	1	3	2	8	7	10	24	44	54	33		
MOUNTLAKE TERRACE	63	3	1		4	1	2	4	3	11	16	14	4		
SPOKANE	2,965	56	9	18	19	27	66	59	131	363	644	843	730		
SPOKANE (CITY)	1,949	31	4	8	10	13	48	37	76	225	404	576	517		
STEVENS	227	6	1	2	1	4	7	6	13	38	49	57	43		
THURSTON	955	17		7	2	6	12	35	55	128	221	253	197		
LACEY	152	4		1	1	1	2	5	1	15	24	46	48		
OLYMPIA	325	5		1	1	4	3	11	23	42	83	82	71		
WAHIAKUM	39		1				1			6	11	9	11		
WALLA WALLA	501	6	1	4	1		8	9	29	53	109	135	146		
WALLA WALLA (CITY)	326	6			1		6	4	21	33	67	94	94		
WHITCOM	857	12	4	5	7	9	17	19	27	95	213	244	205		
BELLINGHAM	437	5	2	5	4	2	10	6	14	38	98	124	129		
WHITMAN	242	6	3	3	1	3	1	3	10	27	41	82	62		
PULLMAN	85	4	1			2		2	4	11	8	17	16		
YAKIMA	1,610	34	8	7	15	20	43	41	82	196	377	453	354		
YAKIMA (CITY)	674	14	1	1	3	4	16	15	17	64	146	194	199		

TABLE 5

DEATHS BY MONTH OF OCCURRENCE BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	TOTAL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
STATE TOTAL	34,475	3,141	2,995	3,061	2,898	2,933	2,613	2,816	2,629	2,596	2,959	2,749	3,085
ADAMS	110	8	10	3	9	13	13	17	9	11	3	9	11
ASOTIN	194	12	13	20	20	15	14	16	18	12	18	20	16
BENTON	644	71	63	58	61	45	50	48	54	64	42	37	51
KENNEWICK	264	29	29	23	15	22	19	19	20	34	16	15	23
RICHLAND	220	26	13	19	23	16	20	15	20	19	17	17	15
CHELAM	502	50	45	49	48	35	42	50	33	40	49	32	33
WENATCHEE	261	27	20	25	27	12	20	30	20	31	25	18	16
CLALLAM	533	48	47	46	35	43	34	48	35	40	57	45	45
PORT ANGELES	210	19	19	19	13	17	15	20	13	17	21	16	21
CLARK	1,473	149	125	113	130	143	113	111	116	85	134	113	141
VANCOUVER	856	62	56	47	59	65	54	56	50	42	59	46	60
COLUMBIA	61	3	4	4	1	9	7	5	6	8	4	7	3
COWLITZ	687	59	70	69	58	52	57	51	38	51	56	51	75
KELSO	124	13	12	10	5	12	10	9	12	13	9	9	10
LONGVIEW	347	28	41	36	35	24	25	27	16	19	27	31	38
DOUGLAS	165	11	12	18	18	10	13	16	19	15	15	16	7
FERRY	36	3	4	2	4	6	4	4	1	2	2		4
FRANKLIN	245	21	19	32	19	15	18	16	27	21	26	19	12
PASCO	167	15	13	25	12	12	10	10	19	10	20	11	10
GARFIELD	28	5		5	6	3	4	3		1	1		
GRANT	381	25	31	29	26	37	24	20	43	26	37	42	41
MOSES LAKE	86	2	9	6	5	10	6	5	10	6	4	9	13
GHAYS HARBOR	691	69	54	65	53	56	53	54	59	61	46	58	63
ABERDEEN	221	23	16	21	12	22	17	21	21	15	13	18	22
ISLAND	376	39	37	28	30	35	25	37	28	26	32	28	31
OAK HARBOR	72	9	7	7	9	8	4	6	1	4	7	4	6
JEFFERSON	147	18	18	10	11	11	4	14	7	11	18	12	14
KING	10,355	986	806	803	891	848	790	830	779	763	901	816	940
AUBURN	206	15	16	19	18	14	22	15	18	23	17	13	16
BELLEVUE	511	48	47	44	40	38	44	35	37	39	44	39	56
DES MOINES	91	9	9	4	7	5	7	7	6	4	11	7	15
KENT	155	9	17	8	16	14	9	13	7	7	12	10	20
KIRKLAND	194	16	12	14	11	19	14	10	23	23	13	20	19
MERCER ISLAND	140	8	14	18	13	8	12	12	8	12	15	6	14
REDMOND	119	12	10	12	9	4	6	15	10	13	7	10	11
RENTON	317	29	28	37	20	29	24	24	25	21	29	16	35
SEATTLE	5,330	506	468	461	445	443	405	442	411	365	477	437	470
KITSAP	1,105	116	114	98	78	85	77	98	94	95	75	91	90
BREMERTON	379	40	43	36	25	23	24	38	32	35	19	38	26
KITTITAS	238	21	22	20	20	19	15	25	17	24	18	19	18
ELLENSBURG	122	12	12	10	10	11	7	13	7	15	11	7	7
Klickitat	137	7	8	11	12	12	11	12	12	12	12	6	22
LEWIS	593	53	54	49	52	50	41	53	43	44	49	50	55
CENTRALIA	195	19	16	18	13	14	12	18	20	12	12	20	21
LINCOLN	108	13	5	14	9	8	5	13	14	7	9	4	7
MASON	315	22	25	30	29	24	26	29	20	26	30	23	31
OKANOGAN	314	25	21	25	30	36	28	27	20	27	26	26	25
PACIFIC	230	21	19	19	26	14	20	20	15	14	24	19	19
PEND OREILLE	88	6	5	11	7	5	7	7	5	11	7	10	7
PIERCE	3,949	363	358	353	309	318	279	336	290	312	347	326	358
PUYALLUP	236	27	21	24	15	24	13	24	15	18	25	12	18
TACOMA	1,778	160	167	165	138	151	119	152	137	129	155	147	158
SAN JUAN	93	17	7	12	10	4	7	6	5	8	4	6	7
SKAGIT	655	61	57	44	55	58	51	65	51	43	55	53	62
MOUNT VERNON	154	17	9	10	13	14	12	17	17	8	12	12	13
SKAMANIA	46	4	1	4	1	9	5	2	3	6	5	1	5
SPOKANISH	2,600	218	220	235	204	245	215	209	177	211	218	215	233
EDMONDS	271	20	23	31	24	23	21	18	17	23	22	22	27
EVERETT	660	54	65	71	47	61	54	56	38	54	50	50	58
LYNNWOOD	193	14	16	14	16	22	14	12	17	13	25	18	12
MOUNTLAKE TERRACE	63	7	1	13	3	6	7	6	2	4	2	4	8
SPOKANE	2,965	238	242	289	279	291	229	225	237	189	241	232	273
SPOKANE (CITY)	1,949	178	180	188	180	197	151	143	156	118	153	149	182
STEVENS	227	14	20	26	13	26	19	21	17	14	20	19	18
THURSTON	935	84	74	78	65	99	69	81	75	68	73	75	74
LACEY	152	11	10	13	13	23	12	13	9	10	16	8	14
OLYMPIA	325	31	23	31	31	33	26	34	24	20	19	28	25
WAHIAKUM	39	5		7	3	5	2	1	3	2	6	4	1
WALLA WALLA	501	50	39	46	32	39	40	41	43	35	41	42	50
WALLA WALLA (CITY)	326	34	26	22	25	29	27	25	31	20	33	32	22
WHATCOM	857	62	69	72	75	71	57	71	71	64	61	70	94
BELLINGHAM	437	27	37	44	35	32	29	37	32	32	48	34	50
WHITMAN	942	20	21	21	16	25	13	25	27	17	22	20	15
PULLMAN	65	5	10	10	3	4	3	8	13	1	2	4	2
YAKIMA	1,610	146	156	140	133	114	137	124	121	120	154	131	134
YAKIMA (CITY)	674	47	71	55	55	39	53	61	53	52	71	55	62

TABLE 6

DEATHS WITH RATES* BY SELECTED DISEASE CONDITIONS BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	INFECTIOUS AND PARASITIC DISEASES		MALIGNANT NEOPLASM		ALCOHOLISM		DISEASES OF THE HEART		CEREBROVASCULAR DISEASE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	332	7.6	8,007	182.6	67	1.5	11,713	267.2	2,709	61.8
ADAMS	1	7.2	27	195.7	1	7.2	34	246.4	7	50.7
ASOTIN	1	5.9	43	252.9			52	305.9	17	100.0
BENTON	3	2.9	164	155.9	2	1.9	189	179.7	50	47.5
KENNEWICK			63	170.3	2	5.4	71	191.9	18	48.7
RICHLAND	2	6.6	67	219.6			69	226.2	18	59.0
CHELAN	1	2.1	107	220.6	1	2.1	160	371.1	38	78.4
WENATCHEE	1	5.8	54	311.1			90	518.4	22	126.7
CLALLAM	6	11.4	113	214.8	1	1.9	189	359.3	43	81.7
PORT ANGELES	3	17.4	46	267.4			70	407.0	13	75.6
CLARK	13	6.4	337	165.7	6	2.9	526	258.6	106	52.1
VANCOUVER	8	18.7	147	343.8	4	9.4	240	561.3	52	121.6
COLUMBIA			14	341.5			17	414.6	6	146.3
COWLITZ	4	5.0	157	197.2	1	1.3	279	350.5	49	61.6
NELSON			30	274.5			52	475.8	8	73.2
LONGVIEW	3	9.9	76	250.8			150	495.0	26	85.8
DOUGLAS			44	192.1	1	4.4	50	218.3	12	52.4
FERRY			9	147.5			17	278.7	3	49.2
FRANKLIN	1	2.8	46	128.9			81	226.9	11	30.8
PASCO	1	5.3	31	165.8			58	310.2	8	42.8
GARFIELD	1	40.0	7	280.0			6	240.0	1	40.0
GRANT	3	6.0	105	210.4			108	216.4	22	44.1
MOSES LAKE			31	298.9			21	202.5	8	77.1
GRAYS HARBOR	6	9.4	148	231.6			281	439.7	37	57.9
ABERDEEN	3	17.4	44	255.1			90	521.7	13	75.4
ISLAND	2	4.1	89	180.9			117	237.8	25	50.8
OAK HARBOR			12	95.1			28	221.9	1	7.9
JEFFERSON	2	11.4	39	222.9			50	285.7	11	62.9
KING	136	10.1	2,465	183.1	19	1.4	3,370	250.3	797	59.2
AUBURN			48	160.6			71	237.6	13	43.5
BELLEVUE	7	8.7	159	198.1			147	183.2	38	47.4
DES MOINES	1	7.4	15	111.1	1	7.4	33	244.4	7	51.9
KENT	3	11.1	43	159.4			50	185.3	7	25.9
KIRKLAND	3	15.6	52	270.8			59	307.2	12	62.5
MERCER ISLAND	1	4.8	39	189.1			45	218.2	6	29.1
REDMOND	2	7.1	32	113.8			34	120.9	11	39.1
RENTON	2	5.9	77	226.3			118	346.8	20	58.8
SEATTLE	85	17.3	1,182	240.5	9	1.8	1,759	358.0	459	93.4
KITSAP	10	8.0	276	164.5	2	1.2	393	234.2	76	45.3
BREMERTON	1	2.6	90	238.3	1	2.6	133	352.2	39	92.7
KITTITAS			51	204.0			79	316.0	24	96.0
ELLENBURG			21	179.9			46	394.2	14	120.0
Klickitat			36	215.6			43	257.5	7	41.9
LEWIS			136	240.7	2	3.5	216	382.3	58	102.7
CENTRALIA			40	338.7	1	8.5	67	567.3	23	194.8
LINCOLN			22	226.8	1	10.3	35	360.8	14	144.3
MASON			60	229.9			116	333.3	27	77.6
OKANOGAN	3	9.5	67	211.4			130	410.1	21	66.2
PACIFIC			47	268.6	2	11.4	84	480.0	17	97.1
PEND OREILLE	2	22.0	20	219.8			35	384.6	10	109.9
PIERCE	32	6.1	932	177.6	9	1.7	1,367	256.6	291	55.4
PUYALLUP	2	10.4	46	239.8			85	443.2	20	104.3
TACOMA	18	11.2	366	240.0	5	3.1	618	384.3	142	88.3
SAN JUAN	1	11.2	20	224.7	1	11.2	35	370.8	2	22.5
SKAGIT	7	10.3	134	196.5	1	1.5	237	347.5	60	88.0
MOUNT VERNON	3	21.1	27	190.0	1	7.0	53	373.0	17	119.6
SKAMANIA			10	126.6			21	265.8	1	12.7
SNOHOMISH	27	7.2	662	177.5	3	.8	847	227.1	217	58.2
EVERETT	2	7.2	52	222.4			91	326.4	28	100.4
LYNNWOOD	6	10.5	174	305.1	1	1.8	207	363.0	73	128.0
MOUNTLAKE TERRACE	5	21.4	37	158.1			56	239.3	12	51.3
	2	12.6	16	100.6			18	113.2		
SPOKANE	31	8.7	652	184.0	8	2.3	1,011	285.4	244	68.9
SPOKANE (CITY)	21	12.2	410	238.2	6	3.5	661	395.7	175	101.7
STEVENS	1	3.3	42	139.5			79	262.5	20	66.4
THURSTON	6	4.3	220	157.7	2	1.4	340	243.7	73	52.3
LACEY			31	203.9			71	467.1	12	78.9
OLYMPIA	3	10.5	71	248.6			120	420.2	25	87.5
WAHIAKUM			4	108.1			19	513.5	2	54.1
WALLA WALLA	4	8.3	115	237.6	1	2.1	157	324.4	46	95.0
WALLA WALLA (CITY)	2	7.8	72	280.8	1	3.9	103	401.7	28	109.2
WHATCOM	8	6.9	208	179.3	1	.9	295	254.3	80	69.0
BELLINGHAM	3	6.5	104	224.3	1	2.2	149	321.4	46	99.2
WHITMAN	3	7.6	51	128.8			75	189.4	22	55.6
PULLMAN	1	4.4	17	75.4			13	57.6	4	17.7
YAKIMA	17	9.3	308	168.8	2	1.1	575	315.1	162	88.8
YAKIMA (CITY)	7	14.1	118	238.3	1	2.0	245	494.8	80	161.6

* RATES PER 100,000 ESTIMATED POPULATION.

TABLE 7

DEATHS WITH RATES* BY SELECTED DISEASE CONDITIONS BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	GENERAL ARTERIOSCLEROSIS		INFLUENZA AND PNEUMONIA		CHRONIC OBSTRUCTIVE PULMONARY DISEASES		CIRRHOSIS OF THE LIVER		NEPHRITIS NEPHROTIC SYNDROME NEPHROSIS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	429	9.8	1,191	27.2	1,597	36.4	442	10.1	279	6.4
ADAMS	3	21.7	5	36.2	5	36.2	1	7.2	1	7.2
ASOTIN	4	23.5	11	64.7	6	35.3	2	11.8		
BENTON	3	2.9	28	26.6	37	35.2	9	8.6	4	3.8
KENNEWICK	1	2.7	15	40.6	16	43.3	2	5.4	1	2.7
RICHLAND	1	3.3	9	29.5	12	39.3	3	9.8	3	9.8
CHELAN	5	10.3	6	12.4	29	59.8	5	10.3	5	10.3
WENATCHEE	2	11.5	5	28.8	16	92.2	2	11.5	4	23.0
CLALLAM	4	7.6	24	45.6	31	58.9	10	19.0	6	11.4
PORT ANGELES	4	23.3	8	46.5	13	75.6	5	29.1	3	17.4
CLARK	12	5.9	48	23.6	70	34.4	19	9.3	9	4.4
VANCOUVER	7	16.4	23	53.8	34	79.5	7	16.4	4	9.4
COLUMBIA			4	97.6	2	48.8	2	48.8		
COWLITZ	7	8.8	21	26.4	26	32.7	12	15.1	1	1.3
KELSO			3	27.4	2	18.3	6	54.9		
LONGVIEW	4	13.2	12	39.6	18	59.4	4	13.2		
DOUGLAS			4	17.5	8	34.9	1	4.4		
FERRY										
FRANKLIN	2	5.6	3	8.4	20	56.0	6	16.8	2	5.6
PASCO			3	16.0	14	74.9	5	26.7	2	10.7
GARFIELD	1	40.0			1	40.0			1	40.0
GRANT	4	8.0	10	20.0	21	42.1	5	10.0	3	6.0
MOSES LAKE			2	19.3	2	19.3		28.9		
GRAYS HARBOR	10	15.6	30	46.9	34	53.2	7	11.0	6	9.4
ABERDEEN	4	23.2	10	58.0	11	63.8	3	17.4	1	5.8
ISLAND	11	22.4	15	30.5	24	48.8	6	12.2	2	4.1
OAK HARBOR	1	7.9	3	23.8	3	23.8	1	7.9		
JEFFERSON	3	17.1	6	34.3	4	22.9	3	17.1	3	17.1
KING	110	8.2	385	28.6	426	31.6	143	10.6	88	6.5
AUBURN	2	6.7	6	20.1	13	43.5	4	13.4	4	13.4
BELLEVUE	3	3.7	20	24.9	17	21.2	5	6.2	3	3.7
DES MOINES			9	86.7	5	37.0	1	7.4		
KENT	2	7.4	2	7.4	6	22.2			1	3.7
KIRKLAND	4	20.8	8	41.7	5	26.0	1	5.2	1	5.2
MERCER ISLAND	1	4.8	9	43.6	5	24.2			1	4.8
REDOND	3	10.7	2	7.1	2	7.1	1	3.6		
RENTON	6	17.6	13	38.2	9	26.4	4	11.8	3	8.8
SEATTLE	57	11.6	200	40.7	236	48.0	89	18.1	51	10.4
KITSAP	9	5.4	35	20.9	50	29.8	9	5.4	3	1.8
BHEMERTON	4	10.6	16	42.4	18	47.7	2	5.3	2	5.3
KITTITAS	2	8.0	5	20.0	18	72.0	4	16.0		
ELLENSBURG			4	34.3	9	77.1				
Klickitat	2	12.0	7	41.9	7	41.9	1	6.0	2	12.0
LEWIS	11	19.5	9	15.9	21	37.2	6	10.6	9	15.9
CENTRALIA	3	25.4	4	33.9	9	76.2	1	8.5	4	33.9
LINCOLN			5	51.5	4	41.2	1	10.3	2	20.6
MASON	1	2.9	11	31.6	11	31.6	2	5.7	2	5.7
OKANOGAN	3	9.5	9	28.4	16	50.5	4	12.6	5	15.8
PACIFIC	4	22.9	8	45.7	7	40.0	2	11.4	1	5.7
PEND OREILLE	1	11.0	2	22.0	5	54.9			1	11.0
PIERCE	66	12.6	113	21.5	198	37.7	63	12.0	36	6.9
PUYALLUP	10	52.1	12	62.6	10	52.1	2	10.4		
TACOMA	33	20.5	49	30.5	96	59.7	41	25.5	16	10.0
SAN JUAN	1	11.2	6	67.4	1	11.2	2	22.5	1	11.2
SKAGIT	10	14.7	31	45.5	31	45.5	2	2.9	5	7.3
MOUNT VERNON	3	21.1	12	84.4	4	28.1			1	7.0
SKAMANIA					4	50.6				
SNOWHISH	27	7.2	88	23.6	94	25.2	27	7.2	15	4.0
EDMONDS	3	10.8	11	39.5	9	32.3	7	25.1	1	3.6
EVERETT	7	12.3	20	35.1	24	42.1	10	17.5	2	3.5
LYNNWOOD	2	8.5	9	38.5	7	29.9	1	4.3	5	21.4
MOUNTLAKE TERRACE					4	25.2	1	6.3		
SPOKANE	57	16.1	101	28.5	171	48.3	35	9.9	25	7.1
SPOKANE (CITY)	36	20.9	69	40.1	115	66.8	25	14.5	15	8.7
STEVENS	3	10.0	3	10.0	10	33.2	1	3.3	9	29.9
THURSTON	8	5.7	23	16.5	43	30.8	14	10.0	8	5.7
LACEY	3	19.7	1	6.6	4	26.3	1	6.6	2	13.2
OLYMPIA			12	42.0	16	56.0	5	17.5	3	10.5
WAHIAKUM			1	27.0					2	54.1
WALLA WALLA	9	18.6	22	45.5	19	39.3	6	12.4	1	2.1
WALLA WALLA (CITY)	5	19.5	15	58.5	17	66.3	4	15.6		
WHATCOM	12	10.3	34	29.3	40	34.5	5	4.3	8	6.9
BELLINGHAM	9	19.4	12	25.9	20	43.1	1	2.2	2	4.3
WINTHAN	4	10.1	17	42.9	9	22.7	3	7.6	4	10.1
PULLMAN	2	8.9	5	22.2	4	17.7	1	4.4	1	4.4
YAKIMA	20	11.0	61	33.4	94	51.5	24	13.2	9	4.9
YAKIMA (CITY)	9	18.2	30	60.6	45	90.9	6	12.1	5	10.1

* RATES PER 100,000 ESTIMATED POPULATION.

TABLE 8

DEATHS WITH RATES* BY EXTERNAL CAUSES BY PLACE OF RESIDENCE, WASHINGTON STATE 1985												
COUNTY AND CITY	ALL ACCIDENTS		MOTOR VEHICLE		FALLS		DROWNINGS		FIRES		ALL OTHER ACCIDENTS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	1,635	37.3	605	18.4	252	5.7	126	2.9	69	1.6	383	8.7
ADAMS	7	50.7	4	29.0	1	7.2			2	14.5		
ASOTIN	13	76.5	6	35.3	3	17.6			2	11.8	2	11.8
BENTON	39	37.1	17	16.2	3	2.9	2	1.9	1	1.0	16	15.2
KENNEWICK	13	35.1	5	13.5	1	2.7					7	18.9
RICHLAND	14	45.9	7	22.9	1	3.3	2	6.6			4	13.1
CHELAN	28	57.7	17	35.1	3	6.2	3	6.2			5	10.3
WENATCHEE	11	63.4	10	57.6	1	5.8						
CLALLAM	32	60.8	19	36.1	9	17.1					4	7.6
PORT ANGELES	14	81.4	6	34.9	5	29.1					3	17.4
CLARK	78	38.3	44	21.6	9	4.4	4	2.0	2	1.0	19	9.3
VANCOUVER	23	53.8	13	30.4	4	9.4	2	4.7			4	9.4
COLUMBIA	3	73.2	1	24.4	1	24.4	1	24.4				
COWLITZ	29	36.4	11	13.8	7	6.8	5	6.3			6	7.5
KELSO	2	18.3	1	9.1	1	9.1						
LONGVIEW	17	56.1	6	19.8	3	9.9	4	13.2			4	13.2
DOUGLAS	14	61.1	7	30.6	3	13.1	1	4.4	2	8.7	1	4.4
FERRY	2	32.8	1	16.4							1	16.4
FRANKLIN	20	56.0	14	39.2	2	5.6	1	2.8	2	5.6	1	2.8
PASCO	9	48.1	4	21.4	2	10.7			2	10.7	1	5.3
GARFIELD	2	80.0	1	40.0							1	40.0
GRANT	19	38.1	7	14.0	2	4.0	1	2.0			9	18.0
MOSES LAKE	5	48.2	2	19.3							3	28.9
GRAY'S HARBOR	34	53.2	13	20.3	4	6.3	2	3.1			15	23.5
ABERDEEN	6	34.8	5	29.0							1	5.8
ISLAND	24	48.8	11	22.4	3	6.1	5	10.2	3	6.1	2	4.1
OAK HARBOR	3	23.8	3	23.8								
JEFFERSON	7	40.0	5	28.6			1	5.7			1	5.7
KING	465	34.5	208	15.4	81	6.0	42	3.1	15	1.1	119	8.8
AUBURN	9	30.1	4	13.4			1	3.3			4	13.4
BELLEVUE	22	27.4	12	15.0	2	2.5	1	1.2	1	1.2	6	7.5
DES MOINES	3	22.2	1	7.4	1	7.4					1	7.4
KENT	9	33.4	5	18.5					1	3.7	3	11.1
KIRKLAND	6	31.2	2	10.4	1	5.2					3	15.6
MERCER ISLAND	6	29.1	5	24.2	1	4.8						
REDMOND	5	17.8	3	10.7	1	3.6	1	3.6				
RENTON	20	58.8	12	35.3	1	2.9	2	5.9				
SEATTLE	187	38.1	81	12.4	45	9.2	21	4.3	8	1.6	52	10.6
KITSAP	43	25.6	26	15.5	3	1.8	4	2.4	3	1.8	7	4.2
BREMERTON	16	42.4	8	21.2	1	2.6			3	7.9	4	10.6
KITTITAS	13	52.0	6	24.0	4	16.0			1	4.0	2	8.0
ELLENSBURG	5	42.8	2	17.1	3	25.7						
KLICKITAT	10	59.9	4	24.0	1	6.0	1	6.0	1	6.0	3	18.0
LEWIS	40	70.8	19	33.6	7	12.4	3	5.3	1	1.8	10	17.7
CENTRALIA	12	101.6	5	42.3	4	33.9			1	8.5	2	16.9
LINCOLN	6	61.9	5	51.5	1	10.3						
MASON	10	28.7	4	11.5	1	2.9	1	2.9			4	11.5
OKANOGAN	13	41.0	7	22.1	2	6.3	1	3.2			3	9.5
PACIFIC	14	80.0	7	40.0	4	22.9	1	5.7			2	11.4
PEND OREILLE	2	22.0	1	11.0	1	11.0						
PIERCE	159	30.3	92	17.5	21	4.0	13	2.5	6	1.1	27	5.1
PUYALLUP	8	41.7	6	31.3							2	10.4
TACOMA	73	45.4	41	25.5	10	6.2	5	3.1	6	3.7	11	6.8
SAN JUAN	3	33.7					1	11.2			2	22.5
SKAGIT	27	39.6	8	11.7	6	8.8	1	1.5			12	17.6
MOUNT VERNON	5	35.2	2	14.1	1	7.0					2	14.1
SKAMANIA	3	38.0	3	38.0								
SNOWHOMISH	129	34.6	58	15.5	20	5.4	11	2.9	8	2.1	32	8.6
EDMONDS	13	46.6	3	10.8	1	3.6	2	7.2	2	7.2	5	17.9
EVERETT	17	29.8	5	10.5	3	5.3	3	5.3	2	3.5	3	5.3
LYNNWOOD	11	47.0	5	21.4	2	8.5	1	4.3	1	4.3	2	8.5
MOUNTLAKE TERRACE	8	50.3	6	37.7	1	6.3					1	6.3
SPOKANE	129	36.4	56	15.8	23	5.9	9	2.5	7	2.0	34	9.6
SPOKANE (CITY)	79	45.9	35	20.3	15	8.7	6	3.5	4	2.3	19	11.0
STEVENS	17	56.5	9	29.9	1	3.3					7	23.3
THURSTON	32	22.9	18	12.9	4	2.9			2	1.4	8	5.7
LACEY	2	13.2	2	13.2								
OLYMPIA	13	45.5	7	24.5	3	10.5					3	10.5
WAHIAKUM	2	54.1	2	54.1								
WALLA WALLA	25	51.7	12	24.8	3	6.2	3	6.2	5	10.3	2	4.1
WALLA WALLA (CITY)	14	54.6	8	31.2	2	7.8	2	7.8			2	7.8
WHATCOM	36	31.0	24	20.7	1	9			2	1.7	8	6.9
BELLINGHAM	18	38.8	12	25.9	1	2.2	1	9	2	4.3	3	6.5
WHITMAN	17	42.9	12	30.3	2	5.1	1	2.5			2	5.1
PULLMAN	5	22.2	5	22.2								
YAKIMA	89	48.8	46	25.2	16	8.8	7	3.8	4	2.2	16	8.8
YAKIMA (CITY)	30	60.6	11	22.2	8	16.2	2	4.0	1	2.0	8	16.2

*RATES PER 100,000 ESTIMATED POPULATION.

TABLE 9

DEATHS WITH RATES* BY EXTERNAL CAUSES BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	SUICIDE		HOMICIDE		UNDETERMINED EXTERNAL INJURIES	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	627	14.3	239	5.5	80	1.8
ADAMS	2	14.5	2	14.5	1	7.2
ASOTIN	4	23.5	1	5.9	1	5.9
BENTON	13	12.4	5	4.8		
KENNEWICK	4	10.8	4	10.8		
RICHLAND	5	16.3	1	3.2		
CHELAN	8	16.5	7	14.4		
WENATCHEE	6	34.5	4	23.0		
CLALLAM	7	13.3	1	1.9		
PORT ANGELES	3	17.4				
CLARK	22	10.8	12	5.9	6	2.9
VANCOUVER	6	14.0	3	7.0	3	7.0
COLUMBIA	1	24.4			1	24.4
COMALITZ	11	13.8	5	6.3		
KELSO	4	36.5	2	18.2		
LONGVIEW	4	13.2	2	6.6		
DOUGLAS	3	13.1			1	4.4
FERRY	1	16.4				
FRANKLIN	11	30.8	5	14.0	1	2.8
PASCO	7	37.4	5	26.7	1	5.3
GARFIELD						
GHANT	7	14.0	6	12.0	1	2.0
MOSES LAKE			1	9.6		
GHAYS HARBOR	11	17.2	3	4.7		
APERDEEN	3	17.3	2	11.5		
ISLAND	6	12.2	1	2.0	1	2.0
OAK HARBOR	2	15.8				
JEFFERSON	4	22.9				
KING	194	14.4	66	6.4	38	2.8
AUBURN	3	10.0			1	3.3
BELLEVUE	12	14.9	4	4.9		
DES MOINES						
KFNT	2	7.4	1	3.7		
KIRKLAND	2	10.4				
MERCER ISLAND	3	14.5				
REDMOND	4	14.2	1	3.5		
RENTON	3	8.8				
SEATTLE	94	19.1	60	12.2	20	4.0
KITSAP	18	10.7	2	1.2	1	.6
BHEMERTON	3	7.9	2	5.2		
KITTITAS	5	20.0			2	8.0
ELLENSBURG	4	34.2				
KLUICKITAT	2	12.0				
LEWIS	9	15.9	7	12.4	1	1.8
CENTHALLIA	4	33.8	1	8.4		
LINCOLN						
MASON	10	28.7	1	2.9		
OKANOGAN	6	18.9	1	3.2		
PACIFIC	4	22.9				
PEND OREILLE	1	11.0				
PIERCE	81	15.4	39	7.4	16	3.0
PUYALLUP	3	15.6			1	5.2
TACOMA	39	24.2	13	8.0	5	4.9
SAN JUAN	3	33.7	4	44.9		
SKAGIT	12	17.6	3	4.4		
MOUNT VERNON	1	7.0				
SKAMANIA	2	25.3				
SNOHOMISH	52	13.9	11	2.9	3	.8
EDMONDS	2	7.1	1	3.5		
EVERETT	6	10.5	2	3.5		
LYNNWOOD	8	34.1	1	4.2		
MOUNTLAKE TERRACE	2	12.5	1	6.2	1	6.2
SPOKANE	51	14.4	13	3.7	3	.8
SPOKANE (CITY)	32	18.5	9	5.2	3	1.7
STEVENS	6	19.9	2	6.6		
THURSTON	17	12.2	1	.7	1	.7
LACEY	4	26.3				
OLYMPIA	7	24.5			1	3.5
WAHIAKUM	1	27.0	1	27.0		
WALLA WALLA	3	6.2	2	4.1		
WALLA WALLA (CITY)	2	7.8	1	3.9		
WHATCOM	17	14.7	4	3.4		
BELLINGHAM	8	17.2	2	4.3		
WHITMAN	1	2.5				
PULLMAN						
YAKIMA	21	11.5	14	7.7	2	1.1
YAKIMA (CITY)	9	18.1	3	6.0	1	2.0

*RATES PER 100,000 ESTIMATED POPULATION.

TABLE 10

DEATHS WITH RATES(1) AND PERCENT(2) BY AGE GROUP AND SEX BY LEADING CAUSES, WASHINGTON STATE RESIDENTS 1965

	INTERNATIONAL LIST NUMBER	NUMBER	TOTAL RATE	PERCENT(3)	NUMBER	MALE RATE	PERCENT(3)	NUMBER	FEMALE RATE	PERCENT(3)
ALL AGES										
ALL CAUSES		34,475*	786.4	100.0	18,309	839.1	100.0	16,164	734.0	100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	11,713	267.2	34.0	6,335	290.3	34.6	5,378	244.2	33.3
MALIGNANT NEOPLASMS	140-208,230-234	8,007	182.6	23.2	4,292	196.7	23.4	3,715	168.7	23.0
CEREBROVASCULAR DISEASE	430-438	2,709	61.8	7.9	1,056	48.4	5.8	1,653	75.1	10.2
ALL ACCIDENTS	E800-949	1,635	37.3	4.7	1,127	51.7	6.2	508	23.1	3.1
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	1,597	36.4	4.6	927	42.5	5.1	670	30.4	4.1
INFLUENZA AND PNEUMONIA	480-487	1,191	27.2	3.5	568	26.0	3.1	623	28.3	3.9
SUICIDE	E950-959	627	14.3	1.8	487	22.3	2.7	140	6.4	.9
DIABETES MELLITUS	250	621	14.2	1.8	266	12.2	1.5	355	16.1	2.2
DISEASES OF THE ARTERIES EXCEPT ARTERIOSCLEROTIC CIKRNHOSIS OF LIVER	441-444,446-448	456	10.4	1.3	276	12.6	1.5	180	8.2	1.1
ALL OTHER CAUSES	571	442	10.1	1.3	274	12.6	1.5	168	7.6	1.0
		5,477	124.9	15.9	2,701	123.8	14.8	2,774	126.0	17.2
UNDER 1										
ALL CAUSES		747	1084.8	100.0	417	1181.3	100.0	329	980.3	100.0
SUDDEN INFANT DEATH SYNDROME	7980	197	286.1	26.4	122	345.6	29.3	75	223.5	22.8
CERTAIN CAUSES MORTALITY IN EARLY INFANCY	760-762,764-766, 770-779	197	286.1	26.4	104	294.6	24.9	93	277.1	28.3
CONGENITAL ANOMALIES	740-759	167	242.5	22.4	92	260.6	22.1	74	220.5	22.5
BIRTH INJURY, ETC.	763,767-769	102	148.1	13.7	58	164.3	13.9	44	131.1	13.4
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	12	17.4	1.6	6	17.0	1.4	6	17.9	1.8
ALL OTHER CAUSES		72	104.6	9.6	35	99.2	8.4	37	110.2	11.2
1 - 4										
ALL CAUSES		127	46.6	100.0	72	51.5	100.0	55	41.4	100.0
ALL ACCIDENTS	E800-949	54	19.8	42.5	34	24.3	47.2	20	15.0	36.4
CONGENITAL ANOMALIES	740-759	18	6.6	14.2	9	6.4	12.5	9	6.8	16.4
MALIGNANT NEOPLASMS	140-208,230-234	12	4.4	9.4	5	3.6	6.9	7	5.3	12.7
HOMICIDE	E960-969	5	1.8	3.9	4	2.9	5.6	1	.8	1.8
INFLUENZA AND PNEUMONIA	480-487	5	1.8	3.9	2	1.4	2.8	3	2.3	5.5
ALL OTHER CAUSES		33	12.1	26.0	18	12.9	25.0	15	11.3	27.3
5 - 14										
ALL CAUSES		188	30.9	100.0	120	38.6	100.0	68	22.8	100.0
ALL ACCIDENTS	E800-949	93	15.3	49.5	67	21.5	55.8	26	8.7	38.2
MALIGNANT NEOPLASMS	140-208,230-234	30	4.9	16.0	19	6.1	15.8	11	3.7	16.2
HOMICIDE	E960-969	10	1.6	5.3	8	2.6	6.7	2	.7	2.9
SUICIDE	E950-959	10	1.6	5.3	5	1.6	4.2	5	1.7	7.4
CONGENITAL ANOMALIES	740-759	10	1.6	5.3	4	1.3	3.3	6	2.0	8.8
ALL OTHER CAUSES		35	5.7	18.6	17	5.5	14.2	18	6.0	26.5
15 - 19										
ALL CAUSES		255	78.2	100.0	192	114.6	100.0	63	39.7	100.0
ALL ACCIDENTS	E800-949	141	43.2	55.3	108	64.5	56.3	33	20.8	52.4
SUICIDE	E950-959	34	10.4	13.3	30	17.9	15.6	4	2.5	6.3
MALIGNANT NEOPLASMS	140-208,230-234	23	7.1	9.0	16	9.6	8.3	7	4.4	11.1
HOMICIDE	E960-969	15	4.6	5.9	10	6.0	5.2	5	3.2	7.9
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	6	1.8	2.4	3	1.8	1.6	3	1.9	4.8
ALL OTHER CAUSES		36	11.0	14.1	25	14.9	13.0	11	6.9	17.5
20 - 24										
ALL CAUSES		346	93.6	100.0	268	140.1	100.0	78	43.8	100.0
ALL ACCIDENTS	E800-949	174	47.1	50.3	148	77.4	55.2	26	14.6	33.3
SUICIDE	E950-959	61	16.5	17.6	53	27.7	19.8	8	4.5	10.3
HOMICIDE	E960-969	40	10.8	11.6	30	15.7	11.2	10	5.6	12.8
MALIGNANT NEOPLASMS	140-208,230-234	27	7.3	7.8	17	8.9	6.3	10	5.6	12.8
CONGENITAL ANOMALIES	740-759	6	1.6	1.7	2	1.0	.7	4	2.2	5.1
ALL OTHER CAUSES		38	10.3	11.0	18	9.4	6.7	20	11.2	25.6
25 - 34										
ALL CAUSES		844	106.0	100.0	603	148.0	100.0	241	62.0	100.0
ALL ACCIDENTS	E800-949	295	37.1	35.0	230	56.4	38.1	65	16.7	27.0
SUICIDE	E950-959	146	18.3	17.3	111	27.2	18.4	35	9.0	14.5
MALIGNANT NEOPLASMS	140-208,230-234	109	13.7	12.9	64	15.7	10.6	45	11.6	18.7
HOMICIDE	E960-969	77	9.7	9.1	53	13.0	8.8	24	6.2	10.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	43	5.4	5.1	35	8.6	5.8	8	2.1	3.3
ALL OTHER CAUSES		174	21.9	20.6	110	27.0	18.2	64	16.5	26.6

TABLE 10 (CONT'D)

DEATHS WITH RATES(1) AND PERCENT(2) BY AGE GROUP AND SEX BY LEADING CAUSES, WASHINGTON STATE RESIDENTS 1985

	INTERNATIONAL LIST NUMBER	NUMBER	TOTAL RATE	PERCENT(3)	NUMBER	MALE RATE	PERCENT(3)	NUMBER	FEMALE RATE	PERCENT(3)
35 - 44										
ALL CAUSES		1,056	163.8	100.0	683	209.3	100.0	373	117.2	100.0
MALIGNANT NEOPLASMS	140-208,230-234	242	40.6	24.8	107	32.8	15.7	155	48.7	41.6
ALL ACCIDENTS	E800-949	188	29.2	17.8	138	42.3	20.2	50	15.7	13.4
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	186	28.9	17.6	155	47.6	22.7	31	9.7	8.3
SUICIDE	E950-959	101	15.7	9.6	74	22.7	10.8	27	8.5	7.2
HOMICIDE	E960-969	38	5.9	3.6	25	7.7	3.7	13	4.1	3.5
ALL OTHER CAUSES		281	43.6	26.6	184	56.4	26.9	97	30.5	26.0
45 - 54										
ALL CAUSES		1,702	414.8	100.0	1,018	488.9	100.0	684	338.5	100.0
MALIGNANT NEOPLASMS	140-208,230-234	619	150.9	36.4	292	140.2	28.7	327	161.8	47.8
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	430	104.8	25.3	344	165.2	33.8	86	42.6	12.6
ALL ACCIDENTS	E800-949	125	30.5	7.3	90	43.2	8.8	35	17.3	5.1
SUICIDE	E950-959	76	18.5	4.5	54	25.9	5.3	22	10.9	3.2
CIRRHOSIS OF LIVER	571	76	18.5	4.5	39	18.7	3.8	37	18.3	5.4
ALL OTHER CAUSES		376	91.6	22.1	199	95.6	19.5	177	87.6	25.9
55 - 64										
ALL CAUSES		4,457	1144.2	100.0	2,751	1472.5	100.0	1,706	841.6	100.0
MALIGNANT NEOPLASMS	140-208,230-234	1,638	420.5	36.8	884	473.2	32.1	754	371.9	44.2
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	1,423	365.3	31.9	1,035	554.0	37.6	388	191.4	22.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	211	54.1	4.7	113	60.5	4.1	98	48.4	5.7
CEREBROVASCULAR DISEASE	430-438	190	48.8	4.3	110	58.9	4.0	80	39.5	4.7
ALL ACCIDENTS	E800-949	142	36.5	3.2	89	47.6	3.2	53	26.1	3.1
ALL OTHER CAUSES		853	219.0	19.1	520	278.3	18.9	333	164.3	19.5
65 - 74										
ALL CAUSES		8,017	2693.6	100.0	4,786	3527.3	100.0	3,230	1994.5	100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	2,785	935.7	34.7	1,833	1350.9	38.3	952	587.9	29.5
MALIGNANT NEOPLASMS	140-208,230-234	2,533	851.1	31.6	1,445	1065.0	30.2	1,088	671.8	33.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	593	199.3	7.4	338	249.1	7.1	255	157.5	7.9
CEREBROVASCULAR DISEASE	430-438	493	165.6	6.1	253	186.5	5.3	240	148.2	7.4
DIABETES MELLITUS	250	161	54.1	2.0	81	59.7	1.7	80	49.4	2.5
ALL OTHER CAUSES		1,452	487.9	18.1	836	616.1	17.5	615	379.8	19.0
75 - 84										
ALL CAUSES		9,252	6183.4	100.0	4,804	8302.2	100.0	4,448	4847.3	100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	3,551	2373.3	38.4	1,844	3186.8	38.4	1,707	1860.2	38.4
MALIGNANT NEOPLASMS	140-208,230-234	1,962	1311.3	21.2	1,087	1878.5	22.6	875	953.6	19.7
CEREBROVASCULAR DISEASE	430-438	914	610.9	9.9	385	665.4	8.0	529	576.5	11.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	543	362.9	5.9	328	566.9	6.8	215	234.3	4.8
INFLUENZA AND PNEUMONIA	480-487	373	249.3	4.0	212	366.4	4.4	161	175.5	3.6
ALL OTHER CAUSES		1,909	1275.8	20.6	948	1638.3	19.7	961	1047.3	21.6
85 AND OVER										
ALL CAUSES		7,482	15044.3	100.0	2,595	18149.4	100.0	4,887	13791.4	100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	3,266	6567.1	43.7	1,076	7525.5	41.5	2,190	6180.3	44.8
CEREBROVASCULAR DISEASE	430-438	1,004	2018.8	13.4	254	1776.5	9.8	750	2116.6	15.3
MALIGNANT NEOPLASMS	140-208,230-234	791	1590.5	10.6	355	2482.9	13.7	436	1230.4	8.9
INFLUENZA AND PNEUMONIA	480-487	561	1128.0	7.5	205	1433.8	7.9	356	1004.7	7.3
ARTERIOSCLEROSIS	440	523	448.4	3.0	75	524.5	2.9	148	417.7	3.0
ALL OTHER CAUSES		1,637	3291.6	21.9	630	4406.2	24.3	1,007	2841.8	20.6
AGE UNKNOWN										
ALL CAUSES		2		100.0				2		100.0
CONGENITAL ANOMALIES	740-759	1		50.0				1		50.0
HOMICIDE	E960-969	1		50.0				1		50.0

*TOTAL INCLUDES 2 SEX(ES) UNKNOWN.

(1) RATE PER 100,000 POPULATION IN EACH AGE - SEX GROUP.

(2) PERCENT OF TOTAL DEATHS IN EACH AGE - SEX GROUP.

(3) DETAIL MAY NOT ADD UP TO 100 PERCENT DUE TO ROUNDING.

TABLE 11
DEATHS WITH RATES(1) BY SELECTED CAUSES BY SEX, WASHINGTON STATE RESIDENTS 1985

CAUSE WITH INTERNATIONAL LIST NUMBER	TOTAL			MALE			FEMALE		
	NUMBER	RATE		NUMBER	RATE		NUMBER	RATE	UNKNOWN
TOTAL ALL CAUSES	[34,475]	[786.4]		[18,309]	[839.1]		[16,164]	[734.0]	[2]
INFECTIOUS AND PARASITIC DISEASES	[332]	[7.6]		[168]	[7.7]		[164]	[7.4]	
TUBERCULOSIS (010-018, 137)	26	.6		14	.6		12	.5	
SEPTICEMIA (038)	184	4.2		74	3.4		110	5.0	
OTHER (000-139)	122	2.8		80	3.7		42	1.9	
NEOPLASMS	[8,087]	[184.5]		[4,319]	[198.0]		[3,768]	[171.1]	
MALIGNANT NEOPLASMS (140-208,230-234)	8,007	182.6		4,292	196.7		3,715	168.7	
BENIGN AND UNSPECIFIED NEOPLASMS (210-229,235-239)	80	1.8		27	1.2		53	2.4	
ENDOCRINE, NUTRITIONAL, METABOLIC DISEASES, AND IMMUNITY DISORDERS	[858]	[19.6]		[390]	[17.9]		[468]	[21.3]	
DIABETES MELLITUS (250)	621	14.2		266	12.2		355	16.1	
NUTRITIONAL DEFICIENCIES (260-269)	51	1.2		19	.9		32	1.5	
OTHER (240-279)	186	4.2		105	4.8		81	3.7	
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	[121]	[2.8]		[60]	[2.7]		[61]	[2.8]	
ANEMIA (280-285)	58	1.3		24	1.1		34	1.5	
OTHER (286-289)	63	1.4		36	1.6		27	1.2	
MENTAL DISORDERS	[418]	[9.5]		[184]	[8.4]		[234]	[10.6]	
ALCOHOL-RELATED (291,303,305)	83	1.9		63	2.9		20	.9	
OTHER (290-319)	335	7.6		121	5.5		214	9.7	
DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	[704]	[16.1]		[361]	[16.5]		[343]	[15.6]	
PARKINSON'S DISEASE (332)	133	3.0		86	3.9		47	2.1	
AMYOTROPHIC LATERAL SCLEROSIS (335.2)	67	1.5		38	1.7		29	1.3	
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-337)	275	6.3		110	5.0		165	7.5	
MULTIPLE SCLEROSIS (340)	38	.9		16	.7		22	1.0	
OTHER (320-326,340-389)	191	4.4		111	5.1		80	3.6	
DISEASES OF THE CIRCULATORY SYSTEM	[15,510]	[353.8]		[7,944]	[364.1]		[7,566]	[343.6]	
DISEASES OF THE HEART (391-392.0,393-398,402,404,410-417,420-429)	134	3.1		39	1.8		95	4.3	
CHRONIC RHEUMATIC HEART DISEASE (391-392.0,393-398)	273	6.2		115	5.3		158	7.2	
HYPERTENSIVE HEART DISEASE (402)	31	.7		15	.7		16	.7	
HYPERTENSIVE HEART AND RENAL DISEASE (404)	3,667	83.6		2,163	99.1		1,504	68.3	
ACUTE ISCHEMIC HEART DISEASE (410,411)	4,089	93.3		2,238	102.6		1,851	84.1	
CHRONIC ISCHEMIC HEART DISEASE (412-414)	3,519	80.3		1,765	80.9		1,754	79.6	
OTHER HEART DISEASE (415-417,420-429)	120	2.7		54	2.5		66	3.0	
HYPERTENSIVE DISEASE (401-403)	2,709	61.8		1,056	48.4		1,653	75.1	
CEREBROVASCULAR DISEASE (430-438)	429	9.8		185	8.5		244	11.1	
ARTERIOSCLEROSIS (440)	539	12.3		314	14.4		225	10.2	
OTHER (390-459)	[3,142]	[71.7]		[1,673]	[76.7]		[1,468]	[66.7]	[1]
DISEASES OF THE RESPIRATORY SYSTEM	63	1.4		31	1.4		32	1.5	
CHRONIC AND UNQUALIFIED BRONCHITIS (490-491)	301	6.9		186	8.5		115	5.2	
EMPHYSEMA (492)	74	1.7		24	1.1		50	2.3	
ASTHMA (493)									
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (494-496)	1,159	26.4		686	31.4		473	21.5	
PNEUMONIA (480-486)	1,096	25.0		531	24.3		565	25.7	
INFLUENZA (488)	95	2.2		37	1.7		58	2.6	
OTHER (460-478,500-519)	354	8.1		178	8.2		175	7.9	1

(1) RATES PER 100,000 ESTIMATED POPULATION

TABLE 11 (CONT'D)

DEATHS WITH RATES(1) BY SELECTED CAUSES BY SEX, WASHINGTON STATE RESIDENTS 1985

CAUSE WITH INTERNATIONAL LIST NUMBER	TOTAL		MALE		FEMALE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
DISEASES OF THE DIGESTIVE SYSTEM	[1,232]	[28.1]	[618]	[28.3]	[614]	[27.9]
ULCER OF STOMACH AND DUODENUM (531-533)	118	2.7	53	2.4	65	3.0
HERNIA AND INTESTINAL OBSTRUCTION (550-553,560)	80	1.8	34	1.6	46	2.1
CIRRHOSIS OF THE LIVER (571)	442	10.1	274	12.6	168	7.6
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS (574-576)	67	1.5	28	1.3	39	1.8
OTHER (520-579)	525	12.0	229	10.5	296	13.4
DISEASES OF THE GENITOURINARY SYSTEM	[461]	[10.5]	[237]	[10.9]	[224]	[10.2]
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	279	6.4	146	6.7	133	6.0
OTHER (590-629)	182	4.2	91	4.2	91	4.1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)	[5]	[.1]			[5]	[.2]
DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)	[28]	[.6]	[5]	[.2]	[23]	[1.0]
DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)	[126]	[2.9]	[38]	[1.7]	[88]	[4.0]
CONGENITAL ANOMALIES (740-759)	[269]	[6.1]	[144]	[6.6]	[124]	[5.6]
BIRTH INJURIES, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS (763,767-769)	[106]	[2.4]	[59]	[2.7]	[47]	[2.1]
OTHER CAUSES OF MORTALITY IN EARLY INFANCY (760-762,764-766,770-779)	[198]	[4.5]	[104]	[4.8]	[94]	[4.3]
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS	[294]	[6.7]	[161]	[7.4]	[133]	[6.0]
SUDDEN INFANT DEATH SYNDROME (798.0-798.1)	203	4.6	124	5.7	79	3.6
OTHER (780-799)	91	2.1	37	1.7	54	2.5
ACCIDENTS	[1,635]	[37.3]	[1,127]	[51.7]	[508]	[23.1]
MOTOR VEHICLE (E81C-825,E9290)	805	18.4	553	25.3	252	11.4
WATER TRANSPORT (E830-838)	28	.6	26	1.2	2	.1
AIR AND SPACE TRANSPORT (E840-845)	45	1.0	38	1.7	7	.3
ACCIDENTAL POISONING (E850-869,E9292)	104	2.4	72	3.3	32	1.5
FALLS (E880-888, E9293)	252	5.7	145	6.6	107	4.9
FIRE (E890-899,E9294)	69	1.6	43	2.0	26	1.2
ACCIDENTAL DROWNING (E910)	98	2.2	78	3.6	20	.9
OTHER (E800-949)	234	5.3	172	7.9	62	2.8
SUICIDE	[627]	[14.3]	[487]	[22.3]	[140]	[6.4]
FIREARMS AND EXPLOSIVES (E955)	342	7.8	293	13.4	49	2.2
OTHER (E950-954,E956-959)	285	6.5	194	8.9	91	4.1
HOMICIDE	[239]	[5.5]	[163]	[7.5]	[76]	[3.5]
FIREARMS AND EXPLOSIVES (E965)	134	3.1	95	4.4	39	1.8
OTHER (E960-964,E966-969)	105	2.4	68	3.1	37	1.7
LEGAL INTERVENTION (E979-978)	[3]	[.1]	[3]	[.1]		
UNDETERMINED EXTERNAL INJURIES (E980-989)	[80]	[1.8]	[64]	[2.9]	[16]	[.7]

(1) RATES PER 100,000 ESTIMATED POPULATION

TABLE 12

DEATHS DUE TO MALIGNANT NEOPLASM BY PRIMARY SITE WITH RATES (1) BY SEX, WASHINGTON STATE RESIDENTS 1985

CAUSE WITH INTERNATIONAL LIST NUMBER	TOTAL		MALE		FEMALE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
TOTAL ALL CAUSES	[8,007]	[182.6]	[4,292]	[196.7]	[3,715]	[168.7]
LIP, ORAL CAVITY, AND PHARYNX (140-149,230.0)	[135]	[3.1]	[86]	[3.9]	[49]	[2.2]
DIGESTIVE ORGANS AND PERITONEUM (150-159,230.1-230.9)	[2,005]	[45.7]	[1,065]	[48.8]	[940]	[42.7]
ESOPHAGUS (150,230.1)	152	3.5	109	5.0	43	2.0
STOMACH (151,230.2)	259	5.9	153	7.0	106	4.8
SMALL INTESTINE, INCLUDING DUODENUM (152)	18	.4	8	.4	10	.5
COLON (153,230.3)	769	17.5	404	18.5	365	16.6
RECTUM (154,230.4-230.6)	142	3.2	75	3.4	67	3.0
LIVER AND INTRAHEPATIC DUCTS (155,230.8)	110	2.5	69	3.2	41	1.9
GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)	66	1.5	30	1.4	36	1.6
PANCREAS (157)	416	9.5	186	8.5	230	10.4
RETROPERITONEUM AND PERITONEUM (158)	14	.3	7	.3	7	.3
OTHER AND ILL-DEFINED SITES (159,230.7,230.9)	59	1.3	24	1.1	35	1.6
RESPIRATORY AND INTRATHORACIC ORGANS (160-165,231)	[2,295]	[52.3]	[1,533]	[70.3]	[762]	[34.6]
LUNG (162,231.1,231.2)	2,215	50.5	1,473	67.5	742	33.7
OTHER AND ILL-DEFINED SITES (160-161,163-165,231.0,231.8,231.9)	80	1.8	60	2.7	20	.9
BONE, CONNECTIVE TISSUE, SKIN AND BREAST (170-175,232,233.0)	[877]	[20.0]	[113]	[5.2]	[764]	[34.7]
BONE AND ARTICULAR CARTILAGE (170)	15	.3	11	.5	4	.2
CONNECTIVE TISSUE AND OTHER SOFT TISSUE (171)	42	1.0	16	.7	26	1.2
SKIN (172-173,232)	131	3.0	80	3.7	51	2.3
BREAST (174,175,233.0)	689	15.7	6	.3	683	31.0
GENITAL ORGANS (179-187,233.1-233.6)	[939]	[21.4]	[531]	[24.3]	[408]	[18.5]
URINARY ORGANS (188-189,233.7-233.9)	[332]	[7.6]	[221]	[10.1]	[111]	[5.0]
BRAIN (191)	[195]	[4.4]	[107]	[4.9]	[88]	[4.0]
OTHER AND ILL-DEFINED SITES (190,192-199,234)	[450]	[10.3]	[216]	[9.9]	[234]	[10.6]
LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	[779]	[17.8]	[420]	[19.2]	[359]	[16.3]
LYMPHOSARCOMA (200)	155	3.5	77	3.5	78	3.5
HODGKINS DISEASE (201)	46	1.0	28	1.3	18	.8
LYMPHOID AND HISTIOCYTIC TISSUE (202)	162	3.7	88	4.0	74	3.4
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE TISSUE (203)	142	3.2	69	3.2	73	3.3
LYMPHOID LEUKEMIA (204)	92	2.1	53	2.4	39	1.8
MYELOID LEUKEMIA (205)	123	2.8	64	2.9	59	2.7
MONOCYTIC LEUKEMIA (206)	5	.1	3	.1	2	.1
OTHER AND UNSPECIFIED LEUKEMIA (207-208)	54	1.2	38	1.7	16	.7

(1) RATES PER 100,000 ESTIMATED POPULATION

(2) GROUP TOTALS ARE SHOWN IN BRACKETS

TABLE 13

RESIDENCE DEATHS BY NON-TRANSPORT CAUSES, BY PLACE OF ACCIDENT, WASHINGTON STATE 1985*

CAUSE OF DEATH	TOTAL	HOME	NURSING HOME	AGRICULTURE	INDUSTRY	PUBLIC	UNKNOWN
STATE TOTAL	727	333	66	24	34	214	56
POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)	79	59	1		1	14	4
POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPORS (E860-E869)	25	17		1		5	2
MISADVENTURES AND ABNORMAL REACTIONS DUE TO SURGICAL AND MEDICAL CARE (E870-E879)	8					5	3
FALLS (E880-E888)	246	105	51	1	8	64	17
FALLS ON STAIRS AND LADDERS (E880-E881)	27	18	2		3	3	1
FALLS FROM ONE LEVEL TO ANOTHER (E882-E884)	49	15	3	1	4	24	2
FALLS ON SAME LEVEL (E885-E886)	18	8	4			6	
OTHER AND UNSPECIFIED FALLS (E887-E888)	152	64	42		1	31	14
FIRE (E890-E899)	69	64				5	
NATURAL AND ENVIRONMENTAL FACTORS (E900-E909)	23	10				11	2
DROWNING, EXCLUDING SUBMERSION FOLLOWING BOATING ACCIDENTS (E910)	98	20	1			73	4
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION AND OBSTRUCTION (E911,E912)	36	8	6			9	13
MECHANICAL SUFFOCATION (E913)	15	8	1		2	3	1
FOREIGN BODY ENTERING OTHER ORIFICE (E914-E915)	1					1	
STRUCK BY, AGAINST OR BETWEEN OBJECTS (E916-E918)	35	9		10	4	12	
MACHINERY (E919-E920)	28	9	1	9	8	1	
EXPLOSION AND EXPLOSIVE MATERIAL (E921,E923)	10	2			7	1	
FIREARMS (E922)	16	13				2	1
HOT SUBSTANCE, CORROSIVE LIQUID AND STEAM (E924)							
ELECTRICITY (E925)	10	3		2	3	2	
OTHER AND UNSPECIFIED NON-TRANSPORT ACCIDENTS (E926-E949)	28	6	5	1	1	6	9

TABLE 14

DEATHS WITH RATES* BY EXTERNAL CAUSES BY PLACE OF OCCURRENCE, WASHINGTON STATE 1985

COUNTY AND CITY	ALL ACCIDENTS NUMBER RATE	MOTOR VEHICLE NUMBER RATE	FALLS NUMBER RATE	DROWNINGS NUMBER RATE	FIRES NUMBER RATE	ALL OTHER ACCIDENTS NUMBER RATE
STATE TOTAL	1,621 37.0	795 18.1	251 5.7	119 2.7	69 1.6	387 8.8
ADAMS	11 79.7	8 58.0	1 7.2		2 14.5	
ASOTIN	7 41.2	3 17.6	1 5.9		2 11.8	1 5.9
BENTON	34 32.3	20 19.0	2 1.9	2 1.9	1 1.0	9 8.6
KENNEWICK	14 37.8	10 27.0	1 2.7			3 8.1
RICHLAND	11 36.1	6 19.7	1 3.3	2 6.6		2 6.6
CHELAN	43 88.7	25 51.5	8 16.5	3 6.2		7 14.4
WENATCHEE	20 115.2	13 74.9	5 28.8			2 11.5
CLALLAM	30 57.0	13 24.7	7 13.3	4 7.6		6 11.4
PORT ANGELES	10 58.1	5 29.1	3 17.4			2 11.6
CLARK	56 27.5	36 17.7	6 2.9	3 1.5	2 1.0	9 4.4
VANCOUVER	44 102.9	31 72.5	5 11.7	1 2.3		7 16.4
COLUMBIA						
COWLITZ	31 38.9	17 21.4	7 8.8	1 1.3		6 7.5
KELSO	2 18.3	2 18.3				
LONGVIEW	19 82.7	8 26.4	7 23.1			4 13.2
DOUGLAS	4 17.5	2 8.7			1 4.4	1 4.4
FERRY	1 16.4					1 16.4
FRANKLIN	25 70.0	16 44.8	2 5.6	2 5.6	2 5.6	3 8.4
PASCO	13 89.5	6 32.1	2 10.7		2 10.7	3 16.0
GARFIELD	2 80.0	1 40.0				1 40.0
GRANT	21 42.1	10 20.0	1 2.0	3 6.0		7 14.0
MOSES LAKE	10 96.4	6 57.9	1 9.6	1 9.6		2 19.3
GRAY'S HARBOR	29 45.4	16 25.0	2 3.1	4 6.3		7 11.0
ABERDEEN	16 92.8	1 63.8	1 5.8	1 5.8		3 17.4
ISLAND	19 38.6	7 14.2	1 2.0	5 10.2	3 6.1	3 6.1
OAK HARBOR	2 15.9			1 7.9		1 7.9
JEFFERSON	14 80.0	4 22.9		1 5.7		9 51.4
KING	458 34.0	193 14.3	88 6.5	28 2.1	22 1.6	127 9.4
AUBURN	7 23.4	2 6.7		1 3.3		4 13.4
BELLEVUE	19 23.7	11 13.7	2 2.5	2 2.5		4 5.0
DES MOINES	3 22.2	1 7.4				2 14.8
KENT	10 37.1	5 18.5	1 3.7		1 3.7	3 11.1
KIRKLAND	13 67.7	8 41.7	3 15.6			2 10.4
MERCER ISLAND	1 4.8			1 4.8		
REDMOND	13 46.2	4 14.2	3 10.7		1 3.6	5 17.8
RENTON	21 61.7	14 41.1	3 8.8		1 2.9	3 8.8
SEATTLE	310 63.1	115 23.4	69 14.0	16 3.3	16 3.3	94 19.1
KITSAP	34 20.3	18 10.7	3 1.8	2 1.2	3 1.8	8 4.8
BHEMERTON	24 83.6	11 29.1	1 2.6	2 5.3	3 7.9	7 18.5
KITTITAS	19 76.0	12 48.0	3 12.0		1 4.0	3 12.0
ELLENBURG	10 85.7	6 51.4	2 17.1			2 17.1
KLICKITAT	6 35.9	1 6.0	1 6.0	1 6.0	1 6.0	2 12.0
LEWIS	39 67.3	21 37.2	6 10.6	2 3.5	1 1.8	8 14.2
CENTRALIA	13 110.1	4 33.9	6 50.8		1 8.5	2 16.9
LINCOLN	7 72.2	5 51.5	1 10.3			1 10.3
MASON	7 20.1	4 11.5		1 2.9		2 5.7
OKANOGAN	12 37.9	4 12.6	2 6.3	2 6.3		4 12.6
PACIFIC	17 97.1	9 51.4	2 11.4	4 22.9		2 11.4
PEND OREILLE	4 44.0	1 11.0	1 11.0	2 22.0		
PIERCE	141 26.9	80 15.2	21 4.0	12 2.3	3 .6	25 4.8
PUYALLUP	19 99.1	15 76.2	4 20.9			
TACOMA	91 56.6	50 31.1	15 9.3	5 3.1	3 1.9	18 11.2
SAN JUAN	6 67.4			3 33.7		3 33.7
SKAGIT	35 51.3	13 19.1	6 8.8	3 4.4		13 19.1
MOUNT VERNON	9 63.3	6 42.2	2 14.1	1 7.0		
SKAMANIA	6 75.9	2 25.3		1 12.7		3 38.0
SNOHOMISH	113 30.3	59 15.6	14 3.8	9 2.4	8 2.1	23 6.2
EDMONDS	24 86.1	15 53.8	2 7.2	1 3.6	2 7.2	4 14.3
EVERETT	35 61.4	17 28.8	5 8.8	3 5.3	4 7.0	6 10.5
LYNNWOOD	6 25.4	1 4.3		1 4.3	1 4.3	3 12.6
MOUNTLAKE TERRACE						
SPOKANE	155 43.7	66 18.6	29 8.2	10 2.8	7 2.0	43 12.1
SPOKANE (CITY)	146 84.8	62 36.0	29 16.9	10 5.8	7 4.1	35 22.1
STEVENS	22 73.1	12 39.9	2 6.6			8 26.6
THURSTON	38 27.2	23 16.5	6 4.3		1 .7	8 5.7
LACEY	2 13.2	2 13.2				
OLYMPIA	29 101.5	16 56.0	6 21.0			7 24.5
WASHKARUM	2 54.1			2 54.1		
WALLA WALLA	34 70.2	19 39.3	6 12.4	2 4.1	5 10.3	2 4.1
WALLA WALLA (CITY)	25 97.5	15 58.5	5 19.5	2 7.8	1 3.9	2 7.8
WHATCOM	35 30.2	19 16.4	6 5.2	1 .9	2 1.7	7 6.0
BELLINGHAM	26 56.1	15 32.4	4 8.8		2 4.3	5 10.8
WHITMAN	16 40.4	14 35.4		1 2.5		1 2.5
PULLMAN	3 13.3	3 13.3				
YAKIMA	89 48.8	42 23.0	16 8.8	9 2.7	2 1.1	24 13.2
YAKIMA (CITY)	54 109.1	18 36.4	14 28.3	3 6.1	1 2.0	18 36.4

*RATES PER 100,000 ESTIMATED POPULATION.

TABLE 15

DEATHS WITH RATES* BY EXTERNAL CAUSES BY PLACE OF OCCURRENCE, WASHINGTON STATE 1985

COUNTY AND CITY	SUICIDE		HOMICIDE		UNDETERMINED EXTERNAL INJURIES	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	421	14.2	232	5.3	74	1.7
ADAMS	2	14.5	1	7.2	1	7.2
ASOTIN	2	11.8			1	5.9
BENTON	15	14.3	4	5.7		
KENNEWICK	6	16.2	4	10.8		
RICHLAND	7	22.9	2	6.6		
CHELAN	9	18.6	8	16.5		
WENATCHEE	7	40.3	5	28.8		
CLALLAM	7	13.3	1	1.9		
PORT ANGELES	5	29.1				
CLARK	24	11.8	4	2.9	5	2.5
VANCOUVER	20	46.8	4	9.4	5	11.7
COLUMBIA	1	24.4			1	24.4
COWLITZ	9	11.3	4	7.5		
KELSO	2	18.3				
LONGVIEW	4	13.2	3	9.9		
DOUGLAS	3	13.1				
FERRY	1	16.4				
FRANKLIN	6	16.8	4	11.2	1	2.8
PASCO	6	32.1	4	21.4	1	5.3
GARFIELD						
GRANT	6	12.0	8	16.0		
MOSES LAKE	2	19.3	2	19.3		
GRAY'S HARBOR	11	17.2	3	4.7		
ABERDEEN	2	11.6	2	11.6		
ISLAND	4	8.1	1	2.0	1	2.0
OAK HARBOR	2	15.9				
JEFFERSON	7	40.0				
KING	194	14.4	85	6.3	34	2.5
AUBURN	6	20.1	2	6.7	1	3.3
BELLEVUE	11	13.7	4	5.0	1	1.2
DES MOINES					1	7.4
KENT	9	33.4				
KIRKLAND	7	36.4	1	5.2		
MERCER ISLAND	1	4.8				
REDMOND	4	14.2				
RENTON	9	26.4			1	2.9
SEATTLE	123	25.0	69	14.0	26	5.3
KITSAP	14	8.3	3	1.8	2	1.2
BHEMERTON	8	21.2	3	7.9	1	2.6
KITTITAS	5	20.0			3	12.0
ELLENSBURG	3	25.7			1	8.6
Klickitat	2	12.0				
LEWIS	8	14.2	6	10.6		
CENTRALIA	1	8.5	1	8.5		
LINCOLN						
MASON	10	28.7	1	2.9		
OKANOGAN	6	18.9	1	3.2	1	3.2
PACIFIC	4	22.9				
PEND OREILLE	2	22.0				
PIERCE	79	15.1	40	7.6	16	3.0
PUYALLUP	7	36.5	3	15.6	1	5.2
TACOMA	54	33.6	20	12.4	12	7.5
SAN JUAN	3	33.7	3	33.7		
SKAGIT	10	14.7	3	4.4		
MOUNT VERNON	3	21.1				
SKAMANIA	1	12.7				
SNOHOMISH	53	14.2	9	2.4	2	.5
EDMONDS	3	10.8	1	3.6		
EVERETT	14	24.5	3	5.3	1	1.8
LYNNWOOD	5	21.4				
MOUNTLAKE TERRACE	3	18.9				
SPOKANE	51	14.4	14	4.0	3	.8
SPOKANE (CITY)	43	25.0	14	8.1	3	1.7
STEVENS	8	26.6	2	6.6		
THURSTON	18	12.9	1	.7	1	.7
LACEY	4	26.3				
OLYMPIA	12	42.0	1	3.5	1	3.5
WAHIAKUM	1	27.0	1	27.0		
WALLA WALLA	4	8.3	2	4.1		
WALLA WALLA (CITY)	3	11.7	1	3.9		
WHATCOM	18	15.5	4	3.4		
BELLINGHAM	13	28.0	3	6.5		
WHITMAN	3	7.6				
PULLMAN	1	4.4				
YAKIMA	20	11.0	15	7.1	2	1.1
YAKIMA (CITY)	12	24.2	3	6.1		

*RATES PER 100,000 ESTIMATED POPULATION.

TABLE 16

DEATHS BY TYPE OF PLACE BY PLACE OF OCCURRENCE, WASHINGTON STATE 1985

COUNTY AND CITY	TOTAL	GENERAL HOSPITAL	NURSING HOME	HOME	FEDERAL FACILITY	PSYCHIATRIC HOSPITAL	STATE FACILITY	DEAD ON ARRIVAL	OTHER AND NOT SPECIFIED
STATE TOTAL	34,574	15,758	8,588	7,564	1,080	29	5	57	1,493
ADAMS	100	39	31	23					7
ASOTIN	148	44	54	43					7
BENTON	641	309	160	135				1	36
KENNEWICK	269	111	74	66					18
RICHLAND	284	170	59	47				1	7
CHELAN	621	326	173	84				3	35
WENATCHEE	443	287	100	49					7
CLALLAM	492	185	167	106				3	31
PORT ANGELES	306	173	69	53				3	8
CLARK	1,337	565	335	326	68			2	41
VANCOUVER	1,140	565	246	230	68			1	30
COLUMBIA	47	19	16	11					1
COWLITZ	708	319	216	117					56
KELSO	41		6	32					3
LONGVIEW	600	318	191	55					36
DOUGLAS	63		27	32					4
FERRY	20	11	2	6					1
FRANKLIN	195	100	18	58				1	18
PASCO	175	100	18	50				1	6
GARFIELD	19	7	6	5					1
GRANT	319	169	69	61				1	19
MOSES LAKE	151	79	40	25					7
GRAYS HARBOR	604	248	197	133				2	24
ABERDEEN	391	220	108	57					6
ISLAND	267	64	54	125	8				16
OAK HARBOR	64	3	18	38					5
JEFFERSON	129	44	31	39					15
KING	11,145	5,559	2,424	2,443	254			9	456
AUBURN	303	166	65	59				2	11
BELLEVUE	537	307	72	141					17
DES MOINES	179		161	13					5
KENT	112	3	69						20
KIRKLAND	373	165	128	69					11
MERCER ISLAND	113		71	38					4
REDMOND	287	163	66	44					14
RENTON	566	317	129	95					25
SEATTLE	7,913	4,367	1,407	1,621	254			7	257
KITSAP	1,022	354	302	245	52			7	62
BHEMERTON	641	354	151	115				6	15
KITTITAS	221	73	64	41				1	22
ELLENSBURG	168	73	66	23					6
Klickitat	97	44	20	29					4
LEWIS	540	255	149	107				3	26
CENTRALIA	292	125	134	28				2	3
LINCOLN	88	37	29	14				1	7
MASON	222	86	54	66			1	1	14
OKANOGAN	252	117	55	63					12
PACIFIC	195	74	71	33				2	15
WENO OREILLE	74	32	15	22					5
PIERCE	4,102	1,737	950	871	421	14		5	104
PUYALLUP	622	290	214	107				1	10
TACOMA	2,848	1,445	682	536	124	6		4	51
SAN JUAN	54		14	29					11
SKAGIT	708	341	183	137				2	45
MOUNT VERNON	271	151	68	43				2	7
SKAMANIA	25			13					9
SNOWHOMISH	2,271	936	583	650				2	100
EDMONDS	426	248	92	79					7
EVERETT	993	578	183	210				2	20
LYNNWOOD	108		36	63					9
MOUNTLAKE TERRACE	19			18					1
SPOKANE	3,475	1,781	836	527	199	15	2	3	112
SPOKANE (CITY)	3,263	1,764	744	469	194			2	90
STEVENS	170	48	49	51					22
THURSTON	932	456	228	224					24
LACEY	124	1	82	38					3
OLYMPIA	706	455	107	132					12
WAKIACUM	27		11	12				1	3
WALLA WALLA	632	264	192	84	78		1	1	12
WALLA WALLA (CITY)	547	264	140	56	78		1		8
WATCOM	663	283	305	239					36
BELLINGHAM	682	282	241	142					17
WHITMAN	177	72	47	44				2	12
PULLMAN	66	35	14	17					
YAKIMA	1,572	760	431	311			1	1	68
YAKIMA (CITY)	1,116	618	302	175					21

TABLE 17

DEATHS BY MONTH BY SELECTED CAUSES, WASHINGTON STATE OCCURRENCES 1985

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
TOTAL ALL CAUSES	34,574	3,132	2,966	3,080	2,899	2,933	2,631	2,855	2,641	2,619	2,984	2,760	3,074
INFECTIOUS AND PARASITIC DISEASES (001-139)	343	27	27	37	32	19	14	28	29	29	39	34	28
PNEUMONIA (480-487)	1,095	114	132	96	99	76	86	74	63	64	92	85	114
INFLUENZA (487)	94	12	49	12	3	1					3	5	9
BRONCHITIS (490-491)	64	6	13	8	7	1	4	6	4	2	5	4	4
EMPHYSEMA (492)	300	35	30	31	30	29	18	23	19	20	30	17	18
ASTHMA (493)	75	12	5	9	6	3	7	4	6	7	7	4	5
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (494-496)	1,177	126	117	132	109	111	77	84	76	71	104	82	88
CONGENITAL ANOMALIES (740-759)	274	29	14	26	26	14	23	20	27	18	34	23	20
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY (760-799)	311	14	29	32	30	28	20	21	25	29	26	29	28
MOTORCYCLE ACCIDENTS (E810-E825)	85	2	3	1	12	15	13	19	6	2	10	1	1
OTHER MOTOR VEHICLE ACCIDENTS (E810-E825)	706	37	50	58	51	70	57	69	61	75	56	58	64
DROWNINGS RESULTING FROM BOATING ACCIDENT (E830-E832)	29			1	1	2	7	5	7	1	5		
OTHER DROWNINGS (E910)	90	3	1	1	3	8	15	26	14	5	6	3	5
FALLS (E880-E888)	244	19	25	16	18	26	27	20	14	16	18	23	22
FIRE (E890-E899)	69	12	8	7	4	7	2	5	2	3	2	11	6
OTHER ACCIDENTS (E800-E928)	231	17	10	19	14	16	19	19	25	33	14	31	14
SUICIDE (E950-E959)	621	58	47	62	44	56	37	61	44	37	55	55	65
HOMICIDE (E960-E969)	232	17	15	22	18	15	17	24	24	20	30	15	15

TABLE 18

INFANT MORTALITY BY RACE BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	TOTAL	WHITE	BLACK	MEXICAN/ CHICANO	INDIAN	JAPA- NESE	CHI- NESE	FILI- PINO	OTHER ASIAN	OTHER	UNKNOWN
STATE TOTAL	747	658	40	7	20	3	1	3	15		
ADAMS	1	1									
ASOTIN	6	5			1						
BENTON	20	18		2							
KENNEWICK	13	11		2							
RICHLAND	2	2									
CHELAN	12	12									
WENATCHEE	3	3									
CLALLAM	9	9									
PORT ANGELES	3	3									
CLARK	25	24							1		
VANCOUVER	10	10									
COLUMBIA											
COWLITZ	9	9									
KELSO	2	2									
LONGVIEW	2	2									
DOUGLAS	4	4									
FERRY											
FRANKLIN	11	8	1	2							
PASCO	7	5	1	1							
GARFIELD											
GRANT	15	13	2								
MOSES LAKE	4	2	2								
GRAY'S HARBOR	14	12			2						
ABERDEEN	3	3									
ISLAND	9	9									
OAK HARBOR	5	5									
JEFFERSON	2	2									
KING	197	162	19	1	2	2		1	10		
AUBURN	8	8									
BELLEVUE	7	6							1		
DES MOINES	2	2									
KENT	10	10									
KIRKLAND	5	5									
REDMOND	6	6									
RENTON	10	9							1		
SEATTLE	75	47	19			2		1	6		
KITSAP	31	28	1		1			1			
BREMERTON	12	10	1					1			
KITTITAS	2	1							1		
ELLENSBURG	2	1							1		
Klickitat	5	5									
LEWIS	8	8									
CENTRALIA	1	1									
LINCOLN	1	1									
MASON	6	5			1						
OKANOGAN	9	4			5						
PACIFIC	4	4									
PEND OREILLE	2	1			1						
PIERCE	125	105	16					1	1		
PUYALLUP	7	7									
TACOMA	42	33	9								
SAN JUAN											
SKAGIT	11	11									
MOUNT VERNON	5	5									
SKAMANIA	2	2									
SNOHOMISH	72	71					1				
EDMONDS	4	4									
EVERETT	21	21									
LYNNWOOD	6	6									
MOUNTLAKE TERRACE	2	3									
SPOKANE	56	54	1			1					
SPOKANE (CITY)	31	29	1			1					
STEVENS	6	4			2						
THURSTON	17	16							1		
LACEY	4	3							1		
OLYMPIA	5	5									
WAHIAKUM											
WALLA WALLA	6	6									
WALLA WALLA (CITY)	6	6									
WHATCOM	12	10			2						
BELLINGHAM	5	4			1						
WHITMAN	6	5							1		
PULLMAN	4	3							1		
YAKIMA	34	29		2	3						
YAKIMA (CITY)	14	13		1							

TABLE 19

INFANT MORTALITY BY LEADING CAUSES BY PLACE OF RESIDENCE, WASHINGTON STATE 1965

COUNTY AND CITY	TOTAL ALL CAUSES	BIRTH INJURIES	OTHER CAUSES OF MORTALITY IN EARLY INFANCY	CONGENITAL MALFORMATIONS	INFLUENZA AND PNEUMONIA	ALL ACCIDENTS	SUDDEN INFANT DEATH	ALL OTHER CAUSES
STATE TOTAL	747	102	197	167	8	10	197	88
ADAMS	1						1	
ASOTIN	5	1	2	1			2	
BENTON	20	3	6	7			3	1
KENNEWICK	13	1	4	4			3	1
RICHLAND	2		1	1				
CHELAN	12	2	4	4			1	
WENATCHEE	3	1		1		1	1	
CLALLAM	9	2	1	1			1	4
PORT ANGELES	3			1				2
CLARK	25	2	3	10			8	2
VANCOUVER	10	1	3	1			5	
COLUMBIA								
COWLITZ	9	1	2	2			4	
KELSO	2						2	
LONGVIEW	2		1				1	
DOUGLAS	4			1			2	1
FERRY								
FRANKLIN	11	1	4	4			2	
PASCO	7	1	4	2				
GARFIELD								
GRANT	15		7	3	1		3	1
MOSES LAKE	4		3	1				
GRAYS HARBOR	14	3	2	1		1	6	1
ABERDEEN	3	1					1	1
ISLAND	9	1	1	1			3	3
OAK HARBOUR	5	1	1				2	1
JEFFERSON	2			1			1	
KING	197	25	53	46		1	53	19
AUBURN	8		1	4			1	2
BELLEVUE	7	1	1	1			3	1
DES MOINES	2		1	2				
KENT	10	1	6	1			1	1
KIRKLAND	5		3	1			1	
REDMOND	6		1	2			3	
RENTON	10	2	1	1			4	2
SEATTLE	75	14	21	14			19	7
KITSAP	31	6	12	5			5	2
BREMERTON	12	3	4	1		1	3	
KITTITAS	2	1					1	
ELLENSBURG	2	1					1	
Klickitat	5	1	2				1	1
LEWIS	8	2	1	2			2	1
CENTRALIA	1	1						
LINCOLN	1						1	
MASON	6	1	1	2			2	
OKANOGAN	9	2	1	2		1	2	1
PACIFIC	4			1			3	
PEND OREILLE	2		1				1	
PIERCE	123	24	30	25	1		28	15
PUYALLUP	7	2	2	2			1	
TACOMA	42	7	11	8	1		10	5
SAN JUAN								
SKAGIT	11		4	2	2		2	1
MOUNT VERNON	5		2	1	1		1	
SKAMANIA	2						2	
SNOHOMISH	72	9	17	18	1	1	23	3
EDMONDS	4		1	2				
EVERETT	21	2	6	4			8	1
LYNNWOOD	6	1	2	2			1	1
MOUNTLAKE TERRACE	3		1					
SPOKANE	56	7	22	14			11	2
SPOKANE (CITY)	31	4	15	3			7	2
STEVENS	6	1	2	2			1	
THURSTON	17	4	5	5			2	1
LACEY	4	1		2			1	
OLYMPIA	5	2	2					1
WAHIAKUM								
WALLA WALLA	6	1	1	1	1	1	1	
WALLA WALLA (CITY)	6	1	1	1	1	1	1	
WHATCOM	12		2	4	1		3	2
BELLINGHAM	5		1	3			1	
WHITMAN	6		4			1	1	
PULLMAN	4		3					
YAKIMA	34	2	7	2	1	2	15	5
YAKIMA (CITY)	14		6		1	2	5	

TABLE 20

INFANT MORTALITY BY AGE AND SEX BY CAUSE, WASHINGTON STATE RESIDENTS 1985

CAUSE AND INTERNATIONAL LIST NUMBER	TOTAL		UNDER 1 DAY		1 DAY- UNDER 7 DAYS		7 DAYS- UNDER 28 DAYS		28 DAYS- UNDER 3 MO.		3 MO.- UNDER 6 MO.		6 MO.- UNDER 9 MO.		9 MO.- UNDER 12 MO.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
TOTAL ALL CAUSES	417	329	125	106	60	41	43	55	103	55	64	48	18	14	4	10
ALL INFECTIVE AND PARASITIC DISEASES (000-139)	3	4							2	3			1		1	
MALIGNANT NEOPLASMS (140-208,230-234)	1	1											1			
MENINGITIS (320,322)	6	7	2				1		2	1	2	1		1		2
DISEASES OF THE CIRCULATORY SYSTEM (390-459)	4	4							1	1	3	2				
PNEUMONIA AND INFLUENZA (480-487)	4	1	1						1	1	1	1			1	
OTHER DISEASES OF RESPIRATORY SYSTEM (510-519)	4	1							1	1						
HERNIA AND INTESTINAL OBSTRUCTION (550-553,560)	1															
CONGENITAL ANOMALIES (740-759)	92	74	37	21	18	16	15	16	12	9	6	9	3	2	1	1
ANENCEPHALUS (740)	9	8	8	5	1	2			1							
SPINA BIFIDA AND MENINGOCELE (741)	2	2	1	1	1	1			1							
OTHER ANOMALIES OF THE CENTRAL NERVOUS SYSTEM (742)	4	5	1	2	1	1			2							
ANOMALIES OF THE HEART (745-746)	32	18	5	2	7	4	11	4	5	2	2	4	2	1		1
OTHER ANOMALIES OF CIRCULATORY SYSTEM (747)	5	8	2	2	2	2	1	3	1	2	1	1		1		
ANOMALIES OF THE RESPIRATORY SYSTEM (748)	14	8	3	3	3	3	1		1	1	1					
ANOMALIES OF THE DIGESTIVE SYSTEM (749-751)	1															
ANOMALIES OF THE GENITOURINARY SYSTEM (752-753)	8	2	7	2	1	2	1	2	1	4	1	1				
ANOMALIES OF THE MUSCULOSKELETAL SYSTEM (754-756)	6	10	4	4	2	2	1	3	1	1	1	1	1			
CHROMOSOMAL ANOMALIES (758)	5	5	3	3	1											
OTHER CONGENITAL ANOMALIES																
CERTAIN DISEASES OF EARLY INFANCY (760-779)	162	137	87	79	35	22	20	31	10	3	7	1	3	1		
MATERNAL DISEASES AFFECTING CHILD (760)	1					1										
COMPLICATIONS OF PREGNANCY AFFECTING CHILD (761-762)	12	13	10	12	1	13	11	12	5		1					
BIRTH INJURIES (763,767-769)	58	44	20	19	20	8	9	18	5	3	5	1	2	1		
OTHER DISEASES PECULIAR TO EARLY INFANCY	92	79	57	48	14											
SUDDEN INFANT DEATH SYNDROME (7980)	122	75			4	2	6	5	67	33	39	31	5	4	1	
ALL OTHER DISEASES (000-799)	14	16		3		1	1	1	5	3	5	1	2	3	1	4
ALL ACCIDENTS (E800-E949)	3	7			1			1								
MOTOR VEHICLE ACCIDENTS (E810-E825)	1	1														
ACCIDENTAL DROWNING AND SUBMERSION (E910)	1	1														
INHALATION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION (E911-912)																
MECHANICAL SUFFOCATION IN BED OR CRADLE AND IN OTHER AND UNSPECIFIED CIRCUMSTANCES (E913)	1	2			1			1								1
ALL OTHER ACCIDENTS	1	3														
HOMICIDE (E963-E968)	3	1		1					2				1			
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-988)	1										1					
UNKNOWN SEX	1	1		1												
OTHER CONGENITAL ANOMALIES																

TABLE 21

MATCHED INFANT DEATHS BY MOTHER'S AGE GROUP, WASHINGTON STATE RESIDENTS 1985*										
COUNTY AND CITY	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTAL	747	3	111	232	222	115	29	4	2	29
ADAMS										
ASOTIN	7		2	3	2					
BENTON	20		3	8	7	2				
KENNEWICK	13		2	6	4	1				
RICHLAND	2				1					
CHELAN	12		2	3	5		1			1
WENATCHEE	3			2	1					
CLALLAM	9		1	3	3	2				
PORT ANGELES	3		1	1		1				
CLARK	25		4	10	4	4	1			2
VANCOUVER	10		3	4	1	1	1			
COLUMBIA										
COWLITZ	9		1	3	2	3				
KELSO	2			1	1					
LONGVIEW	2					2				
DOUGLAS	4			2	1					1
FERRY										
FRANKLIN	11		3	2	4	2				
PASCO	7		2	1	3	1				
GARFIELD										1
GRANT	15		3	3	8					
MOSES LAKE	4				4					
GRAYS HARBOR	14		3	5	5	1				
ABERDEEN	3		1	1	1					
ISLAND	9			4	3	2				
OAK HARBOR	5			2	2	1				
JEFFERSON	2		1		1					
KING	197	1	21	42	58	44	12	2	1	16
AUBURN	8		3	3		1				1
BELLEVUE	7			3	1	2				
DES MOINES	2			2						
KENT	10		2	4	2	1				1
KIRKLAND	5			1	1	3	1			
REDMOND	6			1	3	4	2			
RENTON	10		1	17	18	19	7	1		7
SEATTLE	75		5							
KITSAP	31	1		3	11	8	7			1
BREHERTON	12		2	5	2	2				1
KITTITAS	2		1		1					
ELLENBURG	2		1		1					
Klickitat	5			1		4				
LEWIS	8		2	3		1	2			
CENTRALIA	1			1						
LINCOLN	1					1				
MASON	6			3	2	1				
OKANOGAN	9		3	5	1					
PACIFIC	4			3	1					
PEND OREILLE	2			2						
PIERCE	123		17	46	40	11	6			3
PUYALLUP	7		1	1	4	1				
TACOMA	42		7	16	11	5	3			
SAN JUAN										
SKAGIT	11		3	1	6	1				
MOUNT VERNON	5		2	1	1					
SKAMANIA	2		1	1						
SNOHOMISH	72		9	23	22	13	3	1	1	
EDMONDS	4			2	1					
EVERETT	21		3	7	8	3				
LYNNWOOD	6			2	1	3				
MOUNTLAKE TERRACE	3			1	2					
SPOKANE	56		12	18	19	4	2			1
SPOKANE (CITY)	31		6	8	13	3				1
STEVENS	6		2	2	2					
THURSTON	17	1	4	2	5	3	1	1	1	
LACEY	4			1						
OLYMPIA	5		3		2					
Wahkiakum										
WALLA WALLA	6		1	3		2				
WALLA WALLA (CITY)	6		1	3		2				
WHATCOM	12		1	3	2	5	1			
BELLINGHAM	5		1		1	2				
WHITMAN	6				4	1				1
PULLMAN	4				4					
YAKIMA	34		6	17	5	2				2
YAKIMA (CITY)	14		1	7	4	1				1

*DEATHS ARE MATCHED WITH BIRTHS TO FIND MOTHER'S AGE.
RESIDENCE IS THE INFANT'S AT THE TIME OF DEATH.

TABLE 22

FETAL, PERINATAL, NEONATAL AND INFANT MORTALITY BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	FETAL DEATHS		PERINATAL MORTALITY (2)		NEONATAL MORTALITY		INFANT MORTALITY	
	NUMBER	RATIO (1)	NUMBER	RATIO (3)	NUMBER	RATE (4)	NUMBER	RATE (4)
STATE TOTAL	403	5.7	736	10.4	431	6.1	747	10.6
ADAMS	3	10.4	3	10.3			1	3.5
ASOTIN	2	7.2	4	14.4	4	14.5	6	21.7
BENTON	14	7.4	22	11.6	11	5.8	20	10.6
KENNEWICK	6	7.4	10	12.2	7	8.6	13	16.0
RICHLAND	3	6.5	4	8.7	1	2.2	2	4.4
CHELAN	7	8.1	16	18.5	11	12.8	12	14.0
WENATCHEE	2	5.5	3	8.2	3	8.2	3	8.2
CLALLAM	7	9.3	9	11.9	2	2.7	9	12.0
PORT ANGELES	4	15.7	4	15.4			3	11.8
CLARK	7	2.1	15	4.5	14	4.2	25	7.5
VANCOUVER	3	2.3	8	6.1	5	3.8	10	7.6
COLUMBIA								
COMLITZ	3	2.7	8	7.2	5	4.5	9	8.1
KELSO							2	10.1
LONGVIEW	2	4.1	3	6.1	1	2.0	2	4.1
DOUGLAS	2	5.4	4	10.7	2	5.4	4	10.8
FERRY								
FRANKLIN	4	5.4	11	14.7	8	10.8	11	14.8
PASCO	2	4.2	8	16.7	6	12.6	7	14.6
GARFIELD								
GRANT	6	5.8	15	14.3	11	10.5	15	14.4
MOSES LAKE			4	18.0	4	18.0	4	18.0
GRAYS HARBOR	6	5.8	10	9.6	5	4.8	14	13.5
ABERDEEN	2	6.9	3	10.3	1	3.5	3	10.4
ISLAND	3	3.3	7	7.7	4	4.4	9	9.9
OAK HARBOR	1	2.8	3	8.3	2	5.6	5	13.9
JEFFERSON	1	4.5	2	8.9	1	4.5	2	9.0
KING	109	5.5	198	10.0	116	5.9	197	10.0
AUBURN	9	16.5	13	23.4	4	7.3	8	14.7
BELLEVUE	3	3.4	5	5.6	2	2.2	7	7.9
OLDS MOINES	1	20.0	2	39.2	1	20.0	2	40.0
KENT	5	10.6	10	21.0	8	17.0	10	21.2
KIRKLAND	4	11.9	7	20.6	4	11.9	5	14.9
REDMOND	1	2.2	4	8.9	3	6.7	6	13.5
RENTON	3	4.5	6	9.0	5	7.6	10	15.1
SEATTLE	56	8.2	93	13.5	46	6.7	75	10.9
KITSAP	12	4.3	30	10.7	23	8.2	31	11.1
BHEMERTON	3	3.6	10	11.9	8	9.6	12	14.4
KITTITAS	5	15.8	6	18.7	1	3.2	2	6.3
ELLENSBURG	5	34.5	6	40.0	1	6.9	2	13.8
KLICKITAT	3	11.9	5	19.6	3	11.9	5	19.8
LEWIS	4	4.8	7	8.4	4	4.8	8	9.6
CENTRALIA	2	9.1	3	13.5	1	4.5	1	4.5
LINCOLN			1	7.6	1	7.6	1	7.6
MASON	3	5.8	5	9.6	3	5.8	6	11.6
OKANOGAN	5	9.9	10	19.6	5	9.9	9	17.8
PACIFIC	1	4.1	1	4.1	1	4.1	4	16.6
PEND OREILLE					1	7.6	2	15.2
PIERCE	57	6.0	116	12.1	78	8.2	123	12.9
PUYALLUP	2	5.4	6	16.1	5	13.5	7	18.9
TACOMA	17	5.3	36	11.2	24	7.5	42	13.2
SAN JUAN	1	8.7	1	8.6				
SKAGIT	4	3.6	8	7.3	5	4.6	11	10.0
MOUNT VERNON			2	6.8	3	10.2	5	17.0
SKAMANIA							2	19.8
SNOHOMISH	40	6.1	67	10.2	35	5.4	72	11.0
EDMONDS	3	7.6	4	10.0	3	7.6	4	10.1
EVERETT	13	9.2	20	14.0	10	7.0	21	14.8
LYNNWOOD	5	10.5	7	14.6	3	6.3	6	12.7
MOUNTLAKE TERRACE	3	10.6	4	14.0	1	3.5	3	10.6
SPOKANE	30	5.4	63	11.2	36	6.4	56	10.0
SPOKANE (CITY)	14	4.6	34	11.2	21	6.9	31	10.2
STEVENS	5	10.1	8	16.0	4	8.1	6	12.1
THURSTON	14	6.4	21	9.5	12	5.4	17	7.7
LACEY	7	8.1	1	3.9	2	7.8	4	15.5
OLYMPIA			8	9.2	4	4.6	5	5.8
WAHKIAKUM	1	33.3	1	32.3				
WALLA WALLA	2	3.0	3	4.5	3	4.5	6	9.1
WALLA WALLA (CITY)	1	2.5	2	5.1	3	7.6	6	15.2
WHATCOM	10	6.2	14	8.6	4	2.5	12	7.4
BELLINGHAM	3	4.9	6	9.7	3	4.9	5	8.1
WHITMAN	1	2.2	4	8.9	4	8.9	6	13.4
PULLMAN			2	8.8	3	13.3	4	17.7
YAKIMA	31	9.4	41	12.3	14	4.2	34	10.3
YAKIMA (CITY)	6	6.6	11	12.0	8	8.8	14	15.3

(1)RATIO PER 1,000 LIVE BIRTHS

(2)FETAL DEATHS PLUS LIVEBORN INFANTS DYING AT 6 DAYS AND UNDER

(3)RATE PER 1,000 LIVE BIRTHS PLUS FETAL DEATHS

(4)RATE PER 1,000 LIVE BIRTHS

TABLE 23

FETAL, PERINATAL, NEONATAL AND INFANT MORTALITY BY PLACE OF OCCURRENCE, WASHINGTON STATE 1985

COUNTY AND CITY	FETAL DEATHS NUMBER RATIO(1)		PERINATAL MORTALITY(2) NUMBER RATE(3)		NEONATAL MORTALITY NUMBER RATE(4)		INFANT MORTALITY NUMBER RATE(4)	
STATE TOTAL	412	5.9	753	10.8	440	6.3	764	11.0
ADAMS	3	11.3	3	11.2			2	7.5
ASOTIN							1	500.0
BENTON	16	7.1	24	10.6	11	4.9	19	8.5
KENNEWICK	3	3.8	7	8.7	5	6.3	8	10.0
RICHLAND	13	11.2	17	14.5	6	5.2	10	8.6
CHELAN	10	7.9	15	11.7	7	5.5	10	7.9
WENATCHEE	9	7.8	13	11.2	6	5.2	9	7.8
CLALLAM	8	10.6	8	10.5			1	1.3
PORT ANGELES	8	12.0	8	11.8			1	1.5
CLARK	7	3.1	11	4.9	4	1.8	13	5.8
VANCOUVER	7	3.2	11	4.9	4	1.8	13	5.9
COLUMBIA								
COWLITZ	6	5.0	9	7.4	3	2.5	9	7.5
KELSO							2	2000.0
LONGVIEW	6	5.0	8	6.6	2	1.7	5	4.2
DOUGLAS								
FERRY								
FRANKLIN	5	10.5	7	14.6	2	4.2	5	10.5
PASCO	5	10.6	7	14.6	2	4.2	3	6.3
GARFIELD								
GRANT	4	4.6	6	6.9	3	3.5	5	5.8
MOSES LAKE	3	4.6	5	7.7	3	4.6	4	6.2
GRAYS HARBOR	4	5.1	4	5.0			4	5.1
ABERDEEN	4	5.1	4	5.1			2	2.6
ISLAND	3	3.9	4	5.2	1	1.3	5	6.5
OAK HARBOR							2	285.7
JEFFERSON	1	6.0	1	5.9			2	11.9
KING	124	5.8	271	12.6	189	8.8	309	14.5
AUBURN	3	5.1	6	10.1	3	5.1	7	11.9
BELLEVUE	5	2.2	8	3.4	3	1.3	6	2.6
DES MOINES	1	1000.0	1	500.0				
KENT	3	2.5	4	3.4	2	1.7	5	384.6
KIRKLAND	6	3.6	7	4.2	1	.6	3	2.5
REDMOND	3	1.4	8	3.8	6	2.9	3	1.8
RENTON	100	7.6	233	17.7	173	13.2	13	6.2
SEATTLE							266	20.3
KITSAP	12	4.8	18	7.2	8	3.2	14	5.6
BREMERTON	8	5.4	9	6.0	2	1.3	8	5.4
KITTITAS	3	10.9	4	14.3	1	3.6	2	7.2
ELLENBURG	3	11.5	4	15.1	1	3.6	2	7.6
Klickitat	2	9.9	2	9.8			1	4.9
LEWIS	4	4.7	6	7.0	2	2.3	7	8.2
CENTRALIA	1	2.6	3	7.9	2	5.3	3	7.9
LINCOLN			1	17.9	1	17.9	1	17.9
MASON	1	5.1	1	5.1			3	15.3
OKANOGAN	5	10.4	5	10.3			3	6.3
PACIFIC	1	8.4	1	8.3			3	25.2
PEND OREILLE							2	24.7
PIERCE	62	5.8	132	12.2	96	8.9	145	13.5
PUYALLUP	6	4.7	11	8.6	6	4.7	10	7.9
TACOMA	36	5.4	62	12.1	68	10.1	99	14.7
SAN JUAN								
SKagit	5	3.6	5	3.6			3	2.2
MOUNT VERNON	2	2.2	2	2.2			1	1.1
SKAMANIA							1	500.0
SNOHOMISH	27	5.7	35	7.3	10	2.1	34	7.2
EDMONDS	8	5.0	9	5.6	1	.6	2	1.3
EVERETT	16	6.1	20	7.6	5	1.9	18	6.8
LYNNWOOD	1	63.3	1	76.9	1	83.3	2	166.7
MOUNTLAKE TERRACE							1	142.9
SPOKANE	43	6.7	104	16.2	78	12.2	106	16.8
SPOKANE (CITY)	42	7.1	103	17.2	77	13.0	104	17.5
STEVENS			2	6.1	2	6.1	3	9.1
THURSTON	11	5.2	14	6.5	3	1.4	6	2.8
LACEY							1	200.0
OLYMPIA	11	5.2	14	6.6	3	1.4	4	1.9
WASHIAKUM								
WALLA WALLA	3	3.2	3	3.2	2	2.2	5	5.4
WALLA WALLA (CITY)	3	3.2	3	3.2	2	2.2	5	5.4
WHATCOM	10	6.4	11	7.0	1	.6	6	3.8
BELLINGHAM	10	6.5	11	7.1	1	.7	2	1.3
WHITMAN	2	4.3	2	4.3			1	2.1
PULLMAN	1	2.5	1	2.5			1	2.5
YAKIMA	30	9.1	44	13.3	16	4.9	33	10.0
YAKIMA (CITY)	22	9.0	35	14.1	15	6.1	28	11.4

(1)RATIO PER 1,000 LIVE BIRTHS

(2)FETAL DEATHS PLUS LIVEBORN INFANTS DYING AT 6 DAYS AND UNDER

(3)RATE PER 1,000 LIVE BIRTHS PLUS FETAL DEATHS

(4)RATE PER 1,000 LIVE BIRTHS

TABLE 24

FETAL MORTALITY BY SEX AND WEIGHT, WASHINGTON STATE RESIDENTS 1985				
GRAM WEIGHT	TOTAL	MALE	FEMALE	SEX UNKNOWN
STATE TOTAL	403	206	194	3
1,000 GRAMS OR LESS	134	72	62	
1,001 - 1,500	30	18	12	
1,501 - 2,000	23	15	8	
2,001 - 2,500	26	12	14	
2,501 - 3,000	31	16	15	
3,001 - 3,500	29	16	13	
3,501 - 4,000	17	7	10	
4,001 - 4,500	9	4	5	
4,501 AND OVER	7	4	3	
NOT STATED	97	42	52	3

TABLE 25

FETAL MORTALITY BY CAUSE, WASHINGTON STATE RESIDENTS 1985

CAUSE WITH INTERNATIONAL LIST NUMBER	TOTALS
TOTAL ALL CAUSES	403
CONGENITAL ANOMALIES (740-759)	50
ANENCEPHALUS (740)	15
SPINA BIFIDA (741)	3
OTHER ANOMALIES OF THE CENTRAL NERVOUS SYSTEM (742)	1
ANOMALIES OF THE HEART (745-746)	2
OTHER ANOMALIES OF CIRCULATORY SYSTEM (747)	2
ANOMALIES OF RESPIRATORY SYSTEM (748)	
ANOMALIES OF DIGESTIVE SYSTEM (749-751)	3
ANOMALIES OF THE GENITOURINARY SYSTEM (752-753)	4
ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	2
CHROMOSOMAL ANOMALIES (758)	6
OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (743-744, 757, 759)	12
CERTAIN CAUSES OF PERINATAL MORBIDITY AND MORTALITY (760-779)	351
MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PREGNANCY (760)	
CHRONIC HYPERTENSION (760.0)	8
MATERNAL INFECTIONS (760.2)	
MATERNAL INJURY (760.5)	8
OTHER MATERNAL CONDITIONS (760.1, 760.3-760.4, 760.6-760.9)	8
MATERNAL CONDITIONS RELATED TO PREGNANCY (761)	
INCOMPETENT CERVIX (761.0)	9
PREMATURE RUPTURE OF MEMBRANES (761.1)	15
OTHER MATERNAL CONDITIONS (761.2-761.9)	4
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	
COMPLICATIONS OF PLACENTA (762.0-762.3)	72
COMPLICATIONS OF CORD (762.4-762.6)	73
COMPLICATIONS OF MEMBRANES (762.7-762.9)	8
COMPLICATIONS OF LABOR (763)	5
OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH (764-767)	17
INTRAUTERINE HYPOXIA (768)	16
DISEASES OF THE FETUS AND ILL-DEFINED CAUSES (770-779)	
RESPIRATORY CONDITIONS (770)	6
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	1
FETAL HEMORRHAGE (772)	1
HAEMOLYTIC DISEASE AND OTHER PERINATAL JAUNDICE (773-774)	2
ENDOCRINE AND METABOLIC DISTURBANCES (775)	3
HAEMATOLOGICAL DISORDERS (776)	
DISORDERS OF DIGESTIVE SYSTEM (777)	
CONDITIONS INVOLVING THE INTEGUMENT AND	
TEMPERATURE REGULATION (778)	3
OTHER CONDITIONS OF FETUS (779)	92
ALL OTHER CAUSES (001-739, 780-799)	2

TABLE 26

FETAL DEATHS BY MOTHER'S AGE GROUP BY PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY AND CITY	ALL AGES	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTAL	403	2	22	26	122	114	66	32	7		12
ADAMS	3				1	1		1			
ASOTIN	2					2					
BENTON	14		1		3	5	4		1		
CHELAN	7			2	3	2					
CLALLAM	7				2	2	2	1			
CLARK	7				3	2			1		1
COLUMBIA											
COWLITZ	3		1		1		1				
DOUGLAS	2					2					
FERRY											
FRANKLIN	4		1		2			1			
GARFIELD											
GRANT	6		1		3		1		1		
GRAYS HARBOR	6				4	1	1				
ISLAND	3			1	1	1					
JEFFERSON	1						1				
KING	109	1	5	5	31	22	26	8	4		7
KITSAP	12		2	2	1	2	3	2			
KITTITAS	5			2				2			1
KLICKITAT	3			2		1					
LEWIS	4			2	1			1			
LINCOLN											
MASON	3			1	1	1					
OKANOGAN	5		1		1	1	1	1			
PACIFIC	1					1					
PEND OREILLE											
PIERCE	57		4	4	20	16	8	5			
SAN JUAN	1							1			
SKAGIT	4				1	1	1	1			
SKAMANIA											
SNOHOMISH	40	1	1	1	13	19	3	2			
SPOKANE	30			3	11	10	4	2			
STEVENS	5				4						1
THURSTON	14		2		6	4	2				
WAHKIAKUM	1				1						
WALLA WALLA	2			1							1
WHATCOM	10					3	4	2			1
WHITMAN	1				1						
YAKIMA	31		3		7	15	4	2			

**INDUCED
TERMINATIONS
OF
PREGNANCY**

TABLE 1

INDUCED TERMINATIONS OF PREGNANCY BY SELECTED TOPICS, 1985

A. RESIDENCE, BY AGE GROUP
OF PATIENT

AGE GROUP		%
TOTAL	25,835	100.0*
<15	159	0.6
15-17	2,723	11.0
18-19	3,701	14.0
20-24	8,796	34.0
25-29	5,559	21.5
30-34	3,018	11.7
35-39	1,456	5.6
40-44	377	1.5
45+	30	0.1
UNKNOWN	16	0.1

B. RESIDENCE, BY GESTATIONAL AGE

WEEKS		%
TOTAL	25,835	100.0*
1-4	547	2.1
5-8	13,042	50.5
9	3,604	14.0
10	3,311	12.8
11	1,522	5.9
12	1,236	4.8
13-15	1,324	5.1
16-19	928	3.6
20+	309	1.2
UNKNOWN	12	---

C. RESIDENCE, BY NUMBER OF
PREVIOUS LIVE BIRTHS

		%
TOTAL	25,835	100.0*
0	13,886	53.7
1	5,081	19.7
2	3,641	14.1
3	1,180	4.6
4	300	1.2
OVER 4	158	0.6
UNKNOWN	1,589	6.2

D. RESIDENCE, BY NUMBER OF
PREVIOUS INDUCED ABORTIONS

		%
TOTAL	25,835	100.0*
0	13,656	52.9
1	6,609	25.6
2	2,507	9.7
3	896	3.5
4	345	1.3
OVER 4	205	0.8
UNKNOWN	1,615	6.3

E. RESIDENCE, BY NUMBER OF
PREVIOUS PREGNANCIES

		%
TOTAL	25,835	100.0*
0	8,790	34.0
1	5,792	22.4
2	4,441	17.2
3	2,687	10.4
4	1,359	5.3
OVER 4	1,147	4.4
UNKNOWN	1,619	6.3

F. RESIDENCE, BY RACE

		%
TOTAL	25,835	100.0*
WHITE	17,000	65.8
BLACK	1,348	5.2
ASIAN	745	2.9
SPANISH ORIGIN	446	1.7
AMERICAN INDIAN	185	0.7
OTHER	43	0.2
UNKNOWN	6,608	23.5

TABLE 1 (CONT'D)

INDUCED TERMINATIONS OF PREGNANCY BY SELECTED TOPICS, 1985

G. RESIDENCE AND OCCURRENCE, BY TRAVEL PATTERN

RESIDENCE			OCCURRENCE		
		%			%
TOTAL	25,835	100.0*	TOTAL	26,581	100.0*
INSIDE HOME					
COUNTY	17,588	68.0	COUNTY RESIDENT	17,588	66.1
OUTSIDE HOME			OUT-OF COUNTY		
COUNTY	8,277	32.0	RESIDENT	9,023	33.9

H. OCCURRENCE, BY OPERATIVE PROCEDURE

		%
TOTAL	26,581	100.0*
SUCTION CURETTAGE	24,227	91.1
DILATATION AND		
EVACUATION	1,972	7.4
SALINE	227	0.9
PROSTAGLANDIN	134	0.5
SHARP CURETTAGE	11	---
HYSTERECTOMY/		
HYSTEROTOMY	5	---
OTHER	3	---
UNKNOWN	2	---

I. OCCURRENCE, BY STATE OR COUNTRY OF RESIDENCE

		%
TOTAL	26,581	100.0*
WASHINGTON	24,932	93.8
IDAHO	335	1.3
OREGON	331	1.2
ALASKA	254	1.0
MONTANA	30	.1
CALIFORNIA	21	.1
CANADA	619	2.3
OTHER STATES AND		
COUNTRIES	38	1.4
UNKNOWN	21	.1

J. OCCURRENCE, BY RH FACTOR AND TREATMENT SETTING

TOTAL	26,581
POSITIVE	22,963
NEGATIVE	3,380
PROVIDED AT	
FACILITY	3,073
ORDERED THROUGH	
BLOODBANK	161
WITH FOLLOWUP	87
W/O FOLLOWUP	74
NOT PROVIDED	146
CONRAINDICATED	15
STERILIZATION	
PERFORMED	14
OTHER	105
UNKNOWN	12
UNKNOWN RH	238

K. OCCURRENCE, BY TYPE OF COMPLICATION

TOTAL	157
RETAINED PRODUCTS	57
INFECTION	33
HEMORRHAGE	18
UTERINE PERFORATION	11
FAILED ABORTION	8
CERVICAL LACERATION	4
OTHER COMPLICATIONS	14
MULTIPLE	
COMPLICATIONS	12

L. OCCURRENCE, BY TYPE OF FACILITY

		%
TOTAL	26,581	100.0*
CLINIC	18,312	68.9
OFFICE	6,733	25.3
HOSPITAL	1,535	5.8
OTHER	1	---

*DETAIL MAY NOT ADD TO 100% DUE TO ROUNDING

TABLE 2

INDUCED ABORTIONS, LIVE BIRTHS, AND ABORTION RATIO
WITH PERCENT CHANGE WASHINGTON STATE RESIDENTS 1974-1985

YEAR	INDUCED ABORTIONS*	PERCENT CHANGE	LIVE BIRTHS	PERCENT CHANGE	ABORTION RATIO**	PERCENT CHANGE
1974	16,159		50,096		323	
1975	18,628	+15.3	50,821	+1.4	367	+13.6
1976	20,251	+8.7	53,004	+4.3	382	+4.1
1977	23,938	+18.2	57,256	+8.0	418	+9.4
1978	26,254	+9.7	58,725	+2.6	447	+6.9
1979	26,796	+2.1	64,377	+9.6	416	-6.9
1980	27,947	+4.3	67,857	+5.4	412	-1.0
1981	28,968	+3.7	69,756	+2.8	415	+ .7
1982	27,431	-5.3	69,529	-.3	395	-4.8
1983	26,560	-3.2	68,705	-1.2	387	-2.0
1984	26,732	+ .6	68,947	+ .4	388	+ .3
1985	25,835	-3.4	70,226	+1.9	368	-5.2

* RESIDENT ABORTION FIGURES FOR 1974 THROUGH 1977 ARE ESTIMATES DERIVED FROM OCCURRENCE ABORTION COUNTS FOR THOSE YEARS. THE OCCURRENCE COUNTS WERE DISCOUNTED BY 11.14 PERCENT ON THE BASIS OF THE 1978 RATIO OF RESIDENTS TO OCCURRENCES (I.E., 88.86 PERCENT OF THE TOTAL ABORTIONS REPORTED IN 1978 WERE TO WASHINGTON STATE RESIDENTS). NOTE THAT THESE ESTIMATES ARE NOT THE SAME AS THOSE PUBLISHED IN THE 1978 AND 1979 REPORTS.

** NUMBER OF RESIDENTS ABORTIONS PER 1,000 RESIDENT LIVE BIRTHS.

TABLE 3

REPORTED PREGNANCIES BY AGE OF PATIENT AND PREGNANCY OUTCOME WITH PERCENTS
WASHINGTON STATE RESIDENTS 1985

AGE OF PATIENT	ABORTIONS	FETAL DEATHS	LIVE BIRTHS	TOTAL REPORTED PREGNANCIES
UNDER 15	159 (58.9%)	2 (.7%)	109 (40.4%)	270
15-17	2,723 (53.0%)	22 (.4%)	2,391 (46.6%)	5,136
18-19	3,701 (43.8%)	26 (.3%)	4,720 (55.9%)	8,447
20-24	8,796 (29.5%)	122 (.4%)	20,918 (70.1%)	29,836
25-29	5,559 (19.5%)	114 (.4%)	22,878 (80.1%)	28,551
30-34	3,018 (17.3%)	66 (.4%)	14,314 (82.3%)	17,398
35-39	1,456 (25.0%)	32 (.5%)	4,344 (74.5%)	5,832
40-44	377 (42.8%)	7 (.8%)	496 (56.4%)	880
45 & OVER	30 (63.8%)		17 (36.2%)	47
UNKNOWN	16 (23.9%)	12 (17.9%)	39 (58.2%)	67
ALL AGES	25,835 (26.8%)	403 (.4%)	70,226 (72.8%)	96,464

TABLE 4

AGE GROUP SPECIFIC FERTILITY RATE, ABORTION RATE, AND ABORTION RATIO, WASHINGTON STATE RESIDENTS 1985

AGE OF PATIENT	1985 FEMALE POPULATION*	FERTILITY RATE**	ABORTION RATE***	ABORTION RATIO****
10-14	147,400	.7	1.1	1,459
15-19	158,537	44.9	40.5	903
15-17	96,208	24.9	28.3	1,139
18-19	62,329	75.7	59.4	784
20-24	178,274	117.3	49.3	421
25-29	192,717	110.7	28.9	243
30-34	195,985	73.0	15.4	211
35-39	180,546	24.1	8.1	335
40-44	137,759	3.6	2.7	760
45-49	106,079	.2	.3	1,706
15-44	1,043,818	67.2	24.7	368

* 1985 ESTIMATES FROM OFFICE OF FINANCIAL MANAGEMENT

** RESIDENT LIVE BIRTHS FOR SPECIFIC AGE GROUP PER 1,000 FEMALE POPULATION IN THAT AGE GROUP.

*** RESIDENT ABORTIONS FOR SPECIFIC AGE GROUP PER 1,000 FEMALE POPULATION IN THAT AGE GROUP.

**** RESIDENT ABORTIONS FOR SPECIFIC AGE GROUP PER 1,000 RESIDENT LIVE BIRTHS FOR THAT AGE GROUP.

TABLE 5

PREVIOUS LIVEBIRTHS BY AGE OF PATIENT, WASHINGTON RESIDENTS 1985								
PREVIOUS LIVEBIRTHS								
AGE OF PATIENT	TOTAL	0	1	2	3	4	OVER 4	UNKNOWN
STATE TOTAL	25,835	13,886	5,081	3,641	1,180	300	159	1,588
UNDER 15	159	149	3					7
15-17	2,723	2,396	134	13	2	1		177
18-19	3,701	2,851	503	107	3	2	1	234
20-24	8,796	5,002	1,987	996	210	37	8	556
25-29	5,559	2,222	1,391	1,142	374	71	33	326
30-34	3,018	924	708	796	291	89	38	172
35-39	1,456	281	297	466	201	67	53	91
40-44	377	52	57	111	88	27	19	23
45 & OVER	30	2		6	11	6	4	1
UNKNOWN	16	7	1	4			3	1

TABLE 6

PREVIOUS INDUCED ABORTIONS BY AGE OF PATIENT, WASHINGTON RESIDENTS 1985								
PREVIOUS ABORTIONS								
AGE OF PATIENT	TOTAL	0	1	2	3	4	OVER 4	UNKNOWN
STATE TOTAL	25,835	13,656	6,609	2,507	896	345	215	1,607
UNDER 15	159	150	2					7
15-17	2,723	2,216	292	33	2		1	179
18-19	3,701	2,524	737	157	38	8	2	235
20-24	8,796	4,364	2,569	876	282	87	55	563
25-29	5,559	2,192	1,704	782	324	153	74	330
30-34	3,018	1,278	821	447	165	73	61	173
35-39	1,456	693	383	175	75	18	17	95
40-44	377	213	91	32	8	6	4	23
45 & OVER	30	20	4	3	1		1	1
UNKNOWN	16	6	6	2	1			1

TABLE 7

INDUCED ABORTIONS BY AGE OF PATIENT BY GESTATION OF PREGNANCY, WASHINGTON STATE RESIDENTS 1985

WEEKS GESTATION	AGE OF PATIENT										UNKNOWN
	TOTAL	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	
STATE TOTAL	25,835	159	2,723	3,701	8,796	5,559	3,018	1,456	377	30	16
UNDER 9	13,589	62	1,108	1,691	4,570	3,201	1,809	904	216	18	10
9-12	9,673	57	1,176	1,511	3,373	1,916	1,040	454	134	7	5
13-15	1,324	16	210	250	445	244	92	47	16	3	1
16-19	928	18	176	196	304	143	47	36	7	1	
20 & OVER	309	6	53	52	100	54	29	11	3	1	
UNKNOWN	12			1	4	1	1	4	1		

TABLE 8

INDUCED ABORTIONS BY TYPE OF PROCEDURE BY GESTATION OF PREGNANCY, WASHINGTON STATE OCCURRENCES 1985

TYPE OF PROCEDURE	WEEKS GESTATION						
	TOTAL	UNDER 9	9-12	13-15	16-19	20 & OVER	UNKNOWN
STATE TOTAL	26,581	14,092	9,774	1,385	992	330	8
SUCTION CURETTAGE	24,529	14,026	9,701	682	93	20	7
DILATATION AND EVACUATION (D&E)	1,670	54	69	676	707	164	
SHARP CURETTAGE	11	6	3			1	1
SALINE	227			8	102	117	
PROSTAGLANDIN	134		1	17	89	27	
HYSTEROTOMY/ HYSTERECTOMY	5	3		1	1		
OTHER	3	1		1		1	
UNKNOWN	2	2					

TABLE 9

INDUCED ABORTIONS WITH COMPLICATIONS BY TYPE OF PROCEDURE BY GESTATION OF PREGNANCY, WASHINGTON STATE OCCURRENCES 1985

TYPE OF PROCEDURE	WEEKS GESTATION						
	TOTAL	UNDER 9	9-12	13-15	16-19	20 & OVER	UNKNOWN
STATE TOTAL	153	63	45	10	23	12	
RATE*	5.7	4.4	4.6	7.2	23.1	36.3	
SUCTION CURETTAGE	112	62	42	7	1		
RATE*	4.5	4.4	4.3	10.2	10.7		
DILATATION AND EVACUATION (D&E)	7		3	1	2	1	
RATE*	4.1		43.4	1.4	2.8	6.1	
SHARP CURETTAGE	1	1					
RATE*	90.9	166.6					
SALINE	20			1	12	7	
RATE*	88.1			125.0	117.6	59.8	
PROSTAGLANDIN	13			1	8	4	
RATE*	97.0			58.8	89.8	148.1	
HYSTEROTOMY/ HYSTERECTOMY							
RATE*							
OTHER							
RATE*							
UNKNOWN							
RATE*							

*COMPLICATIONS PER 1,000 PROCEDURES PERFORMED

TOTAL OF PATIENTS WITH COMPLICATIONS IS 153. TOTAL COMPLICATIONS IS 166.

TABLE 10

INDUCED ABORTIONS WITH COMPLICATIONS BY TYPE BY GESTATION OF PREGNANCY, WASHINGTON STATE OCCURRENCES 1985

TYPE OF COMPLICATION	WEEKS GESTATION						
	TOTAL	UNDER 9	9-12	13-15	16-19	20 & OVER	AGE UNKNOWN
STATE TOTAL	153	63	45	10	23	12	
RATE*	5.7	4.4	4.6	7.2	23.1	36.3	
HEMORRHAGE	18	3	6	7	2		
RATE*	.6	.2	.6	5.0	2.0		
INFECTION	33	21	10		2		
RATE*	1.2	1.4	1.0		2.0		
UTERINE PERFORATION	11	8	3				
RATE*	.4	.5	.3				
CERVICAL LACERATION	4	1	2		1		
RATE*	.1		.2		1.0		
RETAINED PRODUCTS	57	16	15	1	14	11	
RATE*	2.1	1.1	1.5	.7	14.1	33.3	
FAILED ABORTION	8	3	4		1		
RATE*	.3	.2	.4		1.0		
OTHER COMPLICATIONS	10	6	3	1			
RATE*	.3	.4	.3	.7			
MULTIPLE COMPLICATIONS	12	5	2	1	3	1	
RATE*	.4	.3	.2	.7	3.0	3.0	

* COMPLICATIONS PER 1,000 PROCEDURES.

TOTAL NUMBER OF PATIENTS WITH COMPLICATIONS WAS 153.

TOTAL NUMBER OF COMPLICATIONS WAS 166.

TABLE 11

INDUCED ABORTIONS WITH COMPLICATIONS BY GESTATION OF PREGNANCY WITH RATES, WASHINGTON STATE OCCURRENCES 1981-1985

PROCEDURES	1981	1982	1983	1984	1985
STATE TOTAL	30,974	29,298	27,857	27,783	26,581
COMPLICATION CASES	333	282	236	175	153
COMPLICATION RATE*	10.8	9.5	8.5	6.3	5.8
UNDER 9 WKS GESTATION	17,608	17,767	16,460	15,165	14,092
COMPLICATION CASES	132	129	127	73	63
COMPLICATION RATE*	7.5	7.3	7.7	4.8	4.5
9-12 WKS GESTATION	11,695	10,000	9,217	10,170	9,774
COMPLICATION CASES	124	100	60	65	45
COMPLICATION RATE*	10.6	10.0	6.5	6.4	4.6
13-15 WKS GESTATION	822	705	1,117	1,254	1,385
COMPLICATION CASES	23	17	27	6	10
COMPLICATION RATE*	28.0	24.1	24.2	4.8	7.2
16-19 WKS GESTATION	599	604	837	887	992
COMPLICATION CASES	46	27	19	18	23
COMPLICATION RATE*	76.8	44.7	22.7	20.3	23.2
OVER 19 WKS GESTATION	182	196	195	287	330
COMPLICATION CASES	8	9	3	13	12
COMPLICATION RATE*	44.0	45.9	15.4	45.3	36.4
UNKNOWN GESTATION	68	26	31	20	8
COMPLICATION CASES					
COMPLICATION RATE*					

* COMPLICATIONS PER 1,000 PROCEDURES

TABLE 12

INDUCED ABORTIONS WITH COMPLICATIONS BY TYPE OF PROCEDURE WITH RATES, WASHINGTON STATE OCCURRENCES 1981-1985

PROCEDURES	1981	1982	1983	1984	1985
STATE TOTAL	30,974	29,298	27,857	27,783	26,581
COMPLICATION CASES	333	282	236	175	153
COMPLICATION RATE*	10.8	9.6	8.5	6.3	5.8
SUCTION CURETTAGE	29,165	27,873	26,050	25,898	24,529
COMPLICATION CASES	264	240	201	134	112
COMPLICATION RATE*	9.1	8.6	7.7	5.2	4.6
DILATATION & EVACUATION	950	792	1,289	1,453	1,670
COMPLICATION CASES	6	8	16	14	7
COMPLICATION RATE*	6.3	10.1	12.4	9.6	4.2
SHARP CURETTAGE	110	25	26	9	11
COMPLICATION CASES	1			2	1
COMPLICATION RATE*	9.1			222.2	90.9
PROSTAGLANDIN	142	147	155	167	134
COMPLICATION CASES	10	3	4	9	13
COMPLICATION RATE*	70.4	20.4	25.8	53.9	97.0
SALINE	565	449	328	244	227
COMPLICATION CASES	50	30	15	14	20
COMPLICATION RATE*	88.5	66.8	45.7	57.4	88.1
HYSTERECTOMY/HYSTERECTOMY	17	5	6	8	5
COMPLICATION CASES	1	1		2	
COMPLICATION RATE*	58.8	200.0		250.0	
OTHER PROCEDURE	14	4	3		3
COMPLICATION CASES	1				
COMPLICATION RATE*	71.4				
UNKNOWN	11	3			
COMPLICATION CASES					
COMPLICATION RATE*					

* COMPLICATIONS PER 1,000 PROCEDURES

OCCURRENCE



TABLE 13. INDUCED ABORTION INTERCOUNTY TRAVEL

RESIDENCE	ADAMS	ASOTIN	BENTON	CHELAN	CLALLAM	CLARK	COLUMBIA	COWLITZ	DOUGLAS	FERRY	FRANKLIN	GARFIELD	GRANT	GRAYS HARBOR	ISLAND	JEFFERSON	KING
ADAMS	0												51				1
ASOTIN		2															
BENTON			0	1									14				11
CHELAN				18									24				115
CLALLAM					6										1		80
CLARK						566							1				9
COLUMBIA						1	0										1
COWLITZ						36		0									29
DOUGLAS									0				13				30
FERRY										0							
FRANKLIN											0		7				6
GARFIELD												0					
GRANT				2									160				8
GRAYS HARBOR														7			162
ISLAND															113		66
JEFFERSON																0	25
KING				1		1											10789
KITSAP						1											512
KITTITAS																	48
Klickitat						14											1
LEWIS						3											106
LINCOLN													1				1
MASON																	40
OKANOGAN				2									2				29
PACIFIC						3								1			13
PEND OREILLE																	
PIERCE						1											1362
SAN JUAN															1		9
SKAGIT															3		107
SKAMANIA						4											1
SNOHOMISH															1		1270
SPOKANE													12				23
STEVENS													1				2
THURSTON																	370
WAHIAKUM						3											1
WALLA WALLA													1				14
WHATCOM																	102
WHITMAN													2				17
YAKIMA						1											21
COUNTY UNKNOWN																	
OUT-OF-STATE						130							3				338
NON U.S.						1											427

PATTERNS, WASHINGTON STATE RESIDENTS AND OCCURRENCES, 1985

KITSAP	KITTITAS	KLICKITAT	LEWIS	LINCOLN	MASON	OKANOGAN	PACIFIC	PEND OREILLE	PIERCE	SAN JUAN	SKAGIT	SKAMANIA	SNOHOMISH	SPOKANE	STEVENS	THURSTON	WAHIAKUM	WALLA WALLA	WHATCOM	WHITMAN	YAKIMA	OUT-OF-STATE
									1					9							12	
														37						3	4	26
									2					5							518	2
									3					7							106	
									6				2			2						
																					1	602
														5							8	
									2							1					3	126
						1								3							19	
														13								
														4							170	
														2							1	
									1					11							49	1
									26							122						1
									3		8		2						11			
									2													
									34		1		52			1			5		4	12
0									137				2	2								
	2													2							125	
		2																			7	12
			0						75							38					2	8
				0										14								
					0				28					1		36						2
						13								21					1		27	
							0		2							11						19
								0						28								
									2028				1			8						2
										0	1								6			2
											79			3					84			
		2									1	0		1								12
									6		5		206	2		2			5		2	
														1851							39	13
														74	0						5	1
									149				1			394						2
																1	0					
														9				0			218	10
									2		2								491			1
									1					75						38	18	43
									5					2		1					793	5
		1							13					288					4	16	208	
									3				2	36					155		24	

TABLE 14

LIVEBIRTHS AND ABORTIONS, WITH RATE AND RATIO INDICATORS,
BY PATIENT'S PLACE OF RESIDENCE, WASHINGTON STATE 1985

COUNTY	FEMALE POPULATION*	LIVE BIRTHS	ABORTIONS	ABORTION RATIO**	ABORTION RATE***	FERTILITY RATE****
STATE TOTAL	1,043,818	70,226	25,835	368	25	67
ADAMS	3,014	289	74	256	25	96
ASOTIN	3,702	276	72	261	19	75
BENTON	25,769	1,881	553	294	21	73
CHELAN	10,252	860	273	317	27	84
CLALLAM	10,999	749	97	130	9	68
CLARK	49,101	3,316	1,179	356	24	68
COLUMBIA	744	51	15	294	20	69
COWLITZ	18,210	1,114	197	177	11	61
DOUGLAS	5,298	371	66	178	12	70
FERRY	1,352	94	13	138	10	70
FRANKLIN	7,814	743	187	252	24	95
GARFIELD	437	28	3	107	7	64
GRANT	10,642	1,043	232	222	22	98
GRAYS HARBOR	13,663	1,040	318	306	23	76
ISLAND	10,641	912	203	223	19	86
JEFFERSON	3,484	223	27	121	8	64
KING	337,750	19,790	10,900	551	32	59
KITSAP	38,043	2,804	654	233	17	74
KITTITAS	6,447	316	177	560	27	49
Klickitat	3,531	252	36	143	10	71
LEWIS	11,864	833	232	279	20	70
LINCOLN	1,885	131	16	122	8	70
MASCO	6,962	516	107	207	15	74
OKANOGAN	6,827	506	95	188	14	74
PACIFIC	3,189	241	49	203	15	76
PEND OREILLE	1,898	132	28	212	15	70
PIERCE	124,114	9,535	3,402	357	27	77
SAN JUAN	1,834	115	19	165	10	63
SKAGIT	14,888	1,098	276	251	19	74
SKAMANIA	1,752	101	21	208	12	58
SNOHOMISH	91,698	6,519	1,499	230	16	71
SPOKANE	84,095	5,582	1,938	347	23	66
STEVENS	6,755	494	83	168	12	73
THURSTON	33,856	2,203	916	416	27	65
WAHIAKUM	717	30	5	167	7	42
WALLA WALLA	10,546	660	253	383	24	63
WHATCOM	28,791	1,619	598	369	21	56
WHITMAN	11,430	448	194	433	17	39
YAKIMA	39,824	3,311	828	250	21	83
UNKNOWN						

* WOMEN, AGED 15-44; 1985 ESTIMATES FROM OFFICE OF FINANCIAL MANAGEMENT

** INDUCED ABORTIONS PER 1,000 RESIDENT LIVE BIRTHS, ALL AGES

*** INDUCED ABORTIONS PER 1,000 FEMALE POPULATION AGED 15-44

**** LIVE BIRTHS PER 1,000 FEMALE POPULATION AGED 15-44

TABLE 15

INDUCED ABORTIONS BY AGE OF PATIENT BY COUNTY OF RESIDENCE, WASHINGTON STATE 1985											
COUNTY OF RESIDENCE	TOTAL	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTALS	25,835	159	2,723	3,701	8,796	5,559	3,018	1,456	377	30	16
ADAMS	74		13	12	24	8	9	7	1		
ASOTIN	72		12	9	28	13	7	3			
BENTON	553	6	64	87	181	125	58	25	7		
CHELAN	273	2	28	41	94	58	32	15	3		
CLALLAM	97	2	14	17	27	16	11	8	2		
CLARK	1,179	6	157	211	375	236	121	53	17	2	1
COLUMBIA	15		3	2	4	2	1	3			
COWLITZ	197	1	28	35	60	41	23	7			2
DOUGLAS	66		7	13	20	14	9	1	1		1
FERRY	13		1	1	1	2	4	2	2		
FRANKLIN	187	2	18	29	70	40	16	6	5	1	
GARFIELD	3		2				1				
GRANT	232	2	31	41	78	44	25	9	2		
GRAYS HARBOR	318	5	42	58	100	62	35	13	3		
ISLAND	203		22	28	77	46	20	9	1		
JEFFERSON	27		6	3	7	4	5		1		1
KING	10,900	56	970	1,382	3,604	2,504	1,457	723	185	12	7
KITSAP	654	3	89	103	216	113	71	47	11	1	
KITTITAS	177		14	30	81	27	14	9	2		
Klickitat	36		2	3	12	10	8		1		
LEWIS	232	3	34	37	84	41	24	6	2	1	
LINCOLN	16		4	1	4	5	2				
MASON	107	2	14	7	43	24	9	6	2		
OKANOGAN	95	1	13	13	15	20	22	9	2		
PACIFIC	49	1	7	7	16	8	5	4	1		
PEND OREILLE	28		4	3	9	5	2	5			
PIERCE	3,402	29	380	512	1,281	688	326	145	38	3	
SAN JUAN	19		1	1	6	8	2	1			
SKAGIT	276	2	33	40	72	74	29	20	5		1
SKAMANIA	21		2	1	11	5	1		1		
SNOHOMISH	1,499	6	175	201	508	352	166	72	16	3	
SPOKANE	1,938	10	214	301	709	395	189	87	30	2	1
STEVENS	83		15	14	25	14	5	6	4		
THURSTON	916	2	98	119	312	195	106	68	13	2	1
Wahkiakum	5		2			3					
WALLA WALLA	253	2	24	62	78	49	20	13	4		1
WHATCOM	598	7	55	95	219	110	68	35	7	2	
WHITMAN	194		12	47	78	27	25	4	1		
YAKIMA	828	9	113	135	267	171	90	35	7	1	
UNKNOWN											

TABLE 16

PREGNANCY OUTCOME OF ADOLESCENTS BY AGE OF PATIENT BY PLACE OF RESIDENCE, WASHINGTON STATE 1985										
COUNTY AND STATE TOTALS	AGE 15-14 RATE	AGE 15-14 RATE	AGE 15-14 RATE	AGE 15-14 RATE	AGE 15-14 RATE	AGE 15-14 RATE	AGE 15-14 RATE	AGE 15-14 RATE	AGE 15-14 RATE	AGE 15-14 RATE
STATE TOTALS										
LIVE BIRTHS	70061 67.1	109 .7	2391 24.9	4720 75.7						
FETAL DEATHS	389 .4	2 .2	22 .2	26 .4						
ABORTIONS	25630 24.4	159 1.1	2723 28.3	3701 59.4						
TOTAL PREGNANCIES	96080 92.1	270 1.8	5136 53.4	8447 135.5						
ADAMS										
LIVE BIRTHS	288 95.4	1 1.7	10 30.2	23 107.5						
FETAL DEATHS	3 1.0		1 .4	12 56.1						
ABORTIONS	74 24.6		23 69.5	35 163.4						
TOTAL PREGNANCIES	365 121.2	1 1.7								
ASOTIN										
LIVE BIRTHS	276 76.4		16 45.6	22 96.9						
FETAL DEATHS	2 .5			9 39.6						
ABORTIONS	72 19.4		12 34.2	9 39.6						
TOTAL PREGNANCIES	350 94.5		28 79.8	31 136.5						
BENTON										
LIVE BIRTHS	1879 72.9	2 .5	68 29.0	121 79.7						
FETAL DEATHS	14 .5		1 .4	87 57.3						
ABORTIONS	567 21.2	6 1.6	44 27.3	208 137.0						
TOTAL PREGNANCIES	2440 94.6	8 2.1	133 56.7							
CHELAM										
LIVE BIRTHS	859 89.8		37 38.1	76 120.8						
FETAL DEATHS	7 .7			2 3.2						
ABORTIONS	271 28.4	2 1.3	28 28.8	41 65.2						
TOTAL PREGNANCIES	1137 110.9	2 1.3	65 66.9	119 189.2						
CLALLAM										
LIVE BIRTHS	748 68.0	1 .6	28 26.3	61 88.5						
FETAL DEATHS	7 .4		14 13.2	17 24.7						
ABORTIONS	45 8.6	2 1.2	14 13.2	78 113.2						
TOTAL PREGNANCIES	850 79.2	3 1.8	42 39.5							
CLARK										
LIVE BIRTHS	3305 67.3	5 .6	118 26.1	271 92.4						
FETAL DEATHS	6 .1			211 71.9						
ABORTIONS	1170 23.8	6 .8	157 34.7	482 164.3						
TOTAL PREGNANCIES	4481 91.2	11 1.4	275 60.8							
COLUMBIA										
LIVE BIRTHS	51 68.5		1 14.9	3 69.8						
FETAL DEATHS				2 46.5						
ABORTIONS	15 20.2		3 44.8	5 116.3						
TOTAL PREGNANCIES	66 88.7		4 59.7							
COMALITZ										
LIVE BIRTHS	1112 61.1	2 .7	49 28.5	106 95.2						
FETAL DEATHS	1 .1		1 .4	35 31.4						
ABORTIONS	194 10.7	1 .4	28 16.3	141 126.6						
TOTAL PREGNANCIES	1309 72.0	3 1.1	78 45.4							
DOUGLAS										
LIVE BIRTHS	369 69.4		16 32.1	39 120.4						
FETAL DEATHS	3 .4			13 40.1						
ABORTIONS	65 12.3		7 14.0	52 160.5						
TOTAL PREGNANCIES	436 82.3		23 46.1							
FERRY										
LIVE BIRTHS	94 69.5		8 60.6	9 104.7						
FETAL DEATHS	13 9.6		1 7.6	1 11.6						
ABORTIONS	107 79.3		9 68.2	10 116.3						
TOTAL PREGNANCIES										
FRANKLIN										
LIVE BIRTHS	743 95.1		38 49.0	72 143.1						
FETAL DEATHS	4 .5		1 1.3	29 57.7						
ABORTIONS	184 23.5	2 1.6	18 23.2	101 200.8						
TOTAL PREGNANCIES	931 119.1	2 1.6	57 73.5							
GARFIELD										
LIVE BIRTHS	28 64.1		3 68.2	1 34.5						
FETAL DEATHS				2 45.8						
ABORTIONS	3 6.4		5 119.7	1 34.5						
TOTAL PREGNANCIES	31 71.0									
GRANT										
LIVE BIRTHS	1042 97.6	1 .5	34 30.0	60 109.1						
FETAL DEATHS	1 .4			41 55.9						
ABORTIONS	230 21.4	2 1.1	31 27.4	121 165.0						
TOTAL PREGNANCIES	1278 120.1	3 1.6	66 58.3							
GRAYS HARBOR										
LIVE BIRTHS	1038 76.0	2 .9	61 45.4	97 111.3						
FETAL DEATHS	6 .4			58 66.5						
ABORTIONS	313 22.9	5 2.2	42 31.2	155 177.7						
TOTAL PREGNANCIES	1357 99.3	7 3.1	103 76.6							
ISLAND										
LIVE BIRTHS	910 65.8	2 1.3	16 17.3	72 120.0						
FETAL DEATHS	3 .9			1 1.7						
ABORTIONS	203 19.1		22 23.7	28 48.7						
TOTAL PREGNANCIES	1116 104.9	2 1.3	38 41.0	101 149.4						
JEFFERSON										
LIVE BIRTHS	233 64.0		8 26.9	11 57.0						
FETAL DEATHS	1 .3			9 15.5						
ABORTIONS	26 7.8		4 20.2	14 72.5						
TOTAL PREGNANCIES	260 71.8		14 47.1							
KING										
LIVE BIRTHS	19744 58.8	22 .5	517 18.4	882 48.5						
FETAL DEATHS	101 .3		5 .2	5 .3						
ABORTIONS	10628 32.1	56 1.3	470 34.8	1382 75.9						
TOTAL PREGNANCIES	30670 90.9	79 1.8	1492 53.1	2269 124.7						
KITSAP										
LIVE BIRTHS	2797 73.8	4 .7	80 24.1	202 94.0						
FETAL DEATHS	12 .3		2 .4	2 .9						
ABORTIONS	450 17.1	3 .5	89 26.8	103 47.9						
TOTAL PREGNANCIES	3459 90.9	7 1.2	171 51.3	307 142.8						
KITTITAS										
LIVE BIRTHS	316 49.0		7 9.0	17 33.8						
FETAL DEATHS	4 .4			2 4.0						
ABORTIONS	177 27.8		14 18.6	30 59.4						
TOTAL PREGNANCIES	497 77.1		21 27.0	49 77.4						
Klickitat										
LIVE BIRTHS	252 71.4		8 24.0	20 92.6						
FETAL DEATHS	3 .4			2 9.3						
ABORTIONS	36 10.2		3 6.0	3 13.9						
TOTAL PREGNANCIES	291 82.4		10 30.0	25 119.6						
LEWIS										
LIVE BIRTHS	832 70.1	1 .5	41 33.1	76 94.6						
FETAL DEATHS	4 .3			2 2.5						
ABORTIONS	228 19.2	3 1.5	34 27.4	37 46.1						
TOTAL PREGNANCIES	1064 89.6	4 2.0	75 60.5	115 143.2						
LINCOLN										
LIVE BIRTHS	130 69.0	1 3.3	3 16.0	9 73.8						
FETAL DEATHS				1 1.2						
ABORTIONS	16 8.5		4 21.3	1 8.2						
TOTAL PREGNANCIES	146 77.5	1 3.3	7 37.3	10 82.0						
MASON										
LIVE BIRTHS	514 73.8	2 1.8	23 33.1	42 93.5						
FETAL DEATHS	3 .4			1 2.2						
ABORTIONS	105 15.1	2 1.8	14 20.2	7 15.6						
TOTAL PREGNANCIES	622 89.3	4 3.6	37 53.3	50 111.3						
OKANOGAN										
LIVE BIRTHS	505 74.0	1 .9	21 32.9	38 91.8						
FETAL DEATHS	5 .7		1 1.6							
ABORTIONS	94 13.8	1 .9	13 20.3	13 31.4						
TOTAL PREGNANCIES	604 88.5	2 1.8	35 54.8	51 123.2						
PACIFIC										
LIVE BIRTHS	241 75.4		9 28.8	19 94.1						
FETAL DEATHS	1 .3			7 34.7						
ABORTIONS	48 15.1	1 1.9	7 22.4	7 34.7						
TOTAL PREGNANCIES	290 91.0	1 1.9	16 51.2	26 128.8						
PEND OREILLE										
LIVE BIRTHS	132 69.5		9 46.2	8 63.5						
FETAL DEATHS				4 20.5						
ABORTIONS	28 14.8		13 66.7	3 29.8						
TOTAL PREGNANCIES	160 84.3									
PIERCE										
LIVE BIRTHS	9505 76.4	24 1.4	382 31.7	797 102.0						
FETAL DEATHS	57 .9		4 .3	4 .5						
ABORTIONS	3370 27.2	29 1.6	80 31.5	512 65.5						
TOTAL PREGNANCIES	12932 104.3	53 3.0	766 43.5	1313 168.0						
SAN JUAN										
LIVE BIRTHS	115 62.7		2 16.7	2 28.0						
FETAL DEATHS	1 .3			1 13.0						
ABORTIONS	19 10.4		3 25.0	3 39.0						
TOTAL PREGNANCIES	135 73.4									
SKAGIT										
LIVE BIRTHS	1095 73.5	2 .9	39 27.5	90 97.8						
FETAL DEATHS	4 .3			40 43.5						
ABORTIONS	273 18.3	2 .9	33 30.8	130 141.3						
TOTAL PREGNANCIES	1372 92.1	4 1.8	72 80.8							
SKANANIA										
LIVE BIRTHS	100 57.1	1 3.4	6 34.9	9 81.1						
FETAL DEATHS	21 12.0		2 11.6	1 9.0						
ABORTIONS	121 69.1	1 3.4	8 46.5	10 90.1						
TOTAL PREGNANCIES										
SHOONISH										
LIVE BIRTHS	6510 71.0	5 .4	191 23.2	363 68.0						
FETAL DEATHS	39 .4	1 .1	1 .1	1 .2						
ABORTIONS	1490 16.2	6 .4	175 21.2	201 37.6						
TOTAL PREGNANCIES	8039 87.6	12 .9	367 44.5	565 105.8						
SPOKANE										
LIVE BIRTHS	5573 66.3	6 .5	163 19.6	403 75.0						
FETAL DEATHS	20 .4		10 .8	214 36.4						

TABLE 17

RESIDENT ABORTION RATES* WITH RANKS FOR WASHINGTON STATE COUNTIES, 1981-1985

RANK	1981 COUNTY	RATE	1982 COUNTY	RATE	1983 COUNTY	RATE	1984 COUNTY	RATE	1985 COUNTY	RATE
1	KING	36.1	KING	36.1	KING	34.3	KING	33.6	KING	32.1
2	CHELAN	31.8	CHELAN	32.5	CHELAN	33.7	CHELAN	30.5	KITTITAS	27.5
3	KITTITAS	30.5	KITTITAS	30.7	KITTITAS	32.6	THURSTON	29.6	PIERCE	27.2
4	PIERCE	30.4	PIERCE	30.3	PIERCE	29.1	PIERCE	29.0	THURSTON	26.9
5	THURSTON	30.1	THURSTON	29.7	WHATCOM	26.2	KITTITAS	26.7	CHELAN	26.4
6	GRAYS HARBOR	29.2	GRAYS HARBOR	29.6	FRANKLIN	25.8	GRAYS HARBOR	26.0	ADAMS	24.6
7	ASOTIN	28.2	ASOTIN	28.2	THURSTON	25.2	WHATCOM	23.0	CLARK	23.8
8	CLARK*	28.2	CLARK	27.9	GRAYS HARBOR	24.9	BENTON	22.8	WALLA WALLA	23.7
9	SKAGIT	27.5	SKAGIT	27.3	SKAGIT	24.6	FRANKLIN*	22.8	FRANKLIN	23.5
10	GRANT	24.9	GRANT	25.0	GRANT	24.3	SAN JUAN	22.4	GRAYS HARBOR	22.9
11	OKANOGAN	24.6	BENTON	24.8	BENTON	24.0	SPOKANE	22.2	SPOKANE*	22.9
12	WHATCOM	24.5	OKANOGAN	24.6	CLARK	23.6	GRANT	22.0	GRANT	21.6
13	BENTON	24.4	WHATCOM	24.4	SAN JUAN*	23.6	WALLA WALLA	21.7	BENTON	21.2
14	FRANKLIN	23.7	FRANKLIN	24.2	ADAMS	23.4	CLARK	21.5	WHATCOM	20.5
15	SPOKANE	23.1	SPOKANE	23.1	WHITMAN	22.3	SKAGIT*	21.5	YAKIMA*	20.5
16	KITSAP	22.9	KITSAP	22.7	YAKIMA	22.2	WHITMAN	21.4	COLUMBIA	20.2
17	ADAMS	22.3	ADAMS	22.4	WALLA WALLA	21.1	ISLAND	21.0	ASOTIN	19.4
18	YAKIMA	21.9	YAKIMA	21.9	OKANOGAN	19.9	OKANOGAN*	21.0	LEWIS	19.2
19	SAN JUAN	21.6	PACIFIC	21.3	SPOKANE	19.6	YAKIMA	20.8	ISLAND	19.1
20	WALLA WALLA	21.3	WALLA WALLA*	21.3	PACIFIC	19.4	KITSAP	20.7	SKAGIT	18.3
21	PACIFIC	21.1	LEWIS	20.7	KITSAP	18.4	ASOTIN	19.9	KITSAP	17.1
22	ISLAND	20.8	SAN JUAN	20.6	ISLAND	17.3	PACIFIC	19.6	WHITMAN	17.0
23	LEWIS	20.5	ISLAND	20.5	SNOHOMISH	17.1	ADAMS	19.1	SNOHOMISH	16.2
24	SNOHOMISH	20.4	SNOHOMISH	20.3	LEWIS	16.9	MASON	18.9	MASON	15.1
25	MASON	20.1	COWLITZ	20.2	GARFIELD	15.7	LEWIS	18.7	PACIFIC*	15.1
26	COWLITZ	19.9	MASON	19.6	MASON	15.0	SNOHOMISH	16.7	PEND OREILLE	14.8
27	DOUGLAS	18.6	DOUGLAS	19.0	COLUMBIA	15.3	COLUMBIA	15.2	OKANOGAN	13.8
28	WHITMAN	17.8	WHITMAN	18.0	DOUGLAS	14.4	WAHIAKUM	14.9	DOUGLAS	12.3
29	Klickitat	15.4	Klickitat	15.5	PEND OREILLE	13.6	COWLITZ	14.2	STEVENS*	12.3
30	FERRY	14.3	PEND OREILLE	14.2	ASOTIN	13.2	Klickitat	13.8	SKAMANIA	12.0
31	PEND OREILLE	14.2	FERRY	14.1	COWLITZ	12.7	SKAMANIA	13.2	COWLITZ	10.7
32	STEVENS	13.1	STEVENS	13.2	SKAMANIA	12.2	DOUGLAS	13.1	SAN JUAN	10.4
33	COLUMBIA	12.4	COLUMBIA	12.4	LINCOLN	10.8	FERRY	10.4	Klickitat	10.2
34	LINCOLN*	12.4	LINCOLN*	12.4	Klickitat	10.2	GARFIELD	9.2	FERRY	9.6
35	GARFIELD	11.9	GARFIELD	11.9	STEVENS	10.1	PEND OREILLE	8.5	CLALLAM	8.6
36	WAHIAKUM	10.9	WAHIAKUM	10.9	FERRY	8.9	CLALLAM	8.2	LINCOLN	8.5
37	CLALLAM	10.7	CLALLAM	10.8	WAHIAKUM	5.6	STEVENS	7.9	JEFFERSON	7.5
38	SKAMANIA	10.6	SKAMANIA	10.7	JEFFERSON	5.1	JEFFERSON	7.7	WAHIAKUM	7.0
39	JEFFERSON	8.7	JEFFERSON	8.6	CLALLAM	4.6	LINCOLN	6.9	GARFIELD	6.9

* ABORTIONS PER 1,000 FEMALE POPULATION AGED 15-44.
 * TIED IN RANK WITH COUNTY OR COUNTIES ABOVE.

MARRIAGES AND DISSOLUTIONS

TABLE 1

MARRIAGES BY COUNTY OF MARRIAGE BY BRIDE AND GROOM AGE GROUP, WASHINGTON STATE 1985																				
COUNTY	TOTAL	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	OTHER & UNKNOWN
STATE TOTAL	43,771	3	5,417	14,508	9,324	5,772	3,595	2,039	1,093	613	407	334	251	173	81	21	8	32	132	109
ADAMS	BRIDE 115 GROOM 115		25 8	50 40	15 34	6 12	8 3	5 5	1 5	1 3	1 1	2 2	1 1							1
ASOTIN	BRIDE 132 GROOM 132		18 8	54 43	22 28	15 22	9 15	7 9	1 1	3 3		3 2	1 1							1
BENTON	BRIDE 1,030 GROOM 1,030		165 67	392 337	184 265	114 134	83 84	44 42	11 35	8 22	10 14	5 13	7 8	4 7	1 1			1	1	2
CHELAN	BRIDE 635 GROOM 635		90 30	215 188	126 145	75 109	55 58	29 38	11 25	11 9	5 5	6 11	4 7	3 7	2 2	1 1		1		2
CLALLAM	BRIDE 546 GROOM 546		81 21	162 145	115 136	75 81	36 55	25 41	18 19	11 7	6 10	4 10	8 8	1 1	3 4			1		
CLARK	BRIDE 3,609 GROOM 3,609		468 174	1,082 913	734 845	501 580	333 386	121 243	121 172	67 113	41 61	36 52	12 33	16 21	1 7	3 3	2 2			4
COLUMBIA	BRIDE 35 GROOM 35		6 1	13 10	8 9	1 1	1 3	1 1		1 1	1 1	2 2		2 2	1 1					
COMALITZ	BRIDE 740 GROOM 740		125 35	260 240	113 166	79 95	67 70	37 44	17 29	10 17	8 12	9 16	6 6	5 6	1 2	1 2				2
DOUGLAS	BRIDE 185 GROOM 185		26 16	51 59	37 37	24 22	11 18	12 19	6 1	1 4	2 3	2 1	1 3	1 1	1 1					1
FLARY	BRIDE 50 GROOM 50		9 4	17 16	8 8	7 7	5 7	1 1	4 1	1 1		1 1	1 1	1 1						1
FRANKLIN	BRIDE 202 GROOM 202		36 13	71 68	41 47	15 28	11 13	9 9	6 10	3 3	2 3	1 2	1 2	3 1	1 1					3
GARFIELD	BRIDE 18 GROOM 18		3 1	9 11	3 5	2 1	1 1	1 1												
GHANT	BRIDE 387 GROOM 387		80 27	120 121	58 80	52 56	30 30	16 21	8 18	4 12	4 5	4 10	5 1	1 5	1 1					2
GRAYS HARBOR	BRIDE 601 GROOM 601		88 31	199 166	103 148	78 91	54 55	30 32	17 22	8 11	9 11	6 5	3 8	1 3	1 1	1 1				4
ISLAND	BRIDE 564 GROOM 564		85 29	197 189	105 132	71 76	40 56	22 25	15 13	4 12	8 9	5 8	6 7	4 2	3 3	1 1		1		1
JEFFERSON	BRIDE 195 GROOM 195		20 5	39 38	46 47	34 28	27 31	11 15	5 12	2 7	1 4	3 1	4 5	1 1	1 1	1 1				1
KING	BRIDE 13,730 GROOM 13,730		1,084 319	4,457 3,356	3,389 3,873	2,093 2,428	1,147 1,434	635 871	340 500	194 302	110 227	92 145	80 103	37 62	21 48	5 19	3 10			43
KITSAP	BRIDE 1,725 GROOM 1,725		284 82	564 621	326 362	218 242	153 156	83 101	34 56	26 31	8 18	6 23	3 13	4 10	1 2	4 4	1 2			3
KITTITAS	BRIDE 170 GROOM 170		17 8	61 51	31 37	23 26	19 19	4 9	4 6	3 6	3 1	1 4	1 3	1 1	2 2	1 1				1
Klickitat	BRIDE 152 GROOM 152		27 4	41 47	32 31	14 23	16 13	8 7	2 9	2 3	3 4	2 2	1 6	2 2						2
LEWIS	BRIDE 605 GROOM 605	1	118 43	193 181	87 131	77 68	45 60	22 40	20 20	9 16	11 13	5 14	6 7	6 5	3 6			1		2
LINCOLN	BRIDE 78 GROOM 78		13 3	39 37	11 17	4 10	4 6	3 2	1 1	2 1		1 1		1 1						1
MASON	BRIDE 264 GROOM 264		30 13	78 63	50 41	29 49	29 31	22 22	9 14	4 9	4 9	3 4	3 3	2 4			1			1
OKANOGAN	BRIDE 332 GROOM 332	1	57 13	76 91	70 65	39 50	39 41	19 24	7 19	5 9	3 2	2 5	4 3	7 2	1 3	2 2		2		2
PACIFIC	BRIDE 195 GROOM 195		32 13	57 56	36 39	18 25	20 24	12 9	7 4	1 5	2 3	3 5	3 6	2 2	1 1	1 1		1		1
PEND OREILLE	BRIDE 79 GROOM 79		19 8	28 26	12 17	5 8	6 7	5 7	2 2	3 2	1 2		1 1		1 1					1
PIERCE	BRIDE 5,621 GROOM 5,621		809 287	2,005 1,960	1,224 1,345	609 754	429 480	222 304	97 172	69 114	54 62	37 51	20 42	21 37	7 10	6 5	2 6			10
SAN JUAN	BRIDE 222 GROOM 222		8 1	30 28	55 42	62 51	32 48	15 22	5 10	4 7	3 5	2 3	1 3	1 1	1 1					4
SKAGIT	BRIDE 765 GROOM 765		116 50	255 207	140 178	99 114	54 77	36 41	25 31	5 17	6 15	11 10	7 6	1 5	1 8	2 2				3
SKAPANIA	BRIDE 127 GROOM 127		20 10	26 23	17 13	15 23	14 15	13 13	4 8	9 8	3 4	4 3	1 2	1 2						
SNOHOMISH	BRIDE 3,078 GROOM 3,078	1	381 114	1,028 878	610 761	376 412	258 325	170 210	100 114	39 89	28 53	26 25	20 31	12 21	9 14	2 6	2 2			18
SPOKANE	BRIDE 2,858 GROOM 2,858		366 118	1,062 967	616 697	339 379	194 268	104 141	66 94	33 67	27 45	19 22	14 24	9 17	7 12		1			1
STEVENS	BRIDE 211 GROOM 211		43 10	60 66	32 33	22 28	22 29	15 15	9 12	4 6	4 4	1 5		1 1	1 1		1			1
THURSTON	BRIDE 1,284 GROOM 1,284		181 64	389 390	266 277	178 180	105 132	73 93	37 54	20 27	10 28	8 14	5 7	3 8	3 4	1 1				5
WAKIYAKUM	BRIDE 36 GROOM 36		5 2	7 6	5 7	6 4	5 5	2 3	2 4	2 2	1 2	1 1								
WALLA WALLA	BRIDE 487 GROOM 487		74 24	129 136	98 105	67 69	49 64	28 36	12 13	7 19	7 5	6 5	2 4	5 3	2 3					1
WHATCOM	BRIDE 1,029 GROOM 1,029		122 39	349 304	218 231	145 181	72 109	38 47	32 33	14 23	9 24	7 10	9 9	6 7	2 4	3 3				6
WHITMAN	BRIDE 180 GROOM 180		17 7	82 60	33 46	21 29	14 14	6 12	2 1	3 1	1 1			1 2						
YAKIMA	BRIDE 1,499 GROOM 1,499		259 82	561 531	268 389	164 167	99 120	61 64	41 46	21 30	13 23	8 19	8 9	10 11	2 6	1 2				3

TABLE 2

DISSOLUTIONS, ANNULMENTS, AND SEPARATE MAINTENANCE BY COUNTY OF DECREE, WASHINGTON STATE 1985

COUNTY OF DECREE	TOTAL	DISSOLUTION	ANNULMENT	SEPARATE MAINTENANCE	NOT STATED
STATE TOTAL	26,512	26,194	116	166	36
ADAMS	65	63	2		
ASOTIN	95	95			
BENTON	657	655		2	
CHELAN	413	406	3	4	
CLALLAM	353	353			
CLARK	1,379	1,362	8	7	2
COLUMBIA	16	16			
COWLITZ	542	535	1	4	2
DOUGLAS	27	27			
FERRY	30	30			
FRANKLIN	196	195		1	
GARFIELD	17	17			
GHANT	315	312	3		
GRAY'S HARBOR	433	432	1		
ISLAND	314	306	2	3	3
JEFFERSON	118	116	1	1	
KING	7,670	7,560	31	67	12
KITSAP	858	849	2	3	4
KITTITAS	99	98		1	
Klickitat	91	90	1		
LEWIS	360	376	1	1	2
LINCOLN	800	796	3	1	
MASON	152	147	1	4	
OKANOGAN	161	159			2
PACIFIC	80	77	2	1	
PEND OREILLE	33	33			
PIERCE	3,466	3,425	18	19	4
SAN JUAN	52	50		2	
SKAGIT	473	472	1		
SKAMANIA	66	66		2	
SNOHOMISH	2,221	2,204	8	9	
SPOKANE	1,909	1,880	14	11	4
STEVENS	154	153	1		
THURSTON	923	911	2	10	
WAHKIAKUM	12	12			
WALLA WALLA	289	287	2		
WHATCOM	605	594	3	8	
WHITMAN	125	124		1	
YAKIMA	921	911	5	4	1

TABLE 3

DISSOLUTIONS BY COUNTY OR DIVORCE BY HUSBAND AND WIFE AGE GROUP, WASHINGTON STATE 1985																			
COUNTY	TOTAL	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	OTHER UNK
STATE TOTAL	WIFE 26,194 HUSBAND 26,194	2 1	338 58	3,688 2,262	5,361 4,907	4,771 4,854	3,958 4,184	2,464 3,080	1,332 1,835	675 1,126	405 719	259 403	162 217	75 131	28 61	9 39	7 14	2,465 2,303	
ADAMS	WIFE 63 HUSBAND 63			9 8	23 18	13 14	7 10	7 4	2 2	2 2			1 1					1 1	
ASOTIN	WIFE 95 HUSBAND 95		1 1	16 8	28 20	10 24	11 9	12 11	6 6	4 4	4 4	2 4		1 1				4 2	
BENTON	WIFE 655 HUSBAND 655		12 2	115 67	143 135	128 127	93 94	67 80	30 54	24 26	13 27	4 11	2 1	4 4	1 1	3		19 23	
CHELAN	WIFE 406 HUSBAND 406		8	64 38	79 82	80 74	73 74	29 42	17 34	14 13	4 10	7 7	2 5	2 1				27 27	
CLALLAM	WIFE 353 HUSBAND 353		8 2	59 36	69 60	57 67	58 67	37 47	27 18	4 14	7 16	7 6	2 6	1 1	1 1	1 1		1 1	
CLARK	WIFE 1,362 HUSBAND 1,362		17 4	178 90	273 265	277 276	253 240	139 163	80 120	31 64	18 37	9 21	9 8	4 5	1 1	1 1		76 67	
COLUMBIA	WIFE 16 HUSBAND 16		1	3 1	2 3	3 2	2 2	1 1	1 1	1 1		1 1						1 1	
COWLITZ	WIFE 535 HUSBAND 535		15 1	97 61	126 110	97 118	77 70	45 64	24 32	18 29	8 19	4 9	5 4	4 4	1 3	2		17 9	
DOUGLAS	WIFE 27 HUSBAND 27		1	3 1	5 3	4 5	4 7	2 3	3 3		1 1	1 2						1 1	
FERRY	WIFE 30 HUSBAND 30		1	2 3	3 2	4 1	2 4	2 2		1 1								16 13	
FRANKLIN	WIFE 195 HUSBAND 195		3	29 17	59 46	36 39	17 29	13 15	12 14	5 9	5 9	3 3	1 1	1 1				11 13	
GARFIELD	WIFE 17 HUSBAND 17			3 2	1 1	3 2	3 1	3 4	2 3		1 1			1 1				1 1	
GHANT	WIFE 312 HUSBAND 312		7 2	59 37	50 54	62 53	51 54	25 33	13 23	5 13	5 7	4 8	4 5	1 3	1 1			25 20	
GRAYS HARBOR	WIFE 432 HUSBAND 432		6 2	69 47	77 72	75 65	63 65	48 64	27 34	4 15	5 17	8 6	2 3	2 2		2		44 37	
ISLAND	WIFE 306 HUSBAND 306		7	63 46	66 49	64 52	31 28	22 20	11 11	4 7	6 7	2 3	3 3	1 1				26 29	
JEFFERSON	WIFE 116 HUSBAND 116		3	12 6	16 13	22 19	31 25	9 19	5 9	2 2	2 4	2 3	2 4	1 3	1 1	1 2		6 4	
KING	WIFE 7,560 HUSBAND 7,560	1	49 12	840 438	1,513 1,239	1,379 1,412	1,091 1,198	721 904	399 507	164 318	103 198	58 114	38 61	21 31	5 13	8		1,155 1,101	
KITSAP	WIFE 849 HUSBAND 849		17 3	172 103	173 182	163 182	130 121	73 104	39 60	16 28	10 20	2 5	6 7	2 2	2 2			44 32	
KITITAS	WIFE 98 HUSBAND 98	1	1	15 8	17 18	27 18	14 20	6 15	4 5		2 4	5 2	1 2	1 1				2 1	
Klickitat	WIFE 90 HUSBAND 90		3 1	15 10	20 14	10 13	23 23	5 9	3 8	4 4	2 1	2 1	1 2					2 1	
LEWIS	WIFE 376 HUSBAND 376		7	64 33	72 77	68 67	53 53	27 34	17 31	10 18	14 12	10 9	1 3	1 5	2			30 32	
LINCOLN	WIFE 796 HUSBAND 796		13 2	141 84	156 154	146 147	118 120	78 96	41 56	18 42	13 27	15 13	10 9	5 7	3 5	1 3		37 31	
MASON	WIFE 147 HUSBAND 147		2	26 17	29 27	32 26	13 19	20 23	6 17	11 9	1 6	3 3	1 2	1				3 3	
OKANOGAN	WIFE 159 HUSBAND 159		4	27 20	26 33	36 31	24 26	15 14	5 8	7 5	1 7	3 1	2 1	2				9 11	
PACIFIC	WIFE 77 HUSBAND 77		2 1	15 3	12 18	15 20	9 10	7 5	3 4	4 2	3 4	1 2	2 2	1				4 6	
PEND OREILLE	WIFE 33 HUSBAND 33		2	4 2	6 7	4 4	6 3	3 4	1 2	1 1	1 2	1 3						1 1	
PIERCE	WIFE 3,425 HUSBAND 3,425		62 9	624 423	803 739	604 627	505 539	309 397	170 244	96 129	53 84	21 47	19 23	7 9	5	2		146 141	
SAN JUAN	WIFE 50 HUSBAND 50		1	3 2	12 9	14 10	9 10	4 7	3 3	1 4		1 1		1 1				1 1	
SKAGIT	WIFE 472 HUSBAND 472		5 2	83 38	65 101	88 74	78 90	50 46	21 33	9 24	10 13	5 9	4 6	3	1			33 32	
SKAMANIA	WIFE 66 HUSBAND 66			10 5	22 14	14 19	7 9	4 7	5 4		1 4		2	1				1	
SNOHOMISH	WIFE 2,204 HUSBAND 2,204		23 4	305 166	434 386	381 391	347 367	199 271	123 153	57 115	30 50	15 21	17 17	6 7	1 6	1		264 245	
SPOKANE	WIFE 1,880 HUSBAND 1,880		22 4	330 195	377 398	340 334	315 303	184 225	89 130	59 97	37 49	27 36	14 15	3 15	1 7			82 71	
STEVENS	WIFE 153 HUSBAND 153		4 1	23 11	29 31	28 25	26 28	14 24	4 10	3 4	3 3	3 3	1 1					16 9	
THURSTON	WIFE 911 HUSBAND 911		7 3	136 68	171 171	157 163	135 127	85 98	40 64	20 38	18 23	8 13	4 5	1 4	2 2			127 121	
WAHIAKUM	WIFE 12 HUSBAND 12			1 3		2 4	3 2			2 1				1 1					
WALLA WALLA	WIFE 287 HUSBAND 287		3	43 22	45 48	47 51	44 54	42 29	15 21	13 16	6 20	7 8	1 1	2 1				17 15	
WHATCOM	WIFE 594 HUSBAND 594		8 2	60 27	126 96	108 105	76 102	39 58	27 30	11 18	10 12	7 10	2 5	1	2	1		120 123	
WHITMAN	WIFE 124 HUSBAND 124			18 9	23 18	24 30	17 15	22 12	7 15	3 10	2 2	1 1						7 9	
YAKIMA	WIFE 911 HUSBAND 911		13	150 108	187 168	149 140	131 135	100 123	48 66	27 37	7 20	11 14	6 9	3 7	1 2	2		78 78	

TABLE 4

DISSOLUTIONS BY TOTAL LIVING CHILDREN BY PLACE OF WIFE'S RESIDENCE, WASHINGTON STATE 1985*

COUNTY OF DECREE	TOTAL	NUMBER OF CHILDREN								EIGHT OR MORE	NOT STATED
		0	1	2	3	4	5	6	7		
STATE TOTAL	26,194	11,475	5,567	5,049	1,754	551	175	67	32	26	1,498
ADAMS	55	17	16	8	9	4			1		
ASOTIN	98	41	23	20	8	2	1				3
BENTON	647	276	166	120	50	10	8		2	1	14
CHELAN	304	147	56	62	18	5	2	1	1		12
CLALLAM	329	125	81	75	27	7	1	1	2		10
CLARK	1,187	509	264	265	95	20	9	4	2		19
COLUMBIA	15	6	4	3		2					
COWLITZ	485	208	129	85	35	11	3	2		1	11
DOUGLAS	129	42	34	32	9	5		1			6
FERRY	23	10	6	5	1		1				
FRANKLIN	170	79	28	37	15	3	2	1	2	2	1
GARFIELD	13	5	1	3	3	1					
GRANT	291	114	76	52	27	5	2	3	2	1	9
GHAYS HARBOR	401	179	89	73	35	12	3				10
ISLAND	288	109	78	64	17	8	1	1			10
JEFFERSON	110	39	24	27	11	5		1			3
KING	6,548	3,258	1,336	1,162	391	121	36	13	4	3	222
KITSAP	797	366	168	160	49	18	8	4		1	23
KITTITAS	82	38	14	12	9	2					7
KLICKITAT	88	36	18	20	9	1	2				2
LEWIS	340	130	71	78	31	13		1	2		14
LINCOLN	35	11	8	12	3						1
MASON	152	56	39	34	11	5	3	1			3
OKANOGAN	151	66	29	34	11	5	2		1		3
PACIFIC	60	25	11	17	3	2					2
PEND OREILLE	39	19	4	10	4	1		1			
PIERCE	3,052	1,351	687	620	204	64	24	9	3	2	88
SAN JUAN	45	20	15	5	3	2					
SKAGIT	435	175	94	109	32	10	2				13
SKAMANIA	38	13	9	12	3						1
SNOHOMISH	2,141	948	467	436	157	42	15	7	2	2	65
SPOKANE	2,122	902	466	467	158	45	13	6	2	6	57
STEVENS	163	58	43	34	14	3	1				10
THURSTON	834	357	194	167	67	20	6	1		1	21
WAHIAKUM	8	4	1		1						2
WALLA WALLA	250	103	52	58	20	7	4	1	1		4
WHATCOM	568	245	115	123	40	16	5	2	1		20
WHITMAN	109	49	21	25	6	4	2				2
YAKIMA	868	350	221	191	60	21	7	2	1	3	12
OUT-OF-STATE	1,428	726	302	222	82	35	5	4	2	2	48
UNKNOWN	1,296	263	107	110	26	14	5		1		770

*INCLUDES ALL LIVING CHILDREN REGARDLESS OF AGE
DOES NOT INCLUDE RESIDENTS WHO OBTAIN DISSOLUTIONS OUTSIDE OF WASHINGTON STATE

APPENDIX

APPENDIX A

DEFINITIONS

GENERAL TERMS

ABORTION - The termination (spontaneous or induced) of a pregnancy before the fetus has attained viability. Where unqualified in this report, the term refers to induced abortions.

ABORTION-RELATED COMPLICATIONS - Complications encountered and detected at the time pregnancy termination occurs and before the abortion report is filed.

Cervical laceration - a tear wound of the cervix which requires sutures.

Failed abortion - the products of conception fail to be expelled from the uterus after induction.

Hemorrhage - copious or excessive bleeding, clinically assessed.

Infection - inflammation of the endometrium (the mucous coat of the uterus) or elevation of body temperature over 100.4 degrees for one or more days.

Retained products - retention of some of the fetal or placental tissue in the uterus after an abortion procedure. A second procedure is required for removal.

Uterine perforation - unintentional puncture of the uterine wall which requires intervention.

BIRTH WEIGHT - Weight of fetus or infant at time of delivery (normally recorded in pounds and ounces).

FETAL DEATH - Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy. The death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Reporting of fetal deaths to the state is required only when the gestational period is twenty weeks or more.

GESTATIONAL PERIOD - Number of weeks elapsed between the first day of the last menstrual period and date of delivery or date of pregnancy termination. The Abortion Reporting System relies upon the physician's estimate of gestational age. With current technology (i.e., ultrasound) accuracy is plus or minus 11 days.

INDUCED ABORTION - The purposeful interruption of pregnancy, irrespective of the duration of pregnancy, with the intention other than to produce a live born infant or to remove a dead fetus, the result of which is not a live birth. Procedures for false pregnancy, ectopic pregnancy and missed abortion (dead ovum retained in uterus in intended pregnancy) are not included.

INDUCED ABORTION PROCEDURES:

Dilatation and Evacuation (D&E) - dilatation of the cervical canal by means of laminaria tents (sterile dried seaweed) until the cervical opening is large enough to allow removal of the uterine contents by means of a sponge forceps or some other specially designed instrument.

Hysterectomy - removal of the uterus by surgical procedure either with the fetus inside or after the fetus is removed; usually performed when a pathological condition of the uterus, such as fibroid tumors, warrants its removal, or when a woman desires sterilization.

Hysterotomy - surgical entry into the uterus, as in a Caesarean section, to remove a fetus too immature to survive, even with extraordinary life support measures; usually performed only if other abortion measures have failed.

Prostaglandin - induction of labor resulting in the expulsion of the fetus by administration of a substance with hormone-like action, either vaginal suppository or intra-amniotic injection.

Saline - induction of labor with eventual expulsion of the fetus by insertion of a hollow needle through the abdominal wall, withdrawal of a portion of the amniotic fluid from the uterine cavity, and subsequent replacement with a concentrated salt solution.

Sharp Curettage - dilatation of the cervical canal with scraping and removal of fetal and placental tissues by use of a curette (which resembles a small spoon). Also, surgical D&C or surgical curettage.

Suction Curettage - dilatation of the cervical canal by the successive insertion of instruments of increasing diameter called dilators until the opening is large enough to insert a flexible tube (cannula) into the uterine cavity and permit the suction removal of fetal and placental tissues by an electric vacuum pump. Also, vacuum aspiration, suction D&C, or early uterine evacuation.

INFANT DEATH - Death of a child under one year of age.

LIVE BIRTH - The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes, or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

LIVE BIRTH ORDER - Total number of live births to a given mother, including current birth.

MATERNAL DEATH - Death attributed to complications of pregnancy, childbirth, or the puerperium.

NEONATAL DEATH - Death of an infant within the first 27 days of life.

NULLIPAROUS - Having never given birth to a liveborn infant.

OCCURRENCE DATA - Data allocated by place where event occurred, regardless of the person's place of residence.

PARITY - Previous live births; does not include current birth.

PERINATAL DEATH - Fetal deaths plus deaths to infants within the first six days of life.

PREMATURE BIRTH - A live birth weighing 2,500 grams (5-1/2 pounds) or less. If birth weight is not stated, length of gestation (under 37 weeks) is used.

RESIDENCE DATA - Data allocated by place of residence of the decedent (deaths), or by place of residence of the child's mother (births, fetal deaths) or patient (abortions).

SPONTANEOUS ABORTION - An unintended interruption of pregnancy the result of which is a fetal death of any gestational age. Also, miscarriage or miscarried pregnancy.

STANDARD METROPOLITAN STATISTICAL AREA (SMSA) - A county or a group of contiguous counties which contains at least one central city (or city and adjacent places) with at least 50,000 residents, and which is essentially metropolitan in character and socially and economically integrated with the central city; or, a Census Bureau-defined, urbanized area having at least 50,000 population and a total county population of at least 100,000.

TRIMESTER - The duration of human pregnancy, approximately 266 days, divided by 3, resulting in three equal time periods equaling 88.67 days, or 12.67 weeks, or approximately three months, each. As a useful rule-of-thumb, gestation weeks 1 through 12 are considered the first trimester of pregnancy; weeks 13 through 24, the second trimester; and over 24 weeks, the third trimester.

RATES AND RATIOS

Rates and ratios are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant (i.e. 1,000, 10,000, or 100,000). See below.

ABORTION RATE - Number of abortions per 1,000 female population aged 15 to 44.

ABORTION RATIO - Number of abortions per 1,000 live births.

AGE-ADJUSTED ABORTION RATE - Number of abortions per 1,000 female population adjusted for age to a standard population (in this report, the 1970 U.S. population). Age-specific abortion rates in each county are, first, multiplied by the proportion of the standard population in that age group; the products are, then, summed across all age groups.

AGE-SPECIFIC RATE - Number in event of concern for a specific age group per some fixed constant of population in that age group. For instance, the age-specific death rate is the number of deaths in a specific age group per 100,000 population in that age group. See different rates, i.e. fertility, pregnancy, abortion, for most typically used fixed constant in each rate.

CAUSE-SPECIFIC DEATH RATE - Number of deaths from a specific cause per 100,000 population.

COMPLICATION RATE - Number of complication cases per 1,000 procedures; one case may have more than one complication.

(CRUDE) BIRTH RATE - Number of live births per 1,000 population.

(CRUDE) DEATH RATE - Number of deaths per 1,000 population.

FERTILITY RATE - Number of live births per 1,000 women, 15-44 years of age.

FETAL DEATH RATIO - Number of fetal deaths per 1,000 live births.

INFANT DEATH RATE - Number of infant deaths per 1,000 live births.

MATERNAL DEATH RATE - Number of maternal deaths per 10,000 live births.

NEONATAL DEATH RATE - Number of neonatal deaths per 1,000 live births.

PERINATAL DEATH RATE - Number of perinatal deaths per 1,000 live births plus fetal deaths.

PREGNANCY RATE - Number of total pregnancies (live births, fetal deaths, and abortions) per 1,000 female population aged 15-44.

APPENDIX B

TECHNICAL NOTES

RELIABILITY OF THE DATA

In analyzing any data, the possibility of errors in the data must not be overlooked. There are several types of possible errors, including under-registration, errors made by the informant, and errors in compilation and processing. The most potentially dangerous error, however, is probably that of improper interpretation.

Statistics are neither more true nor false than the interpretation given to them. It should be emphasized that most of the rates computed in this report are crude rates. For comparing geographic areas, crude rates are limited. They do not reflect differences in age, sex, race, and other population characteristics. In addition, it is important to recognize the possible distortion in these rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates. Special caution should also be exercised in analyzing trend data, because of changes throughout the years in medical diagnosis, coding definitions, and registration coverage.

This year's report used an automated process to create all the tables published. The programs were reapplied to the previous five years of data pertaining to induced abortion to facilitate trend analysis. Some differences with previously published totals resulted. Therefore, there is some slight variation between totals published in the 1981 and 1982 volumes of Induced Termination of Pregnancy, Washington State and this report. The difference is not statistically significant.

COLLECTION YEAR

Data for the Vital Statistics and Induced Terminations of Pregnancy report are compiled from items on birth, death, marriage, and divorce certificates, and abortion reports received before April 15, 1986. (See Appendix F for samples.)

INTERSTATE EXCHANGES

Washington State is a member of the interstate exchange agreement and receives birth and death certificates of residents who have died in other states. Although, no formal agreement exists, some states have agreed to exchange abortion reports. Out-of-state marriage and divorce certificates are not exchanged.

POPULATION

Population data in this report are an estimate of population provided by the Washington State Office of Financial Management, April 1, 1985.

RACE

The race of women obtaining induced abortions, although collected, is not useful for analysis because of the large number of reported unknowns and blanks. In 1985, "unknown" was the second largest category, amounting to more than all other racial categories combined except white among reported abortions.

The determination of race on birth and death certificates follows decision rules established by the National Center for Health Statistics (NCIS).

If more than one race is listed and one is Hawaiian, Hawaiian is selected. In cases of other races, the first non-white race listed is selected.

To determine race of newborns on birth certificates, each parent's race is first established according to the previous rules. Rules to determine race of the child, then, fall along a similar pattern:

1. If either parent is Hawaiian, then the child's race is considered Hawaiian.
2. In cases where one parent is white and the other non-white, the non-white race is selected as the race of the child.
3. If both parents are non-white, the father's race is selected except where the mother's race is Hawaiian.

Please note: The U.S. Bureau of the Census develops estimates of the population of racial and ethnic groups from surveys, both a 100 percent and a supplementary sample. The decision rules of the Census Bureau differ substantially from those of NCIS. The process used by the Bureau is described in their publication, Census of Population and Housing, Users' Guide, page 10.

OCCURRENCE DATA

The validity of occurrence death data has some limitations. As the death certificate does not specify inside or outside of corporate limits for place of death, rural deaths may be incorrectly assigned to cities because the location of death was in close proximity to a city. Informants, moreover, often are unaware of city boundaries.

CAUSE OF DEATH CLASSIFICATION

The causes of death presented herein are classified in accordance with the The International Classification of Diseases, Ninth Revision published by the World Health Organization. The State of Washington began using this revision January 1, 1979.

ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS)

In cases of death due to Acquired Immune Deficiency Syndrome (AIDS), the nosological rules developed by the World Health Organization for determining the underlying cause of death, most often make the sequela of the disease, such as, *Pneumocystis carinii* or Kaposi's sarcoma, the underlying cause of death rather than the disease itself. Therefore, AIDS data in this volume are reported in cooperation with the AIDS Reporting System of the Public Health Laboratory in the Department of Social and Health Services.

RANKING OF LEADING CAUSES OF DEATH

In the interest of comparability, this summary uses, in general, the cause of death groups established by the National Center for Health Statistics (NCIS).

LOW BIRTH WEIGHT

Traditionally, low birth weight has been defined as 2,500 grams or less. However, the International Classification of Diseases, Ninth Revision (ICD-9) redefines low birth weight as less than 2,500 grams. Thus, 2,500 grams should now be included with the normal birth weight category. The impact of this change is minimal in the United States, where most weights are given in pounds and ounces. No weight of pounds and ounces converts exactly to 2,500 grams (5lb, 8oz is 2,495g and 5lb 9oz is 2,523g). It is, therefore, unlikely that many weights of 2,500 grams are recorded. In fact, none were found for 1984 Washington State births. In the interests of consistency with past data, Washington State has chosen to continue including 2,500 grams with the low birth weight category.

ROUNDING

Rates are rounded to the nearest tenth. When the rate or percent is less than one-tenth, the entry is 0. Where whole numbers are used, a blank indicates none or zero.

APPENDIX C

CONVERSION OF BIRTH WEIGHT GROUPS IN GRAMS TO POUNDS AND OUNCES

GRAM WEIGHT	POUNDS AND OUNCES
1,000 grams and under	2 lbs. 3 oz. and less
1,001 - 1,500	2 lbs. 4 oz. - 3 lbs. 4 oz.
1,501 - 2,000	3 lbs. 5 oz. - 4 lbs. 6 oz.
2,001 - 2,500	4 lbs. 7 oz. - 5 lbs. 8 oz.
2,501 - 3,000	5 lbs. 9 oz. - 6 lbs. 9 oz.
3,001 - 3,500	6 lbs. 10 oz. - 7 lbs. 11 oz.
3,501 - 4,000	7 lbs. 12 oz. - 8 lbs. 13 oz.
4,001 - 4,500	8 lbs. 14 oz. - 9 lbs. 14 oz.
4,501 grams and over	9 lbs. 15 oz. and over

One pound = 453.59 grams

APPENDIX D

POPULATION OF THE STATE OF WASHINGTON BY AGE GROUP, BY SEX, APRIL 1, 1985

AGE GROUP	TOTAL	MALE	FEMALE
TOTAL	4,384,100	2,181,862	2,202,238
UNDER 1 YR	68,861	35,299	33,562
1 - 4	272,750	139,851	132,899
5 - 14	609,160	311,117	298,043
15 - 19	326,057	167,521	158,536
20 - 24	369,582	191,307	178,275
25 - 34	796,181	407,479	388,702
35 - 44	644,699	326,396	318,303
45 - 54	410,282	208,221	202,061
55 - 64	389,540	186,823	202,717
65 - 74	297,629	135,686	161,943
75 - 84	149,626	57,864	91,762
85 AND OVER	49,733	14,298	35,435

APPENDIX E

POPULATION, STATE OF WASHINGTON, COUNTIES AND
CITIES OF 10,000 POPULATION AND OVER, APRIL 1, 1985

	CITY TOTAL	COUNTY TOTAL		CITY TOTAL	COUNTY TOTAL
ADAMS		13,300	KITTITAS		25,000
ASOTIN		17,000	ELLENSBURG	11,670	
BENTON		105,200	KLICKITAT		16,700
KENNEWICK	36,990		LEWIS		56,500
RICHLAND	30,508		CENTRALIA	11,810	
CHELAN		48,500	LINCOLN		9,700
WENATCHEE	17,360		MASON		34,800
CLALLAM		52,600	OKANOGAN		31,700
PORT ANGELES	17,200		PACIFIC		17,500
CLARK		203,400	PEND OREILLE		9,100
VANCOUVER	42,760		PIERCE		524,900
COLUMBIA		4,100	PUYALLUP	19,180	
COWLITZ		79,600	TACOMA	160,800	
KELSO	10,930		SAN JUAN		8,900
LONGVIEW	30,300		SKAGIT		68,200
DOUGLAS		22,900	MOUNT VERNON	14,210	
FERRY		6,100	SKAMANIA		7,900
FRANKLIN		35,700	SNOHOMISH		373,000
PASCO	18,700		EDMONDS	27,880	
GARFIELD		2,500	EVERETT	57,030	
GRANT		49,900	LYNNWOOD	23,400	
MOSES LAKE	10,370		MOUNTLAKE TERRACE	15,900	
GRAYS HARBOR		63,900	SPOKANE		354,300
ABERDEEN	17,250		SPOKANE (CITY)	172,100	
ISLAND		49,200	STEVENS		30,100
OAK HARBOR	12,617		THURSTON		139,500
JEFFERSON		17,500	LACEY	15,200	
KING		1,346,400	OLYMPIA	28,560	
AUBURN	29,880		WAHIAKUM		3,700
BELLEVUE	80,250		WALLA WALLA		48,400
DES MOINES	13,500		WALLA WALLA (CITY)	25,640	
KENT	26,979		WHATCOM		116,000
KIRKLAND	19,205		BELLINGHAM	46,360	
MERCER ISLAND	20,620		WHITMAN		39,600
REDMOND	28,130		PULLMAN	22,560	
RENTON	34,030		YAKIMA		182,500
SEATTLE	491,400		YAKIMA (CITY)	49,510	
KITSAP		167,800	STATE TOTAL		4,384,100
BREMERTON	37,760				

APPENDIX F

STATE OF WASHINGTON DEPARTMENT OF SOCIAL AND HEALTH SERVICES

VITAL RECORDS

CERTIFICATE OF DEATH

IF DEATH OCCURRED IN INSTITUTION SEE
HANDBOOK REGARDING COMPLETION OF
RESIDENCE ITEM 5.

CONDITIONS IF ANY WHICH GAVE RISE TO
IMMEDIATE CAUSE STATING UNDERLYING
CAUSE LAST.

FOR STATE
REGISTRAR
USE ONLY

LOCAL FILE NUMBER		1 NAME FIRST, MIDDLE, LAST		2 SEX		3 DEATH DATE (MO DAY YR)		146-8		STATE FILE NUMBER	
4 RACE (WHITE, BLACK, AM. IND. ETC. (SPECIFY))		5 AGE - LAST BIRTH DAY (YRS)		6 UNDER 1 YEAR MOS		7 UNDER 1 DAY HOURS MINS		8 BIRTH DATE (MO DAY YR)		9 COUNTY OF DEATH	
10 CITY, TOWN OR LOCATION OF DEATH				11 PLACE OF DEATH - BOX FOR PLACE THEN GIVE ADDRESS OR INSTITUTION NAME 0 HOME 2 INTRANSPORT 3 EMERG RM/OUT PTN 4 HOSP 5 NUR HOME 1 OTHER PLACE				12 RECEIVED EMERGENCY CARE AMBULANCE, FIRETR. PARAMED? YES/NO			
13 BIRTH STATE (IF NOT IN USA GIVE COUNTRY)		14 CITIZEN OF WHAT COUNTRY		15 MARRIED, NEVER MARRIED, WIDOWED, DIVORCED		16 SPOUSE (IF WIFE GIVE MAIDEN NAME)		17 WAS DECEDENT EVER IN U.S. ARMED FORCES? (YES/NO)			
18 SOCIAL SECURITY NO.				19 USUAL OCCUPATION (GIVE KIND OF WORK DONE DURING MOST OF WORKING LIFE EVEN IF RETIRED)				20 KIND OF BUSINESS OR INDUSTRY			
21 RESIDENCE - NUMBER AND STREET				22 CITY/TOWN, OR LOCATION		23 INSIDE CITY LIMITS? (YES/NO)		24 COUNTY		25 STATE	
26 FATHER - NAME FIRST, MIDDLE, LAST						27 MOTHER - MAIDEN NAME FIRST, MIDDLE, LAST					
28 INFORMANT - NAME				29 MAILING ADDRESS		STREET OR RFD NO.		CITY OR TOWN		STATE ZIP	
30 BURIAL, CREMATION, REMOVAL, OTHER (SPECIFY)		31 DATE (MO DAY YR)		32 CEMETERY/CREMATORY - NAME				33 LOCATION - CITY/TOWN, STATE			
34 FUNERAL DIRECTOR SIGNATURE				35 NAME OF FACILITY		36 ADDRESS OF FACILITY					
TO BE COMPLETED ONLY BY CERTIFYING PHYSICIAN						TO BE COMPLETED ONLY BY MEDICAL EXAMINER OR CORONER					
37 TO THE BEST OF MY KNOWLEDGE, DEATH OCCURRED AT THE TIME, DATE, AND PLACE AND DUE TO THE CAUSE(S) STATED						41 ON THE BASIS OF EXAMINATION AND/OR INVESTIGATION, IN MY OPINION DEATH OCCURRED AT THE TIME, DATE AND PLACE AND DUE TO THE CAUSE(S) STATED					
SIGNATURE AND TITLE						SIGNATURE AND TITLE					
38 DATE SIGNED (MO DAY YR)						39 HOUR OF DEATH (24 HRS)		42 DATE SIGNED (MO DAY YR)		43 HOUR OF DEATH (24 HRS)	
40 NAME AND TITLE OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (TYPE OR PRINT)						44 PRONOUNCED DEAD (MO DAY YR)		45 HOUR PRONOUNCED DEAD (24 HRS)			
46 NAME AND ADDRESS OF CERTIFIER - PHYSICIAN, MEDICAL EXAMINER OR CORONER (TYPE OR PRINT)											
47 IMMEDIATE CAUSE (ENTER ONLY ONE CAUSE PER LINE FOR (A), (B) AND (C))						INTERVAL BETWEEN ONSET AND DEATH					
(A) DUE TO, OR AS A CONSEQUENCE OF						INTERVAL BETWEEN ONSET AND DEATH					
(B) DUE TO, OR AS A CONSEQUENCE OF						INTERVAL BETWEEN ONSET AND DEATH					
(C) DUE TO, OR AS A CONSEQUENCE OF						INTERVAL BETWEEN ONSET AND DEATH					
48 OTHER SIGNIFICANT CONDITIONS - CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN ABOVE								49 AUTOPSY? (YES/NO)		50 WAS CASE REFERRED TO MEDICAL EXAMINER OR CORONER? (YES/NO)	
51 ACC, SUICIDE, HOM, UNDET, OR PENDING INVEST (SPECIFY)		52 INJURY DATE (MO DAY YR)		53 HOUR OF INJURY (24 HRS)		54 DESCRIBE HOW INJURY OCCURRED					
55 INJURY AT WORK? (YES/NO)		56 PLACE OF INJURY - AT HOME, FARM, STREET, FACTORY, OFFICE BLDG, ETC. (SPECIFY)				57 LOCATION - STREET OR RFD NO., CITY/TOWN, STATE					
58 REGISTRAR SIGNATURE						59 DATE RECEIVED (MO DAY YR)					
60 ITEM		DOCUMENTARY EVIDENCE		REVIEWED BY:		DATE:		ITEM		DOCUMENTARY EVIDENCE	

DSHS 9-150 (REV. 1-82)

VITAL
RECORDS
USE
ONLY

A. DISTRICT

B. COPIES

C. HOSPITAL

D. OCCURRENCE

E. RESIDENCE

F.

G.

H. TRACT

I.

J.

K.

L.

M.

N.

O. F-OCUP

P. M-OCUP

Q.

R.

S.

T.

U.

V.

W.

X.

Y.

Z.

AA.
QUERIES

BB.

CC.

106501 B

STATE OF WASHINGTON DEPARTMENT OF SOCIAL AND HEALTH SERVICES
VITAL RECORDS

APPENDIX G

146-8

CERTIFICATE OF LIVE BIRTH

LOCAL FILE NUMBER

STATE FILE NUMBER

1. CHILD'S NAME First Middle Last	2. SEX	3. DATE OF BIRTH MO. DAY YR.	4. HOUR
5. TYPE OF BIRTHPLACE (SPECIFY TYPE) ☐ 1 HOSPITAL ☐ 3 BIRTH CENTER ☐ 5 HOME ☐ 2 ENROUTE ☐ 4 OTH. MED. FACIL. ☐ 6 OTHER	6. NAME OF FACILITY/IF NOT A FACILITY ENTER NAME OF PLACE AND ADDRESS		7. CITY/TOWN/LOCATION
8. COUNTY OF BIRTH		9. I CERTIFY THAT THE STATED INFORMATION CONCERNING THIS CHILD IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF X	
10. DATE SIGNED MO. DAY YR.		11. NAME, TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (TYPE OR PRINT)	
12. CERTIFIER — NAME AND TITLE (Type or print)		13. MAILING ADDRESS (STREET/BOX NO. CITY, STATE, ZIP CODE)	
14. FATHER'S NAME First Middle Last	15. AGE (AT TIME OF THIS BIRTH)	16. STATE OF BIRTH (IF NOT USA GIVE COUNTRY)	
17. MOTHER'S NAME First Middle MAIDEN	18. AGE (AT TIME OF THIS BIRTH)	19. STATE OF BIRTH (IF NOT USA GIVE COUNTRY)	
20. RESIDENCE (NUMBER AND STREET)	21. CITY/TOWN/LOCATION	22. INSIDE CITY LIMITS (YES/NO)	23. COUNTY
24. STATE			
25. MOTHER'S MAILING ADDRESS (IF SAME AS ABOVE ENTER ZIP CODE ONLY)			
26. NAME OF INFORMANT (TYPE OR PRINT)		27. RELATION TO CHILD	
28. DATE RECEIVED BY LOCAL REGISTRAR	29. REGISTRAR (SIGNATURE)		30. DATE RECEIVED BY STATE REGISTRAR
31. RECORD AMENDMENT (STATE REGISTRAR USE ONLY) ITEM DOCUMENTARY EVIDENCE REVIEWED BY DATE ITEM DOCUMENTARY EVIDENCE REVIEWED BY DATE			

TYPE OR PRINT LEGAL PORTION IN PERMANENT BLACK INK
CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY. DETACHED FROM CERTIFICATE BECAUSE PERMANENT FILING.

FATHER	32. RACE (White, Black, American Indian, etc.) (specify)	33. OCCUPATION (Indicate most recent employment) (Pressman, painter, com- puter programmer) (specify)	34. TYPE OF BUSINESS OR INDUSTRY (paper mill, hwy. construction, nuclear) (specify)
	35. RACE (White, Black, American Indian, etc.) (specify)	36. OCCUPATION (Indicate most recent employment) (first, second, casual, registered nurse) (specify)	37. TYPE OF BUSINESS OR INDUSTRY (apple orchard, retail sales, hospital) (specify)
MOTHER	38. PRIOR LIVE BIRTHS (DO NOT INCLUDE THIS BIRTH) ☐ NONE 37 WEEKS OR MORE (specify) LESS THAN 37 WEEKS (Premature) DATE LAST LIVE BIRTH (Mo., Yr.)	39. OTHER PREGNANCY OUTCOMES (NOT LIVE BIRTHS) ☐ NONE 37 WEEKS OR MORE 20-36 WEEKS LESS THAN 20 WEEKS DATE LAST OTHER PREGNANCY OUTCOME (Mo., Yr.)	40. IS MOTHER MARRIED? ☐ Yes ☐ No
	41. TOTAL PRIOR PREGNANCIES	42. DATE LAST NORMAL MENSTRUATION BEGAN Mo. Day Yr.	43. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1st, 2nd, 3rd, etc.)
44. TOTAL NUMBER OF PRENATAL VISITS (If none, enter 0)		45. AMNIOCENTESIS (Indicate Trimester) ☐ 1st ☐ 2nd ☐ 3rd ☐ Not done ☐ Unknown	46. DID MOTHER SMOKE AT ANY TIME DURING PREGNANCY? ☐ Yes ☐ No ☐ Unknown
47. THIS BIRTH (single, twin, etc.)	48. IF NOT SINGLE (Born 1st, 2nd, etc.)	49. BIRTH WEIGHT 1 lb. 5 lb.	50. APGAR SCORE 1 min. 5 min.
51. WAS BABY TRANSFERRED TO ANOTHER FACILITY? ☐ Yes ☐ No ☐ Unknown			
CHECK ALL BOX(ES) IN EACH COLUMN THAT APPLY			
52. COMPLICATIONS DURING OR RELATED TO PREGNANCY (MATERNAL)	53. COMPLICATIONS OF LABOR	54. METHOD OF DELIVERY	55. CONDITIONS OF NEWBORN
56. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD			
☐ 0. None ☐ 1. Diabetes (gestational) ☐ 2. Diabetes (established) ☐ 3. Chronic hypertension ☐ 4. Pyelonephritis ☐ 5. Epilepsy ☐ 6. Pre-eclampsia ☐ 7. Eclampsia ☐ 8. Rh sensitization ☐ 9. Herpes-Active Hc ☐ 10. Syphilis ☐ 11. Rubella ☐ 12. Polyhydramnios ☐ 13. Other (specify)	☐ 0. None ☐ 1. Abruptio placentae ☐ 2. Placenta previa ☐ 3. Rupture of uterus ☐ 4. Cord prolapse ☐ 5. Membranes ruptured > 24hrs. ☐ 6. Breech ☐ 7. Cephalopelvic disproportion ☐ 8. Prolonged labor ☐ 9. Augmented labor ☐ 10. Other (specify below)	☐ 0. None ☐ 1. Spontaneous ☐ 2. Vacuum extraction ☐ 3. Outlet forceps ☐ 4. Induced labor ☐ 5. Primary C-section ☐ 6. Repeat C-section ☐ 7. Vaginal delivery after previous C-section ☐ 8. Other (specify below)	☐ 0. None ☐ 1. Hyaline membrane/RDS ☐ 2. Sepsis (documented) ☐ 3. Seizures ☐ 4. Fetal distress/asphyxia ☐ 5. Erb's palsy ☐ 6. Other birth injuries (specify below) ☐ 7. Hemolytic disease ☐ 8. Fetal alcohol syndrome ☐ 9. Jaundice (bilirubin > 10) ☐ 10. Other (specify below)
☐ 0. None ☐ 1. Anencephalus ☐ 2. Spina bifida, meningocele ☐ 3. Hydrocephalus ☐ 4. Microcephalus ☐ 5. Patent ductus arteriosus ☐ 6. Other heart malformations (specify below) ☐ 7. Cleft lip ☐ 8. Cleft palate ☐ 9. Anal stricture/stenosis ☐ 10. T.E. fistula, esophageal stricture	☐ 11. Hypospadias ☐ 12. Omphalocele ☐ 13. Polydactyly ☐ 14. Syndactyly ☐ 15. Adactyly ☐ 16. Other limb reduction ☐ 17. Congenital dislocation of hip ☐ 18. Club foot ☐ 19. Down's syndrome ☐ 20. Other malformations (specify below)		

OFFICE
USE
ONLY

DISTRICT

COPIES

HOSPITAL

OCCUR

REMB.

TRACT

QUERIES

F-OCCUP

M-OCCUP

MALFORM

TYPE OR PRINT ENTIRE FORM IN PERMANENT BLACK INK

APPENDIX H

STATE OF WASHINGTON DEPARTMENT OF SOCIAL AND HEALTH SERVICES

VITAL RECORDS

CERTIFICATE OF FETAL DEATH

146-8

LOCAL FILE NUMBER

STATE FILE NUMBER

NAME—FIRST	MIDDLE	LAST	2 SEX	3 DELIVERY DATE (Mo-Day-Yr)	4 HOUR (24 Hr. Day)
5 PLACE OF DELIVERY (Circle or X) 1 Hospital 3 Birth Center 5 Home 2 Enroute 4 Oth Med Facil 6 Other			6 FACILITY NAME (Address if not Facility)		7 CITY/TOWN/LOCATION
9 PART I. [ENTER ONLY ONE CAUSE PER LINE FOR (A), (B), AND (C)] — Fetal or Maternal condition directly causing fetal death A IMMEDIATE CAUSE B DUE TO, OR AS A CONSEQUENCE OF: C DUE TO, OR AS A CONSEQUENCE OF: Fetal and/or Maternal conditions, if any, giving rise to the immediate cause (A) stating the underlying cause last					10 SPECIFY FETAL OR MATERNAL
11 PART II. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: Conditions contributing to Fetal Death but not related to cause given in Part I(A)				12 FETUS DIED (Circle or X) 1 Before Labor 2 During Labor 3 During Delivery 4 Unknown	13 AUTOPSY (Y/N)
14 THE ABOVE IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF SIGNATURE X			15 DATE (Mo-Day-Yr)	16 NAME, TITLE ATTENDANT AT DELIVERY IF OTHER THAN CERTIFIER (TYPE OR PRINT)	
17 NAME, TITLE (TYPE OR PRINT)			18 MAILING ADDRESS (Street, Box Number, City, State, Zip)		
19 NAME, FIRST MIDDLE LAST			20 AGE (At Time This Delivery)	21 BIRTH STATE (If not U.S. give Country)	
22 NAME, FIRST MIDDLE LAST (Maiden)			23 AGE (At Time this Delivery)	24 BIRTH STATE (If not U.S. give Country)	
25 RESIDENCE (Number and Street)		26 CITY/TOWN/LOCATION	27 INSIDE CITY LIMITS (Y/N)	28 COUNTY	
29 STATE					
30 BURIAL, CREMATION, REMOVAL, OTHER (Specify)		31 DATE (Mo-Day-Yr)	32 CEMETERY/CREMATORY NAME		33 LOCATION—CITY/TOWN, STATE
34 FUNERAL DIRECTOR SIGNATURE X		35 NAME OF FACILITY		36 ADDRESS OF FACILITY	
37 REGISTRAR SIGNATURE X		38 DATE RECEIVED BY REGISTRAR (Mo-Day-Yr)			
FOR STATE REGISTRAR		ITEM	DOCUMENTARY EVIDENCE:	REVIEWED BY:	DATE:
		DSHS 9-195 (Rev. 1-80)			

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY—DETACHED FROM CERTIFICATE BEFORE PERMANENT FILING

39 RACE (White, Black, Am Ind, Etc. Specify)	40 USUAL OCCUPATION (Kind of Work Done During Most of Working Life)	41 KIND OF BUSINESS OR INDUSTRY		42 EDUCATION—Highest Grade Completed (0-16+)	
43 RACE (White, Black, Am Ind, Etc. Specify)	44 USUAL OCCUPATION (Kind of Work Done During Most of Working Life)	45 KIND OF BUSINESS OR INDUSTRY		46 EDUCATION—Highest Grade Completed (0-16+)	
47 AMNIOCENTESIS (Circle or X) 0 Not Done 1 1st Trimester 2 2nd Trimester 3 3rd Trimester		48 IS MOTHER MARRIED? (Yes/No)			
49 DATE LAST NORMAL MENSTRUATION BEGAN (Mo-Day-Yr)	50 MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, Third, Etc.)	51 TOTAL NUMBER OF PRENATAL VISITS (If NONE ENTER 0)	52 TOTAL PRIOR PREG. (Do Not Include This Preg. If NONE ENTER 0)	53 PRIOR LIVE BIRTHS IF NONE ENTER 0 NOW LIVING NOW DEAD	
54 PRIOR FETAL DEATHS (Do Not include Induced Abortions or This Delivery) IF NONE ENTER 0 BEFORE 20 WEEKS AFTER					
55 FETUS WEIGHT (If known, specify)	56 THIS FETUS (Single, Twin, Etc., Specify)	57 IF NOT SINGLE (Born First, Second, Etc., Specify)	58 LAST PRIOR PREG. (Mo-Yr)	59 LAST LIVE BIRTH (Mo-Yr)	60 LAST FETAL DEATH (Mo-Yr)
61 CONGENITAL MALFORMATIONS OR ANOMOLIES OF FETUS (DESCRIBE OR WRITE NONE)					
CIRCLE OR X ALL CODES THAT APPLY IN EACH COLUMN					
62 COMPLICATIONS NOT RELATED TO PREG. 0 NONE 1 DIABETES 2 HEART DIS (Symptomatic) 3 CHRONIC HYPERTENSION 4 CHRONIC RENAL DISEASE 5 ACUTE URINARY TRACT INFECTION 6 SURGERY (Abdom/Pelvic) 7 TUMOR 8 EPILEPSY 9 OTHER (Specify)	63 COMPLICATIONS RELATED TO PREG. 0 NONE 1 PRE-ECLAMPSIA 2 ECLAMPSIA 3 RH SENSITIZATION 4 SYPHILIS 5 HERPES 6 RUBELLA 7 ANEMIA (HGB < 10 GM HCT < 30%) 8 HEMORRHAGE OF PREG 9 OTHER (Specify)	64 COMPLICATIONS OF LABOR 0 NONE 1 ABRUPTIO PLACENTA 2 PLACENTA PREVIA 3 CORD (Protopse) 4 MATERNAL HYPOTENS/SHOCK 5 PROLONGED LABOR 6 INTRAPARTUM FEVER AMNIONITIS 7 LACERATION 3"/4" 8 BREECH 9 OTHER (Specify)	65 METHOD OF DELIVERY 0 SPONTANEOUS 1 VACUUM EXTRACTED 2 LOW FORCEPS 3 OTHER FORCEPS PROCEDURE 4 PRIMARY C-SECTION 5 REPEAT C-SECTION 6 VERSION & EXTRACTION 7 LABOR INDUCED 8 9 OTHER (Specify)	66 BIRTH INJURIES/ DISEASES OF FETUS 0 NONE 1 FETAL HEMORRHAGE 2 PLACENTA AND CORD CONDITIONS 3 SEPSIS (Documented) 4 MATERNAL CONDITIONS AFFECTING FETUS 5 JAUNDICE (Bili > 10) 6 ASPHYXIA 7 HEMOLYTIC DISEASE 8 FRACTURED CLAVICLE 9 OTHER (Specify)	67 (USE THIS SPACE TO SPECIFY OTHER)

APPENDIX I

REPORT OF INDUCED TERMINATION OF PREGNANCY



State File Number

1a. Facility Identification Number		1b. Patient Identification Number		2. Age of Patient		3. Date of Pregnancy Termination Mo. / Day / Yr.	
4a. Residence—State		4b. County		4c. City, Town, or Location			
5. Race of Patient 1 ☐ White 2 ☐ Black 3 ☐ American Indian or Alaskan Native 4 ☐ Asian or Pacific Islander 5 ☐ Other (specify) _____ 6 ☐ Unknown		5b. Ethnic Origin: Hispanic 1 ☐ Yes 2 ☐ No		PREVIOUS PREGNANCES (Complete this section) 6a. SPONTANEOUS ABORTIONS (Stillbirths & Miscarriages) Number _____ None ☐ 00 ☐		6b. LIVE BIRTHS Number _____ None ☐ 00 ☐	
7a. Primary Procedure Used To Terminate Pregnancy (check only one) TYPE OF TERMINATION PROCEDURE (check all that apply) 1 ☐ Suction Curettage 2 ☐ Dilation and Evacuation 3 ☐ Sharp Curettage 4 ☐ Saline 5 ☐ Prostaglandin 6 ☐ Hysterotomy 7 ☐ Hysterectomy 8 ☐ Other (specify) _____		7b. Additional Procedures Used for This Termination (if Any) 1 ☐ None 2 ☐ _____ 3 ☐ _____ 4 ☐ _____ 5 ☐ _____ 6 ☐ _____ 7 ☐ _____ 8 ☐ _____		8. Complications of Procedure(s) used (check all that apply) 0 ☐ None 1 ☐ Hemorrhage 2 ☐ Infection 3 ☐ Uterine Perforation 4 ☐ Cervical Laceration 5 ☐ Retained Products 6 ☐ Failed Abortion 7 ☐ Other (specify) _____			
9. Date Last Normal Menstrue Began Mo. / Day / Yr.		10. Physician's Estimate of Gestation _____ weeks		11. Name of Attending Physician (type or print)			
12. Name of Person Completing Report (type or print)				13. Completion Date of This Report Mo. / Day / Yr.			

DHHS 13-161 (Rev. 12/88) -1081-

SEE INSTRUCTIONS ON BACK

CERTIFICATE OF MARRIAGE

146-8

COUNTY OF LICENSE		DATE		STATE FILE NUMBER	
1. CERTIFY THE PERSONS NAMED BELOW WERE MARRIED ON		1. DATE (MO DAY YR)		2. COUNTY OF CEREMONY	
3. RELIGIOUS/CIVIL CEREMONY (SPECIFY)		4. DATE SIGNED (MO DAY YR)			
5. OFFICIANT Signature X		6. OFFICIANT ADDRESS			
7. NAME (FIRST MIDDLE LAST)		8. BIRTHDATE (MO DAY YR)		9. BIRTH STATE (IF NOT USA GIVE COUNTRY)	
10. USUAL RESIDENCE (NUMBER AND STREET)		11. CITY/TOWN/LOCATION		12. INSIDE CITY LIMITS (YES/NO)	
13. FATHER'S NAME		14. BIRTH STATE (IF NOT USA GIVE COUNTRY)		15. BIRTH STATE (IF NOT USA GIVE COUNTRY)	
16. BIRTH DATE (MO DAY YR)		17. MOTHER'S MARRIED NAME		18. BIRTH STATE (IF NOT USA GIVE COUNTRY)	
19. GROOM Signature X		20. DATE SIGNED (MO DAY YR)			
21. NAME (FIRST MIDDLE LAST)		22. BIRTHDATE (MO DAY YR)		23. BIRTH STATE (IF NOT USA GIVE COUNTRY)	
24. USUAL RESIDENCE (NUMBER AND STREET)		25. CITY/TOWN/LOCATION		26. INSIDE CITY LIMITS (YES/NO)	
27. FATHER'S NAME		28. BIRTH STATE (IF NOT USA GIVE COUNTRY)		29. BIRTH STATE (IF NOT USA GIVE COUNTRY)	
30. BIRTH DATE (MO DAY YR)		31. MOTHER'S MARRIED NAME		32. BIRTH STATE (IF NOT USA GIVE COUNTRY)	
33. BRIDE Signature X		34. DATE SIGNED (MO DAY YR)			
35. WITNESS Signature X		36. WITNESS Signature X		37. DATE RECEIVED (MO DAY YR)	
38. COUNTY AUDITOR Signature X					

59902 -87

DSHS 9-170 (REV. 1-87) -1200-3

CERTIFICATE OF DISSOLUTION,
DECLARATION OF INVALIDITY OF MARRIAGE
OR LEGAL SEPARATION

146-8

COUNT FILE NUMBER		STATE FILE NUMBER	
1. CERTIFY THE MARRIAGE OF THE PERSONS NAMED BELOW WAS ORDERED AS A		2. DATE OF ENTRY INTO FORCE	
3. DISSOLUTION OF MARRIAGE DECLARATION OF INVALIDITY		4. LEGAL SEPARATION	
5. CLERK OF SUPERIOR COURT Signature X			
6. NAME FIRST		7. DATE OF BIRTH (MO DAY YR)	
8. USUAL RESIDENCE - STREET ADDRESS		9. BIRTHPLACE (State or Foreign Country)	
10. USUAL RESIDENCE - STREET ADDRESS		11. COUNTY	
12. NAME FIRST		13. DATE OF BIRTH (MO DAY YR)	
14. BIRTHPLACE (State or Foreign Country)		15. BIRTH STATE (IF NOT USA GIVE COUNTRY)	
16. USUAL RESIDENCE - STREET ADDRESS		17. CITY/TOWN/LOCATION	
18. INSIDE CITY LIMITS (Specify YES or NO)		19. COUNTY	
20. DATE OF THIS MARRIAGE (mo. day yr.)		21. STATE	
22. PLACE OF THIS MARRIAGE - COUNTY		23. STATE (IF NOT USA GIVE COUNTRY)	
24. DATE OF THIS MARRIAGE (mo. day yr.)		25. NUMBER CHILDREN BORN ALIVE OF THIS MARRIAGE (Specify)	
26. PETITIONER (HUSBAND, WIFE BOTH, OTHER SPECIFY)		27. ATTORNEY FOR PETITIONER - NAME (Type or Print)	
28. ADDRESS - STREET		29. CITY OR TOWN	
30. STATE		31. ZIP CODE	

B 14502

DSHS 9-171 (REV. 8-85) -200-

146

JULE M. SUGARMAN
Secretary



58420-1

STATE OF WASHINGTON
DEPARTMENT OF SOCIAL AND HEALTH SERVICES

Olympia, Washington 98504-0095

January 28, 1988

ATTENTION: Holders of
Report: Vital Statistics and Induced Terminations
of Pregnancy, Washington State 1985

Please note the enclosed errata for the 1985 annual summary of vital statistics and induced terminations of pregnancy.

I am sorry for any inconvenience or misinterpretation which this error may have caused.

Sincerely,

A handwritten signature in cursive script that reads "Teresa Jennings".

Teresa Jennings
Health Data Unit, ET-14

ERRATA

On page 50, the third paragraph, third sentence should read:

"In second trimester procedures, it was dilatation and evacuation (57%) followed by suction curettage (29%), saline (8%), and prostaglandin (5%)."

Page 60 should be blank.

Report:

VITAL STATISTICS AND INDUCED TERMINATIONS OF PREGNANCY 1986



DIVISION OF HEALTH
Health Data Section

VITAL STATISTICS
and
INDUCED TERMINATIONS OF PREGNANCY
WASHINGTON STATE
1986

HEALTH DATA SECTION
DIVISION OF PUBLIC HEALTH
DEPARTMENT OF SOCIAL AND HEALTH SERVICES
MS ET-14
OLYMPIA, WASHINGTON 98504

NATALITY AND MORTALITY SECTION BY:

Patricia Starzyk, Research Investigator, 586-6028

INDUCED TERMINATIONS OF PREGNANCY SECTION BY:

Teresa Jennings, Research Investigator, 753-5938

Special acknowledgement to the Office of Information Systems

Robert Rolfs, Acting Director
Division of Public Health

Office of Public Health Systems Support
Health Data Section

Eugene E. Sabotta, Section Head
Julie Harris, Secretary
Patricia M. Starzyk, Research Investigator
Teresa J. Jennings, Research Investigator
Jeff Threatt, Research Analyst
Eric Ossiander, Research Analyst
Sandi Kindsvater, Health Program Specialist
M. Dave Jacobs, Data Compiler
Tim Hankins, Data Compiler

INTRODUCTION

The 1986 Summary of Vital Statistics and Induced Terminations of Pregnancy contains a summary presentation, in tabular form, of the vital events (birth, death, marriage, divorce) and induced abortions which occurred during the calendar year 1986. In the interest of easy comparison, essentially the same format of tabular presentation has been continued as was used in previous reports, with the following changes:

- ADDED: Death Table 8 (Deaths Due to Malignant Neoplasm by Primary Site with Rates by Place of Residence)

- DELETED: Induced Terminations of Pregnancy Table 1J (Occurrence by Rh Factor and Treatment Setting)

- CHANGED: Death Table 6 (Deaths with Rates by Selected Causes by Place of Residence) - Diabetes Mellitus added to table and malignant neoplasm removed (now included in Death Table 8)

One additional change has been made:

The Year in Brief and Analysis sections have been combined into a single abridged section which presents selected highlights of the data. This change was made in the interests of expedience. The Analysis section, which was the most time-consuming part of the summary, often delayed production of the summary. In the future, special analytical topics will be covered in separate monographs or journal articles. This change means that the Summary of Vital Statistics and Induced Terminations of Pregnancy should be available to users on a more timely basis.

For those who find that the data in this report do not meet all their needs, additional data are available and can be obtained by calling Statistics at (206) 753-5938.

TABLE OF CONTENTS

	<u>page</u>
Introduction.....	iii
Map of Washington State.....	1
Trends.....	3
Figure 1 - Birth Rates (per 1,000 population), Washington State, 1915-1986.....	6
Figure 2 - Death Rates (per 1,000 population), Washington State, 1915-1986.....	8
Figure 3 - Infant Death Rates (per 1,000 live births), Washington State, 1915-1986.....	10
Figure 4 - Fetal Death Ratios (per 1,000 live births) Washington State, 1915-1986.....	13
Figure 5 - Abortion Occurrences by Age Group, Washington State, 1985 & 1986.....	16
Figure 6 - Resident Abortions by Age Group, Washington State, 1985 & 1986.....	16
Figure 7 - Maternal Deaths Attributed to Abortion, Washington State Residents, 1950-1986.....	17
Figure 8 - Complication Rates by Type and Trimester, Washington State Occurrences, 1986.....	18
Figure 9 - Complication Rates & 2nd Trimester Procedures, Washington State Occurrences, 1982-1986.....	18
Figure 10 - Comparative Rates by Year, Washington State Residents, 1974-1986.....	19
Figure 11 - Abortion Ratio by Year, Washington State Residents, 1974-1986.....	20
Figure 12 - Abortion Ratios by Age Group, Washington State Residents, 1984-1986.....	20
Figure 13 - Age-Specific Abortion Rates, Washington State Residents, 1978-1986.....	21
Figure 14 - Age-Specific Fertility Rates, Washington State Residents, 1978-1986.....	21
Figure 15 - Abortion Facilities, Washington State, 1982-1986.....	22


Tables.....	23
Summary Table: Numbers with Rates for Live Births, Deaths, Deaths of Infants Under One Year of Age, Maternal Deaths, and Fetal Deaths. State of Washington 1920 - 1986.....	24
Natality.....	27
Table 1 - Live Births in Washington State by Selected Topics.....	28
1A - Residence, by Race by Sex	
1B - Residence, by Mother's Age Group by Sex	
1C - Residence, by Order of Live Birth to Mother	
1D - Residence, by Attendant	
1E - Residence and Occurrence, by Sex by Birth Weight in Grams	
1F - Residence and Occurrence, Live Births and Fetal Deaths by Month	
1G - Occurrence, Method of Delivery	
1H - Type of Place by Occurrence	
1I - Residence, Multiple Live Births	
1J - Residence, Maternal Smoking	
Table 2 - Live Births by Race by Birth Weight.....	31
Table 3 - Live Births by Mother's Age by Birth Weight.....	31
Table 4 - Live Births by Mother's Age by Month Prenatal Care Began, Washington State Residents.....	32
Table 5 - Live Births by Number of Prenatal Visits by Month Care Began, Washington State Residents....	32
Table 6 - Live Births with Rates by Place of Residence by Sex, and Occurrence.....	33
Table 7 - Live Births Inter-County Travel Patterns.....	34
Table 8 - Live Births by Race by Place of Residence.....	36
Table 9 - Live Births by Mother's Age Group by Place of Residence.....	37
Table 10 - Live Births by Month by Place of Residence.....	38
Table 11 - Live Births by Birth Weight in Grams by Place of Residence.....	39
Table 12 - Residence, Multiple Births by Number Born Alive Each Set.....	40
Table 13 - Live Births with Malformations with Percent of Total Births by Place of Residence.....	41

Table 14 - Live Births to Single Mothers by Place of Residence by Age of Mother.....	42
Table 15 - Live Births by Institution by Place of Occurrence.....	43
Mortality.....	45
Table 1 - Deaths in Washington State by Selected Topics.....	46
1A - Residence, Race by Sex	
1B - Residence, Marital Status by Sex	
1C - Residence, Age Group by Sex	
1D - Residence, Infant Deaths by Race	
1E - Residence, by Leading Causes	
1F - Residence and Occurrence, by Month	
1G - Type of Place by Occurrence	
Table 2 - Deaths with Rates by Place of Residence and Occurrence.....	48
Table 3 - Deaths by Sex and Race by Place of Residence.....	49
Table 4 - Deaths by Age Group by Place of Residence.....	50
Table 5 - Deaths by Month of Occurrence by Place of Residence.....	51
Table 6 - Deaths with Rates by Selected Causes by Place of Residence	
Infectious and Parasitic Diseases, Diabetes Mellitus, Alcoholism, Diseases of the Heart, and Cerebrovascular Disease.....	52
Table 7 - Deaths with Rates by Selected Causes by Place of Residence	
General Arteriosclerosis, Influenza and Pneumonia, Chronic Obstructive Pulmonary Diseases, Cirrhosis of the Liver, and Nephritis, Nephrotic Syndrome and Nephrosis...	53
Table 8 - Deaths Due to Malignant Neoplasm by Primary Site with Rates by Place of Residence.....	54
Table 9 - Deaths with Rates by External Causes by Place of Residence	
All Accidents, Motor Vehicle, Falls, Drowning, Fires, and All Other.....	56

Table 10 - Deaths with Rates by External Causes by Place of Residence	
Suicide, Homicide, Undetermined External Injuries.....	57
Table 11 - Residence Deaths with Rates and Percent by Age Group and Sex by Leading Causes.....	58
Table 12 - Residence Deaths with Rates by Selected Causes by Sex.....	60
Table 13 - Residence Deaths Due to Malignant Neoplasm with Rates by Sex.....	62
Table 14 - Residence Deaths by Non-transport Causes, by Place of Accident.....	63
Table 15 - Deaths with Rates by External Causes by Place of Occurrence	
All Accidents, Motor Vehicle, Falls, Drowning, Fire, and All Other.....	64
Table 16 - Deaths with Rates by External Causes by Place of Occurrence	
Suicide, Homicide, Undetermined External Injuries.....	65
Table 17 - Deaths by Type of Place by Place of Occurrence.....	66
Table 18 - Occurrence Deaths by Month by Selected Causes.....	67
Table 19 - Infant Mortality by Race, by Place of Residence.....	68
Table 20 - Infant Mortality by Leading Causes, by Place of Residence.....	69
Table 21 - Infant Mortality by Age and Sex by Cause.....	70
Table 22 - Residence, Matched Infant Deaths by Mother's Age Group.....	71
Table 23 - Fetal, Perinatal, Neonatal and Infant Mortality by Place of Residence.....	72
Table 24 - Fetal, Perinatal, Neonatal and Infant Mortality by Place of Occurrence.....	73
Table 25 - Residence, Fetal Mortality by Sex and Weight.....	74

Table 26 - Fetal Mortality by Cause.....	75
Table 27 - Fetal Deaths by Mother's Age Group by Place of Residence.....	76
Induced Terminations of Pregnancy.....	77
Table 1 - Induced Terminations of Pregnancy by Selected Topics.....	78
1A - Residence, by Age Group	
1B - Residence, by Gestational Age	
1C - Residence, by Number of Previous Live Births	
1D - Residence, by Number of Previous Abortions	
1E - Residence, by Number of Previous Pregnancies	
1F - Residence, by Race, by Hispanic Origin	
1G - Residence and Occurrence by Travel Patterns	
1H - Occurrence, by Operative Procedure	
1I - Occurrence, by State or Country of Residence	
1J - Occurrence, by Type of Complication	
1K - Occurrence, by Type of Facility	
Table 2 - Induced Abortions, Live Births, and Abortion Ratio with Percent Changes, Washington State Residents, 1974-1986.....	80
Table 3 - Reported Pregnancies by Age of Patient and Pregnancy Outcome, Washington State Residents...	81
Table 4 - Age Group Specific Fertility Rate, Abortion Rate, and Abortion Ratio, Washington State Residents.....	81
Table 5 - Previous Live Births by Age of Patient, Washington Residents.....	82
Table 6 - Previous Induced Abortions by Age of Patient, Washington Residents.....	82
Table 7 - Induced Abortions by Age of Patient and Gestation of Pregnancy, Washington State Residents.....	83
Table 8 - Induced Abortions by Type of Procedure by Gestation of Pregnancy, Washington State Occurrences.....	83
Table 9 - Induced Abortions with Complications by Type of Procedure by Gestation of Pregnancy, Washington State Occurrences.....	84
Table 10 - Induced Abortions with Complications by Type by Gestation of Pregnancy, Washington State Occurrences.....	84

Table 11 - Induced Abortions with Complications by Gestation of Pregnancy with Rates, Washington State Occurrences, 1982-1986.....	85
Table 12 - Induced Abortions with Complications by Type of Procedure with Rates, Washington State Occurrences, 1982-1986.....	85
Table 13 - Abortion Inter-County Travel Patterns Washington State Residents and Occurrences.....	86
Table 14 - Live Births and Abortions, with Rate and Ratio Indicators by Place of Residence.....	88
Table 15 - Induced Abortions by Age of Patient by County of Residence.....	89
Table 16 - Pregnancy Outcome of Adolescents by Age of Patient by Place of Residence.....	90
Table 17 - Resident Abortion Rates with Ranks for Washington State Counties, 1982-1986.....	91
Marriages and Dissolutions.....	93
Table 1 - Marriages by County of Marriage by Bride and Groom Age Group.....	94
Table 2 - Dissolutions, Annulments, and Separate Maintenance by County of Decree.....	95
Table 3 - Dissolutions by County of Divorce by Husband and Wife Age Group.....	96
Table 4 - Dissolutions by Total Living Children by Place of Wife's Residence.....	97
Appendix.....	99
A - Definitions.....	100
B - Technical Notes.....	104
C - Conversion of Birth Weight Groups in Grams to Pounds and Ounces.....	107
D - Population of the State of Washington by Age Group, by Sex, April 1, 1986.....	108
E - Population, State of Washington, Counties and Cities of 10,000 Population and Over, April 1, 1986.....	109
F - Reporting Forms.....	110



STATE OF WASHINGTON



TRENDS

NATALITY
MORTALITY
INFANT MORTALITY
FETAL MORTALITY

INTRODUCTION:

This year, the analysis of birth, death, infant and fetal death data has two parts for each data source. The first part ('1986 AT A GLANCE') puts 1986 vital events into perspective by comparing them to US data and presenting time trends for Washington State. The second part ('IS WASHINGTON STATE MEETING 1990 GOALS?') examines whether or not Washington State will meet the Surgeon General's 1990 goals. These goals have been established as targets to guide health promotion and disease prevention programs in their efforts to improve the health of the American people by the year 1990. Tracking progress towards these goals helps to identify areas where the state is doing comparatively well and problem areas where special efforts may be needed.

METHODS:

Trends are determined by comparing 1986 to the previous five years, thus they represent recent trends only. Long-term trends in rates are shown on the accompanying graphs.

Projected 1990 Washington State rates are determined by assuming that current trends will continue to 1990. Because this is a rough approximation, projected data are given in whole numbers only, to reflect their uncertainty.

SOURCES OF DATA:

Washington State data are based on 1986 Washington State resident events, except where two or three years are combined to provide more stability in rates. These cases are noted on the tables.

US figures are based on data reported in the National Center for Health Statistics (NCHS) Monthly Vital Statistics Reports (USDHHS, Public Health Service, Hyattsville, Maryland). Data are for the 12-month period ending July 1986 except where otherwise noted.

1990 goals are given in the NCHS publication Health: United States, 1986. (DHHS Publication No. PHS 87-1232. Public Health Service, Washington, US Government Printing Office, December, 1986).

NATALITY - 1986 AT A GLANCE


Item	Washington State 1986		Comparable US Data**
	Data	Trend*	
Number of Births	69,431	N	
Birth Rate (per 1,000 pop.)	15.7	-	15.5
Fertility Rate (per 1,000 women aged 15-44)	66.0	-	65.1
Low Birth Weight Births (2,500 grams or less)	5.2%	N	6.8
Births to Unwed Mothers	19.8%	+	22.0
Plural Births	2.1%	+	2.1
First Child	40.2%	-	41.3
Deliveries by Unlicensed Attendant	0.6%	-	0.6
Births at Home	1.5%	N	1.0

* - = decreasing, + = increasing, N = no change

** Birth and fertility rates are for 1986; Other US data are for 1985

FIGURE 1

BIRTH RATES (per 1,000 population)
WASHINGTON STATE, 1915-1986



NATALITY

IS WASHINGTON STATE MEETING 1990 GOALS?

Item	Washington State		United States	
	Current*	Projected 1990	Current**	1990 Goal
<u>Family Planning</u>				
Teen Birth Rate (per 1,000 girls in age group)				
15-year olds	9.3	10	13.4	10
16-year olds	22.8	22	30.1	25
17-year olds	41.7	42	49.8	45
<u>Infant and Maternal Health</u>				
Percent Low Birth Weight (<2,500 grams)				
All Births	5.2	5	6.8	5
Racial Groups				
White	4.8	5	5.6	9
Black	10.6	11	12.4	9
Indian	7.4	7	6.2	9
Other	5.8	6	6.2	9
Maternal Mortality Rate (per 100,000 births)				
All Births	8.1	6	7.8	5
Racial Groups				
White	7.3	6	5.2	5
Black	20.5	13	20.4	5
<u>Improved Services</u>				
Percent Beginning Prenatal Care After First Trimester				
All Births	22.5	23	23.8	10
Racial Groups				
White	21.1	21	20.6	10
Black	34.3	34	38.2	10
Indian	37.0	37	40.0	10

* Birth weight and prenatal care data are for 1986; Other data are for 1984-86

** Teen data are for 1984; Other US data are for 1985

AREAS OF CONCERN

- +Possible increase in birth rates for 15-year olds (although goals will still be met)
- +Lack of improvement in proportion of low birth weight infants (although goals will be met for all but Blacks)
- +High maternal mortality rates for Blacks
- +High levels of late care, especially for Non-Whites

MORTALITY - 1986 AT A GLANCE


Item	Washington State 1986		Comparable US Data
	Data	Trend**	
Number of Deaths	34,166	+	
Death Rate (per 1,000 pop.)	7.7	+	8.7
Five Leading Cause* Death Rates (per 100,000 population)			
Diseases of the Heart	261.4	-	319.7
Malignant Neoplasms	180.9	+	193.2
Cerebrovascular Diseases	58.4	-	62.1
Chronic Obstructive Pulmonary Diseases	38.6	+	31.1
All Accidents	35.7	-	38.6

* Mortality Table 1 gives International List Numbers (ICD codes) for these causes

** - = decreasing, + = increasing, N = no change

FIGURE 2

DEATH RATES (per 1,000 population)
WASHINGTON STATE, 1915-1986



MORTALITY

IS WASHINGTON STATE MEETING 1990 GOALS?

Death Rate*	Washington State		United States	
	Current**	Projected 1990	Current***	1990 Goal
<u>General Health</u>				
Ages 1-14	31.2	31	33.6	34.0
15-24	93.6	94	98.7	92.0
25-64	343.7	314	431.0	400.0
<u>Injury Prevention</u>				
Motor Vehicle Accidents	18.1	16	20.1	18.0
Children under 15	7.0	7	6.9	5.5
Home Accidents				
Children under 15	5.1	4	4.9	5.0
Falls	5.2	5	5.0	2.0
Drowning	2.7	2	1.9	1.5
<u>Stress and Violent Behavior</u>				
Suicide: Ages 15-24	15.4	16	12.8	11.0
Male	24.8	26	20.5	11.0
Female	5.3	5	4.4	11.0
<u>Alcohol Abuse</u>				
Cirrhosis of the Liver	9.6	9	10.9	12.0
White	9.6	9	10.9	12.0
Black	12.1	12	14.0	12.0
Indian	25.3	17	Not avail	12.0

* Rates based on deaths/100,000 population in group

** Data years: Ages 15-24, motor vehicle accidents for children under 15, suicides (1985-86); All others (1986)

*** Data years: Home accidents, falls, drowning, sex-specific suicide rates (1984); Race-specific cirrhosis rates (1985); Ages 15-24, total suicides (1985-86); All others (1986)

AREAS OF CONCERN

- +High motor vehicle accident death rates for children under 15
- +High death rates from falls and drowning for the general population
- +High suicide rates for the 15-24 age group, especially for males
- +High (though decreasing) Indian cirrhosis death rates; possibly increasing Black cirrhosis death rates

INFANT MORTALITY - 1986 AT A GLANCE

Item	Washington State 1986		Comparable US Data***
	Data	Trend**	
Number of Infant Deaths	675	N	
Infant Death Rate (per 1,000 births)			
All Infant Deaths	9.7	N	10.6
Neonatal (0-27 da)	5.4	N	6.9
Postneonatal (28 da-1 yr)	4.3	N	3.7
Leading Cause* Death Rates (per 100,000 population)			
Certain Causes of Mortality			
in Early Infancy	253.5	N	370.5
Sudden Infant Death Syndrome	252.0	+	158.6
Congenital Anomalies	199.4	-	228.4
Birth Injury and Anoxia	125.3	-	138.1


* Mortality Table 12 gives International List Numbers (ICD codes) for these causes

** - = decreasing, + = increasing, N = no change

*** Rates by cause are for 1985; Other US figures are for 1986

FIGURE 3

INFANT DEATH RATES (per 1,000 live births) WASHINGTON STATE, 1915-1986



INFANT MORTALITY

IS WASHINGTON STATE MEETING 1990 GOALS?

Infant Death Rate (per 1,000 births)	Washington State		United States	
	Current*	Projected 1990	Current**	1990 Goal
All Infant Deaths	9.7	10	10.6	9.0
Neonatal Deaths	5.4	5	6.9	6.5
Postneonatal Deaths	4.3	4	3.7	2.5
Racial Groups				
White	10.4	10	9.3	12.0
Black	12.8	13	18.2	12.0
Indian	10.7	9	9.5	12.0

* Race-specific mortality rates are for 1985-86; Other data are for 1986

** Race-specific mortality rates are for 1985; Other US figures are for 1986

AREAS OF CONCERN

+High postneonatal death rates. This is a major concern. Washington State has the sixth highest postneonatal mortality rate in the nation. Much of the postneonatal mortality is due to Sudden Infant Death Syndrome (SIDS); Washington State's SIDS death rates are considerably higher than US rates (see previous page).

+High Black infant mortality rates

FETAL MORTALITY - 1986 AT A GLANCE

Item	Washington State 1986		Comparable US Data**
	Data	Trend*	
Number of Fetal Deaths	445	-	
Fetal Death Ratio (per 1,000 births)	6.4	-	7.9

* - = decreasing, + = increasing, N = no change

** US figure estimated from earlier data

FIGURE 4

FETAL DEATH RATIOS
(per 1,000 live births)
WASHINGTON STATE, 1915-1986



FETAL MORTALITY

IS WASHINGTON STATE MEETING 1990 GOALS?

Perinatal Death Rate* (per 1,000 births)	Washington State		United States	
	Current	Projected 1990	1984	1990 Goal
All Perinatal Deaths	8.7	8	11.0	5.5

* Perinatal deaths include late fetal deaths (28+ weeks) plus early neonatal deaths (<7 days); Rates published elsewhere in this report include fetal deaths of 20+ weeks gestation

AREA OF CONCERN

+Perinatal mortality rates above the goal. The goal appears to be lower than the neonatal goal alone and may thus be unrealistic.

1

INDUCED TERMINATIONS OF PREGNANCY

Introduction

Abortion surveillance has been conducted by State public health officials since December, 1970. Induced abortion had become a legally allowable procedure in Washington State the previous month, when the then existing criminal abortion statute was overturned by referendum. The new law, which had some restrictions, was later invalidated by United States Supreme Court decision in *Roe v. Wade* (1973).

Since 1970, the reporting form has undergone six revisions, the last in 1985. Initially, the purpose of the abortion reporting system was to evaluate the safety and adequacy of procedures.(1) The data is important, additionally, for assessment in two other areas of public health concern: 1) prevention of unwanted pregnancies and 2) access to care. Trends pertinent to these issues are illustrated on a statewide basis in the graphs on the following pages. Further, both state and county data are arrayed in the Induced Terminations of Pregnancy chapter of the tables section.

All the usual problems of data collection--underreporting, incompleteness, and inaccuracies--impose qualifications on any conclusions. See the Technical Notes, Appendix B, in this report for more detail on reporting problems.

(1) Washington Administrative Code (WAC) 248-140.

INDUCED TERMINATIONS OF PREGNANCY

Total Abortions Increase in 1986

FIGURE 5

ABORTION OCCURRENCES BY AGE GROUP WASHINGTON STATE, 1985 & 1986





FIGURE 6

RESIDENT ABORTIONS BY AGE GROUP WASHINGTON STATE, 1985 & 1986




Totals for both resident abortions and abortion occurrences increased in 1986--4.5% (1,156) from 25,835 to 26,991 and 5.1% (1,366) from 26,581 to 27,947, respectively. Although change took place across all age groups, there were both absolute and proportionate differences. Among residents, the greatest percentage gain was among those under 15 years old (+15.1%); the greatest absolute difference was in the 30-34 age group (+357).

INDUCED TERMINATIONS OF PREGNANCY

Mortality

FIGURE 7

MATERNAL DEATHS ATTRIBUTED TO ABORTION
WASHINGTON STATE RESIDENTS, 1950-1986



*Maternal Death Rate-Deaths due to maternal causes per 10,000 live births.

Trends in abortion related mortality, show that abortion as a contributing factor in maternal deaths has been nearly eliminated. Maternal deaths are deaths to women which are a result of complications of pregnancy or occur within six weeks of either live birth or abortive outcome. The maternal death rate is equal to the number of these deaths per 10,000 live births.

The data illustrated in the chart above do not differentiate between legal and illegal abortions. The two deaths in 1970 took place prior to the passage of the referendum in that year. The three deaths which occurred in the years following 1970 were the result of complications--one each, from: a legally induced abortion procedure (performed probably as a consequence of IUFD, intrauterine fetal demise) in 1979, a self-induced abortion in 1981, and a spontaneous abortion in 1982.

Nationally, the death-to-case rate, that is the number of deaths per 100,000 legally induced abortions, was 0.5 in 1981, 0.8 in 1982, and provisionally 0.7 in 1983.(2)

(2)Centers for Disease Control, CDC Surveillance Summaries, February 1987. MMWR 1987;36(NO. 1SS).

INDUCED TERMINATIONS OF PREGNANCY

Morbidity

Typically, second trimester abortions have a higher complication rate than first trimester terminations. It should be noted that the division between first and second trimester is somewhat arbitrary at twelve weeks. See Technical Notes, Appendix A, in this report.

The liberalization of the abortion law in December, 1982 to allow second trimester procedures in approved nonhospital facilities and improved reporting may account for some of the rise in second trimester abortions.

The 1986 complication rate in Figure 9 was adjusted to exclude other complications evaluated as minor. These were reported mostly in first trimester procedures. They included items such as "unexplained pain" and "hemorrhage less than 500cc." This same adjustment was made in prior annual State summations, but they were suppressed prior to publication in previous years.

FIGURE 8

COMPLICATION RATES BY TYPE AND TRIMESTER WASHINGTON STATE OCCURRENCES, 1986





FIGURE 9

COMPLICATION RATES AND 2ND TRIMESTER PROCEDURES WASHINGTON STATE OCCURRENCES, 1982-1986




*Complication Rate=Complications per 1,000 procedures (includes both trimesters).

INDUCED TERMINATIONS OF PREGNANCY

Rates and Ratios

FIGURE 10

COMPARATIVE RATES BY YEAR
WASHINGTON STATE RESIDENTS, 1974-1986



*Rates-Pregnancies, Live births, and Abortions per 1,000 women, 15-44 years old.

Although there was an increase in total resident abortions in 1986 over 1985, the abortion rate (abortions per 1,000 women aged 15-44) remained constant between the two years. A look at pregnancy, fertility, and abortion rates over the past ten years shows they are all lower in the most recent five (1982-1986) than they were in the earlier five (1977-1981). The abortion ratio shows a similar pattern. See next page.

Abortion rates can be affected by either or both a change in the number of women getting pregnant (expressed mathematically by the pregnancy rate) or by the number of pregnant women obtaining abortions (expressed indirectly by abortion ratios). In 1986, the slight increase (6%) in the abortion ratio was not enough to affect appreciably the abortion rate.


The three age-specific charts on the following pages show age group differences in abortion ratios and abortion and fertility rates. The change within individual age groups has been modest; the greatest, an increase in fertility rates among 30-34 year olds (+28%) between 1978 and 1986.

INDUCED TERMINATIONS OF PREGNANCY

Rates and Ratios

FIGURE 11


ABORTION RATIO BY YEAR WASHINGTON STATE RESIDENTS, 1974-1986



*Abortion Ratio-Abortions per 1,000 live births.

FIGURE 12

ABORTION RATIOS BY AGE GROUP WASHINGTON STATE RESIDENTS, 1984-1986



YEARS

1984

1985


1986

*Ratio-Abortions per 1,000 Live births

INDUCED TERMINATIONS OF PREGNANCY


Rates and Ratios

FIGURE 13

AGE-SPECIFIC ABORTION RATES
WASHINGTON STATE RESIDENTS, 1978-1986


•Rates-Induced Abortions per 1,000 women in each age group.

FIGURE 14

AGE-SPECIFIC FERTILITY RATES
WASHINGTON STATE RESIDENTS, 1978-1986



•Rates-Live births per 1,000 women in each age group.

INDUCED TERMINATIONS OF PREGNANCY

Access to Care

FIGURE 15

ABORTION FACILITIES WASHINGTON STATE, 1982-1986



In the past five years, there has been a decline in abortion service providers. The total number of facilities dropped 15 in the five years from 1982 to 1986. Five were among those reporting fewer than 10 procedures; nine, between 10 and 49; and one, 50 or more.

A decline in health care providers is always a public health concern because of the increased potential for adverse effects on patient health. Thus, in addition, to the ongoing concern regarding safety of procedure, attention must remain focused on maintaining access to care, as well as, prevention of the conditions which necessitate that care--in the case of induced abortion, that is--unwanted pregnancy.

TABLES

SUMMARY OF THE NUMBER OF LIVE BIRTHS, DEATHS, DEATHS OF INFANTS UNDER ONE
YEAR OF AGE, MATERNAL DEATHS, AND FETAL DEATHS, WITH RATES
WASHINGTON STATE 1920 - 1986

Year	Population	Live Births		Deaths		Infant Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate***	Number	Ratio**
1920	1,367,000	27,072	19.8	15,164	11.1	1,797	66.4	249	92.0	888	32.8
1921	1,385,700	27,267	19.7	13,254	9.6	1,512	55.5	192	70.4	852	31.2
1922	1,407,100	25,378	18.0	14,249	10.1	1,566	61.7	190	74.9	731	28.8
1923	1,427,300	25,259	17.7	13,856	9.7	1,428	56.5	159	62.9	680	26.9
1924	1,447,200	25,378	17.5	14,580	10.1	1,426	56.2	167	65.8	711	28.0
1925	1,467,600	24,741	16.9	15,280	10.4	1,395	56.4	140	56.6	667	27.0
1926	1,487,600	23,989	16.1	15,670	10.5	1,352	56.4	174	72.5	719	30.0
1927	1,507,800	23,315	15.5	15,950	10.6	1,162	49.8	151	64.8	650	27.9
1928	1,528,200	23,161	15.2	16,723	10.9	1,115	48.1	175	75.6	641	27.7
1929	1,548,400	22,685	14.7	16,413	10.6	1,110	48.9	150	66.1	572	25.2
1930	1,568,000	23,019	14.7	16,678	10.6	1,122	48.7	148	64.3	601	26.1
1931	1,585,000	22,028	13.9	16,524	10.4	1,064	48.3	141	64.0	591	26.8
1932	1,602,500	21,379	13.3	16,581	10.3	967	45.2	139	65.0	530	24.8
1933	1,619,700	20,882	12.9	16,705	10.3	811	38.8	140	67.0	446	21.4
1934	1,636,900	22,484	13.7	17,456	10.7	968	43.1	105	46.7	520	23.1
1935	1,654,000	22,378	13.5	18,046	10.9	998	44.6	120	53.6	469	21.0
1936	1,671,400	23,354	14.0	19,057	11.4	1,064	45.6	115	49.2	468	20.0
1937	1,689,100	24,882	14.7	18,771	11.1	978	39.3	118	47.4	495	19.9
1938	1,706,000	26,702	15.7	18,514	10.9	1,035	38.8	94	35.2	440	16.5
1939	1,723,400	26,471	15.4	18,528	10.8	977	36.9	97	36.6	450	17.0
1940	1,752,400	27,952	16.0	19,837	11.3	969	34.7	89	31.8	459	16.4
1941	1,816,700	30,916	17.0	19,359	10.7	1,065	34.4	66	21.3	445	14.4
1942	1,880,700	38,744	20.6	20,190	10.7	1,278	33.0	78	20.1	606	15.6
1943	1,945,000	44,258	22.8	22,017	11.3	1,534	34.7	72	16.3	575	13.0
1944	2,009,600	44,246	22.0	21,144	10.5	1,493	33.7	72	16.3	607	13.7
1945	2,073,600	44,296	21.4	21,292	10.3	1,523	34.4	79	17.8	672	15.2
1946	2,137,600	51,941	24.3	21,620	10.1	1,723	33.2	65	12.5	869	16.7
1947	2,202,400	58,230	26.4	21,763	9.9	1,630	28.0	59	10.1	907	15.6
1948	2,266,400	55,460	24.5	21,925	9.7	1,525	27.5	36	6.5	776	14.0
1949	2,331,000	56,433	24.2	22,420	9.6	1,526	27.0	36	6.4	850	15.1
1950	2,378,963	55,755	23.4	22,450	9.4	1,526	27.4	28	5.0	799	14.3

Year	Population	Live Births		Deaths		Infant Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate***	Number	Ratio**
1951	2,444,000	57,994	23.7	23,300	9.5	1,412	24.3	23	4.0	852	14.7
1952	2,496,100	61,436	24.6	22,874	9.2	1,522	24.8	15	2.4	857	13.9
1953	2,528,200	61,571	24.4	23,279	9.2	1,556	25.3	18	2.9	834	13.5
1954	2,566,000	62,703	24.4	23,238	9.1	1,514	24.1	29	4.6	829	13.2
1955	2,586,100	62,290	24.1	24,410	9.4	1,520	24.4	16	2.6	806	12.9
1956	2,651,900	64,999	24.5	24,207	9.1	1,524	23.4	13	2.0	777	12.0
1957	2,712,700	65,982	24.3	25,140	9.3	1,596	24.2	20	3.0	793	12.0
1958	2,767,900	65,574	23.7	25,429	9.2	1,707	26.0	11	1.7	764	11.7
1959	2,819,000	65,729	23.3	26,229	9.3	1,570	23.9	9	1.4	749	11.4
1960	2,853,214	65,251	22.9	26,505	9.3	1,528	23.4	17	2.6	738	11.3
1961	2,897,000	65,013	22.4	26,353	9.1	1,467	22.6	19	2.9	756	11.6
1962	2,948,000	64,812	22.0	27,343	9.3	1,476	22.8	6	0.9	704	10.9
1963	2,972,000	61,013	20.5	27,550	9.3	1,339	21.9	10	1.6	657	10.8
1964	3,008,000	57,148	19.0	28,106	9.3	1,277	22.3	7	1.2	637	11.1
1965	3,065,000	52,806	17.2	27,379	8.9	1,130	21.4	15	2.8	639	12.1
1966	3,125,000	51,777	16.6	29,035	9.3	1,084	20.9	13	2.5	554	10.7
1967	3,229,000	54,875	17.1	29,302	9.1	1,050	19.1	12	2.2	573	10.4
1968	3,329,000	57,206	17.2	30,360	9.1	1,120	19.6	8	1.4	620	10.8
1969	3,365,000	59,354	17.6	30,504	9.1	1,118	18.8	12	2.0	651	11.0
1970	3,409,169	60,499	17.7	29,901	8.8	1,135	18.8	9	1.5	640	10.6
1971	3,433,000	55,304	16.1	30,318	8.8	1,008	18.2	5	0.9	574	10.4
1972	3,418,800	48,250	14.1	29,747	8.7	805	17.0	6	1.2	428	8.8
1973	3,424,300	47,636	13.9	30,751	9.0	781	16.4	3	0.6	430	9.0
1974	3,448,100	50,096	14.5	29,773	8.6	763	15.2	4	0.8	450	9.0
1975	3,494,124	50,821	14.5	29,778	8.5	798	15.7	5	1.0	421	8.3
1976	3,571,600	53,004	14.8	30,275	8.5	765	14.4	3	0.6	439	8.3
1977	3,661,975	57,256	15.6	29,789	8.1	696	12.2	5	0.9	426	7.4
1978	3,774,294	58,725	15.6	30,469	8.1	737	12.6	4	0.7	465	7.9
1979	3,911,200	64,377	16.5	30,418	7.8	737	11.4	8	1.2	466	7.2
1980	4,130,163	67,857	16.4	32,012	7.8	798	11.8	10	1.5	533	7.9
1981	4,250,123	69,756	16.4	32,022	7.5	731	10.5	7	1.0	489	7.0
1982	4,264,000	69,529	16.3	32,309	7.6	744	10.7	8	1.2	501	7.2
1983	4,285,100	68,705	16.0	32,631	7.6	653	9.5	6	0.9	474	6.9
1984	4,328,100	68,947	15.9	33,788	7.8	704	10.2	7	1.0	444	6.4
1985	4,384,100	70,226	16.0	34,475	7.9	747	10.6	5	0.7	403	5.7
1986	4,419,700	69,431	15.7	34,166	7.7	675	9.7	2	0.3	445	6.4

*Per 1,000 Population

**Per 1,000 Live Births

***Per 10,000 Live Births

1961-1969 population figures are revised estimates provided by the Office of Program Planning and Fiscal Management.
1979-1982 maternal death figures are revised totals based on studies conducted by the Health Data Unit.

NATALITY

TABLE 1

LIVE BIRTHS IN WASHINGTON STATE BY SELECTED TOPICS, 1986

A. RESIDENCE, BY RACE BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	69,431	35,542	33,887	2
WHITE	58,072	29,674	28,397	1
BLACK	3,315	1,698	1,617	
MEXICAN/ CHICANO	2,121	1,100	1,021	
INDIAN	1,759	930	829	
JAPANESE	326	171	155	
CHINESE	237	101	136	
FILIPINO	611	321	290	
OTHER ASIAN	2,410	1,261	1,148	1
OTHER	13	8	5	
UNKNOWN	567	278	289	

B. RESIDENCE, BY MOTHER'S AGE GROUP BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	69,431	35,542	33,887	2
UNDER 15	114	56	58	
15 - 17	2,419	1,198	1,221	
18 - 19	4,717	2,453	2,263	1
20 - 24	19,787	10,079	9,708	
25 - 29	22,588	11,674	10,913	1
30 - 34	14,577	7,438	7,139	
35 - 39	4,573	2,313	2,260	
40 - 44	593	294	299	
45 AND OVER	24	10	14	
UNKNOWN	39	27	12	

C. RESIDENCE, BY ORDER OF BIRTH
TO MOTHER

		%*
TOTAL	69,431	100.0
1ST CHILD	27,890	40.2
2ND CHILD	22,498	32.4
3RD CHILD	10,731	15.5
4TH CHILD	3,874	5.6
5TH CHILD	1,377	2.0
6TH CHILD	593	.9
7TH CHILD	261	.4
8TH CHILD	114	.2
9TH CHILD	60	.1
10TH OR MORE	76	.1
UNKNOWN	1,957	2.8

D. RESIDENCE, BY ATTENDANT

		%*
TOTAL	69,431	100.0
M.D.	64,837	93.4
MIDWIFE	2,622	3.8
OSTEOPATH	1,135	1.6
NURSE	267	.4
FATHER	89	.1
MOTHER	2	
OTHER	198	.3
UN*KNOWN	281	.4

TABLE 1 (CONT'D)

LIVE BIRTHS IN WASHINGTON STATE BY SELECTED TOPICS, 1986

E. RESIDENCE AND OCCURRENCE, BY SEX BY BIRTH WEIGHT IN GRAMS

	RESIDENCE				OCCURRENCE			
	TOTAL	MALE	FEMALE	UNK	TOTAL	MALE	FEMALE	UNK
TOTAL	69,431	35,542	33,887	2	68,501	35,051	33,448	2
1,000 GRAMS & UNDER	298	160	138		283	153	130	
1,001 - 1,500	328	162	166		328	158	170	
1,501 - 2,000	720	356	364		717	355	362	
2,001 - 2,500	2,253	1,059	1,193	1	2,205	1,034	1,170	1
2,501 - 3,000	8,713	3,758	4,955		8,609	3,697	4,912	
3,001 - 3,500	24,011	11,170	12,841		23,653	10,999	12,654	
3,501 - 4,000	22,895	12,449	10,445	1	22,624	12,307	10,316	1
4,001 - 4,500	8,234	5,082	3,152		8,117	5,011	3,106	
4,501 AND OVER	1,877	1,300	577		1,863	1,290	573	
UNKNOWN	102	46	56		102	47	55	

F. RESIDENCE AND OCCURRENCE, LIVE BIRTHS AND FETAL DEATHS BY MONTH

	LIVE BIRTHS		FETAL DEATHS	
	RESIDENCE	OCCURRENCE	RESIDENCE	OCCURRENCE
TOTAL	69,431	68,501	445	453
JANUARY	5,620	5,521	46	47
FEBRUARY	5,183	5,102	37	40
MARCH	5,969	5,915	39	40
APRIL	5,777	5,659	51	50
MAY	6,298	6,206	30	30
JUNE	5,962	5,894	25	25
JULY	6,236	6,161	38	38
AUGUST	6,162	6,086	28	29
SEPTEMBER	5,934	5,883	37	36
OCTOBER	5,689	5,619	42	44
NOVEMBER	5,139	5,065	26	26
DECEMBER	5,462	5,390	46	48

TABLE 1 (CONT'D)

LIVE BIRTHS IN WASHINGTON STATE BY SELECTED TOPICS, 1986

G. OCCURRENCE, METHOD OF DELIVERY		H. TYPE OF PLACE BY OCCURRENCE		%*
TOTAL	68,501	TOTAL	68,501	100.0
INDUCED LABOR		GENERAL HOSPITAL	62,600	91.4
C-SECTION		FEDERAL FACILITY	4,188	6.1
PRIMARY	277	HOME	1,030	1.5
REPEAT	4	BIRTH CENTER	445	.6
VAGINAL DELIVERY		BORN ON ARRIVAL	48	.1
VACUUM EXTRACTION	69	OTHER AND UNKNOWN	190	.3
OUTLET FORCEPS	188			
AFTER PREVIOUS				
C-SECTION	13			
WITHOUT OTHER OB PROC.	1,410			
OTHER	23			
LABOR, NOT INDUCED		I. RESIDENCE, MULTIPLE LIVE BIRTHS		
C-SECTION		SETS OF TWINS	721	
PRIMARY	8,052	SETS OF TRIPLETS	11	
REPEAT	4,605			
VAGINAL DELIVERY		J. RESIDENCE, MATERNAL SMOKING		
SPONTANEOUS	40,516	YES	16,546	
VACUUM EXTRACTION	2,190	NO	48,934	
OUTLET FORCEPS	4,730	UNKNOWN	3,951	
AFTER PREVIOUS				
C-SECTION	467			
OTHER	502			
METHOD OF DELIVERY				
UNKNOWN	5,455			

*DETAIL MAY NOT ADD TO 100% DUE TO ROUNDING

TABLE 2

LIVE BIRTHS BY RACE BY BIRTH WEIGHT, WASHINGTON STATE RESIDENTS 1986

BIRTH WEIGHT IN GRAMS	TOTAL	WHITE	BLACK	MEXICAN/ CHICANO	INDIAN	JAPA- NESE	CHI- NESE	FILI- PINO	OTHER ASIAN	OTHER	UNKNOWN
STATE TOTAL	69,431	58,072	3,315	2,121	1,759	326	237	611	2,410	13	567
1,000 AND UNDER	298	205	51	7	8	1	2		18	1	5
1,001 - 1,500	328	257	39	6	14	2	1	2	3		4
1,501 - 2,000	720	564	67	21	23	3	2	8	28		4
2,001 - 2,500	2,253	1,746	195	69	85	7	5	30	97		19
2,501 - 3,000	8,713	6,818	676	281	236	54	44	114	410	2	78
3,001 - 3,500	24,011	19,720	1,224	795	580	121	91	257	1,008	4	211
3,501 - 4,000	22,895	19,709	779	688	571	110	76	160	625	3	174
4,001 - 4,500	8,234	7,300	241	198	192	21	14	32	186	3	47
4,501 AND OVER	1,877	1,679	42	54	46	5	1	7	28		15
NOT STATED	102	74	1	2	4	2	1	1	7		10

TABLE 3

LIVE BIRTHS BY MOTHER'S AGE BY BIRTH WEIGHT, WASHINGTON STATE RESIDENTS 1986

BIRTH WEIGHT IN GRAMS	TOTAL	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTAL	69,431	114	2,419	4,717	19,787	22,588	14,577	4,573	593	24	39
1,000 AND UNDER	298	2	17	26	86	88	64	10	4		1
1,001 - 1,500	328	5	14	29	78	109	63	28	2		
1,501 - 2,000	720	3	39	74	197	214	130	52	8	1	2
2,001 - 2,500	2,253	5	105	191	682	662	434	141	29	1	3
2,501 - 3,000	8,713	19	387	729	2,704	2,708	1,601	483	75	2	5
3,001 - 3,500	24,011	44	960	1,766	7,035	7,692	4,850	1,460	184	13	7
3,501 - 4,000	22,895	27	676	1,386	6,355	7,716	5,020	1,521	170	7	17
4,001 - 4,500	8,234	7	188	432	2,184	2,758	1,909	664	91		1
4,501 AND OVER	1,877	2	31	74	440	613	485	201	30		1
NOT STATED	102		2	10	26	28	21	13			2

TABLE 4

LIVE BIRTHS BY MOTHER'S AGE BY MONTH PRENATAL CARE BEGAN, WASHINGTON STATE RESIDENTS 1986

MONTH PRENATAL CARE BEGAN	ALL AGES	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNKNOWN
STATE TOTAL	69,431	114	2,419	4,717	19,787	22,588	14,577	4,573	593	24	39
FIRST	10,028	5	120	343	2,330	3,770	2,558	787	108	1	6
SECOND	26,560	20	492	1,150	6,875	9,478	6,422	1,902	201	6	14
THIRD	15,666	19	503	1,136	4,608	5,052	3,182	1,032	126	3	5
FOURTH	6,443	16	398	704	2,235	1,779	921	328	56	3	3
FIFTH	3,328	11	262	405	1,233	780	458	145	31	2	1
SIXTH	2,139	6	229	314	767	451	275	77	15	2	3
SEVENTH	1,419	12	142	230	527	303	134	59	11	1	
EIGHTH	892	5	86	153	324	188	85	44	6	1	
NINTH	341	3	35	53	107	86	43	12	2		
NO CARE	592	6	59	92	189	136	71	28	10	1	
UNKNOWN	2,023	11	93	137	592	565	428	159	27	4	7

TABLE 5

LIVE BIRTHS BY NUMBER OF PRENATAL VISITS BY MONTH CARE BEGAN, WASHINGTON STATE RESIDENTS 1986

NUMBER OF PRENATAL VISITS	MONTH CARE BEGAN					
	TOTAL	1-3	4-6	7-9	NO CARE	UNKNOWN
TOTAL	69,431	52,254	11,910	2,652	592	2,023
9 OR MORE	53,810	46,693	6,446	270		401
5 - 8	9,728	4,050	4,402	1,164		112
1 - 4	2,456	453	790	1,163		50
NO VISITS	592				592	
UNKNOWN	2,845	1,058	272	55		1,460

TABLE 6

LIVE BIRTHS WITH RATES BY PLACE OF RESIDENCE BY SEX AND PLACE OF OCCURRENCE, WASHINGTON STATE 1986

COUNTY AND CITY	RESIDENCE				OCCURRENCE	
	NUMBER	RATE	MALE	FEMALE	NUMBER	RATE
STATE TOTALS	69,431	15.7	35,542	33,887	68,501	15.5
ADAMS	259	18.6	141	118	273	19.6
ASOTIN	256	15.1	141	115	5	.3
BENTON	1,913	18.4	1,000	913	2,415	23.2
KENNEWICK	857	23.4	466	391	928	25.4
RICHLAND	443	14.6	231	212	1,183	39.1
CHELAM	875	17.9	455	420	1,238	25.3
WENATCHEE	380	21.1	188	192	1,149	63.9
CLALLAM	713	13.5	374	339	726	13.7
PORT ANGELES	259	15.0	143	116	639	36.9
CLARK	3,181	15.5	1,568	1,613	2,192	10.7
VANCOUVER	1,364	31.9	680	684	2,180	51.0
COLUMBIA	68	16.6	26	42	30	7.3
COWLITZ	1,169	14.8	597	572	1,227	15.6
KELSO	200	18.6	102	98	1,223	41.6
LONGVIEW	511	17.4	253	258	8	.3
DOUGLAS	379	16.3	178	201	38	6.2
FERRY	84	13.8	40	44		
FRANKLIN	774	21.9	414	360	414	11.7
PASCO	472	25.6	259	213	413	22.4
CARFIELD	22	8.8	12	10		
GRANT	903	17.9	474	429	741	14.7
MOSES LAKE	186	17.9	99	87	558	53.7
GRAYS HARBOR	911	14.5	470	441	457	7.3
ABERDEEN	262	15.4	130	132	447	26.3
ISLAND	835	16.5	434	401	704	13.9
OAK HARBOR	374	27.7	199	175	3	.2
JEFFERSON	197	11.0	105	92	154	8.6
KING	19,957	14.7	10,219	9,737	21,802	16.0
AUBURN	536	17.9	276	260	638	21.3
BELLEVUE	923	11.3	469	454	2,250	27.5
DES MOINES	92	6.7	46	46	1	.1
KENT	512	17.9	262	250	13	.5
KIRKLAND	280	14.4	134	146	1,447	74.5
MERCER ISLAND	159	7.7	83	76	2	.1
REDMOND	405	14.1	212	193	1,488	51.6
RENTON	629	18.3	324	305	2,348	68.1
SEATTLE	6,892	14.1	3,553	3,338	13,222	27.1
KITSAP	2,785	16.9	1,438	1,347	2,472	15.0
BREHERTON	920	27.5	477	443	1,737	52.0
KITTITAS	280	11.2	140	140	238	9.5
ELLENSBURG	126	11.1	58	68	232	20.4
ELICKITAT	239	14.4	116	123	213	12.8
LEWIS	833	14.7	429	404	869	15.3
CENTRALIA	233	19.7	131	102	336	28.5
LINCOLN	129	13.3	73	56	57	5.9
MASON	458	12.9	228	230	228	6.4
OKANOGAN	546	17.3	288	258	530	16.8
PACIFIC	221	12.8	116	105	146	8.5
PEND OREILLE	123	13.7	63	60	67	7.4
PIERCE	9,487	17.9	4,825	4,662	10,624	20.0
PUYALLUP	400	20.6	190	210	1,330	68.6
TACOMA	3,210	20.2	1,615	1,595	6,584	41.4
SAN JUAN	105	11.8	54	51	12	1.3
SKAGIT	1,027	14.9	499	527	1,279	18.5
MOUNT VERNON	297	20.8	135	161	822	57.6
SKAMANIA	106	13.6	52	54	3	.4
SHOENISM	6,637	17.4	3,398	3,239	4,677	12.3
EDMONDS	418	14.9	216	202	1,551	55.3
EVERETT	1,349	22.7	704	645	2,633	44.3
LYNKWOOD	551	23.0	275	276	19	.8
MOUNTLAKE TERRACE	247	15.8	114	133	7	.4
SPOKANE	5,372	15.1	2,738	2,634	6,083	17.1
SPOKANE (CITY)	2,907	16.8	1,516	1,391	5,588	32.4
STEVENS	439	14.5	230	209	269	8.9
THURSTON	2,122	14.9	1,080	1,042	2,157	15.2
LACEY	237	15.5	132	105	5	.3
OLYMPIA	659	22.7	338	321	2,138	73.7
WAHIAKUM	33	9.2	15	18		
WALLA WALLA	623	12.8	329	294	882	18.2
WALLA WALLA (CITY)	373	14.6	197	176	879	34.3
WHATCOM	1,561	13.4	831	730	1,509	12.9
BELLINGHAM	581	12.5	299	282	1,488	32.0
WHITMAN	424	10.7	223	201	446	11.3
PULLMAN	231	10.3	126	105	419	18.0
YAKIMA	3,385	18.4	1,729	1,656	3,316	18.1
YAKIMA (CITY)	972	19.6	489	483	2,481	50.0

OCCURRENCE



TABLE 7 — LIVE BIRTH INTER-COUNTY TRAVEL PATTERNS,

RESIDENCE	ADAMS	ASOTIN	BENTON	CHELAN	CLALLAM	CLARK	COLUMBIA	COWLITZ	DOUGLAS	FERRY	FRANKLIN	GARFIELD	GRANT	GRAYS HARBOR	ISLAND	JEFFERSON	KING
ADAMS	186		10								3		27				1
ASOTIN		5															1
BENTON			1717								116						4
CHELAN				821													28
CLALLAM					691									3		1	10
CLARK					1	2077		13						1			1
COLUMBIA						1	27	7			1						
COWLITZ						44		1034						1			6
DOUGLAS				319					8				1				5
FERRY										36			2				
FRANKLIN	24		438								280		7				1
GARFIELD																	
GRANT	60		14	85							1		666				8
GRAYS HARBOR					1			2					1	430			17
ISLAND					1										693	1	36
JEFFERSON					23									5		146	6
KING			1	1	1	1		2					3		1		18593
KITSAP					2											2	219
KITTITAS				1							1						13
Klickitat			1			2											
LEWIS						2		26									10
LINCOLN													5				
MASON														1		1	8
OKANOGAN	1			7						2			25				2
PACIFIC								7						14			
PEND OREILLE			1														
PIERCE			1		1	4		1					1			1	504
SAN JUAN																	11
SKAGIT															8		25
SKAMANIA						25		1									
SNOHOMISH			2	1	2										2		2155
SPOKANE			1														2
STEVENS											1						
THURSTON	1					2		3									33
WAHIAKUM					1	1		22									1
WALLA WALLA			22				3				6						2
WHATCOM			1														22
WHITMAN																	
YAKIMA			178	2							1						9
OUT-OF-STATE	1		28	1	2	33		109			4		3	2		2	69

WASHINGTON STATE RESIDENTS AND OCCURRENCES, 1986

KITSAP	KITTITAS	Klickitat	LEWIS	LINCOLN	MASON	OKANOGAN	PACIFIC	PEND OREILLE	PIERCE	SAN JUAN	SKAGIT	SKAMANIA	SNOHOMISH	SPOKANE	STEVENS	THURSTON	WAHIAKUM	WALLA WALLA	WHATCOM	WHITMAN	YAKIMA	OUT-OF-STATE
				1										29						2		
													1	1						7		242
						1							1	2				2			59	11
						13			1				3	5				1			1	2
2			1						1							1			1		2	
			3											1							2	1082
														1				29			1	1
			12				2		4							3						63
						40							1	4								1
				2										23	20					1		
		1												12				2			3	6
														2								20
	5					7					1			44						1	8	3
1			38		6		49		24		1					337						4
									7		54		38									5
11					2				3							1						
10	2		1		1				1008		8		256	5		8		2	4		4	45
2260					2				274				15	1								10
	229					1								2							33	
		137												1							8	90
			712				2		23							52					1	5
				51										72								1
89			1		211	1			25					1		120						
1						463								40								5
			6				92									17					1	84
								49						59	6						1	7
85			3						8789		1		5	2		48			1		1	39
										12	72		3						6			1
1									2		966		7			1			11			6
		24	1									3										52
1	1		3						7		117		4333						4			9
				1				1	1				3	5325	2					2	2	32
				2										192	240							4
3			85		5		1		421							1563			1			4
																						8
														6				580			1	3
									1		54		2			1			1470	3		7
											1			58				2		323		40
1	1	1				1			5					1							3175	8
7		50	3		1	3		17	28		4		10	194	1	5		264	9	107	13	

TABLE 8

LIVE BIRTHS BY RACE BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	TOTAL	WHITE	BLACK	MEXICAN/ CHICANO	INDIAN	JAPA- NESE	CHI- NESE	FILI- PINO	OTHER ASIAN	OTHER	UNKNOWN
STATE TOTALS	69,431	58,072	3,315	2,121	1,759	326	237	611	2,410	13	567
ADAMS	259	252	1	4	1				1		
ASOTIN	256	245	1	1	8				1		
BENTON	1,913	1,687	32	146	13	2	4	3	25		1
KENNEWICK	857	748	20	62	5	1	3	2	15		1
RICHLAND	443	414	7	8	4	1	1		8		
CHELAN	875	734	4	110	10	1		3	13		
WEKATCHEE	380	319	4	40	10	1			6		
CLALLAM	713	635	2	9	54	2	1	3	5		2
PORT ANGELES	259	243		4	7	2		1	1		1
CLARK	3,181	2,857	71	27	50	6	5	14	69	2	80
VANCOUVER	1,364	1,158	53	16	32	4	3	11	43	2	42
COLUMBIA	68	59		7	1				1		
COVILTZ	1,169	1,110	5	8	22	1	1	2	17		3
KELSO	200	190	1	2	5	1		1			
LONGVIEW	511	475	4	2	11		1		16		2
DOUGLAS	379	319	1	53	2		1	1	2		
FERRY	84	56			28						
FRANKLIN	774	575	42	123	9		1	1	22		1
PASCO	472	310	40	98	8		1	1	14		
GARFIELD	22	22									
GRANT	903	835	6	37	11	7	1	3	3		
MOSES LAKE	186	175	1	1	6	1		2			
GRAYS HARBOR	911	792	5	7	71	3		1	18		14
ABERDEEN	262	232	1	4	14			1	8		2
ISLAND	835	740	28	3	3	2	1	35	22		1
OAK HARBOR	374	309	21	2	1	2	1	26	12		
JEFFERSON	197	177	2	3	11	3			1		
KING	19,957	15,968	1,505	114	290	164	163	304	1,185	1	263
AUBURN	536	486	9	4	19	3		4	10		1
BELLEVUE	923	765	38	2	6	17	16	6	56		17
DES MOINES	92	78	7			1		2	4		
KENT	512	456	17	4	9	2	1	4	18		1
KIRKLAND	280	248	3		3	4		1	11		10
MERCER ISLAND	159	138	5			1	7		8		
REDMOND	405	360	7	2	2	2	2	1	24		7
RENTON	629	506	38	1	7	9	5	9	48		6
SEATTLE	6,892	4,536	1,101	53	133	56	89	187	643	1	93
KITSAP	2,785	2,444	103	13	72	14	1	66	70		2
BREMERTON	920	759	68	6	17	6		39	24		
KITTITAS	280	271	2	5				1	1		
ELLENSBURG	126	123	2					1			
Klickitat	239	213		7	17	1			1		
LEWIS	833	795	6	13	6			2	7		4
CENTRALIA	233	218	4	5	1			1	3		1
LINCOLN	129	126		1	2						
MASON	458	412	2	6	30			1	6		1
OKANOGAN	546	372	1	68	99			1	3		2
PACIFIC	221	195	2	4	9			3	8		
PEND OREILLE	123	114			8				1		
PIERCE	9,487	7,370	1,171	56	181	48	22	89	527	5	18
PUYALLUP	400	367	8	4	8	2	1		8		2
TACOMA	3,210	2,237	511	17	103	15	9	31	280	1	6
SAN JUAN	105	103			2						
SKAGIT	1,027	937	5	43	30	4		1	7		
NOUNT VERNON	297	265	2	22	4	1			3		
SKAMANIA	106	100			4			1	1		
SNOWHONISH	6,637	6,035	77	22	146	20	16	37	168	2	114
EDMONDS	418	371	10	1	7	3	1	3	16		6
EVERETT	1,349	1,201	27	6	29	4	4	8	46		24
LYNNWOOD	551	484	11		12	2	1	5	20		6
NOUNT LAKE TERRACE	247	231	1		1			1	11	1	1
SPOKANE	5,372	4,986	116	21	124	22	5	10	83		5
SPOKANE (CITY)	2,907	2,644	85	13	96	6	1	5	53		4
STEVENS	439	390	1	1	43			1	3		
THURSTON	2,122	1,877	53	10	34	8	3	17	83		37
LACEY	237	209	7		1		1	2	15		2
OLYMPIA	659	565	17	4	13	3	2	5	37		13
WAKIACUM	33	32		1							
WALLA WALLA	823	541	10	62	5			1	4		
WALLA WALLA (CITY)	373	322	8	36	4			1	2		
WHATCOM	1,561	1,368	7	26	111	9	2	3	22		13
BELLINGHAM	581	506	5	3	36	4		1	15		11
WHITMAN	424	381	10	1	3	3	6	1	19		
PULLMAN	231	193	10	1	3	3	4	1	16		
YAKIMA	3,385	1,947	44	1,109	249	6	4	6	11	3	6
YAKIMA (CITY)	972	671	37	200	44	3	3	3	7	1	3

TABLE 9

LIVE BIRTHS BY MOTHER'S AGE GROUP BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	ALL AGES	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTALS	69,431	114	2,419	4,717	19,787	22,588	14,577	4,573	593	24	39
ADAMS	259		12	24	95	67	45	13	3		
ASOTIN	256		8	30	91	72	43	10			
BENTON	1,913	3	55	140	577	636	375	112	14	1	
KENNEWICK	857	2	25	64	302	275	150	34	5		
RICHLAND	443		8	32	121	144	103	31	4		
CHELAN	875	1	42	69	272	268	162	55	6		
WEAATCHEE	380		20	37	130	104	65	23	1		
CLALLAN	713	2	21	57	216	238	136	39	3	1	
PORT ANGELES	259	1	6	24	86	79	46	15	1	1	
CLARK	3,181	1	116	233	990	1,050	580	187	23		1
VAKCOUVER	1,364		75	146	509	394	180	49	10		1
COLUMBIA	68		1	4	20	20	14	7	1		1
COWLITZ	1,169	4	52	110	428	368	160	42	4	1	
KELSO	200	1	10	25	86	55	13	8	2		
LONGVIEW	511	2	29	47	181	161	75	16			
DOUGLAS	379	1	13	24	98	141	73	28	1		
FERRY	84		2	11	33	20	12	5	1		
FRANKLIN	774	2	43	61	261	238	122	36	9	1	1
PASCO	472	2	34	44	166	128	70	21	5	1	1
CARFIELD	22		2	1	7	6	5	1			
GRANT	903	1	47	79	295	263	165	45	8		
NOSES LAKE	186		12	19	61	51	33	7	3		
GRAYS HARBOR	911	6	49	112	291	273	138	39	2		1
ABERDEEN	262	2	15	37	83	77	38	9	1		
ISLAND	835		13	70	297	271	141	37	6		
OAK HARBOR	374		5	45	157	111	46	9	1		
JEFFERSON	197		5	14	49	87	46	13	2	1	
KING	19,957	32	487	908	4,467	6,640	5,352	1,822	224	8	17
AUBURN	536		22	46	206	188	72	19	2		1
BELLEVUE	923	2	9	27	184	331	265	98	6	1	
DES MOINES	92		1	5	20	38	24	3	1		
KENT	512	1	13	42	186	187	70	12	1		1
KIRKLAND	280		4	11	55	116	70	22	1		1
MERCER ISLAND	159				15	36	70	32	5		
REDMOND	405	1	4	6	57	141	145	40	2		
RENTON	629	2	14	32	108	216	135	40	2	4	7
SEATTLE	6,892	14	225	354	1,374	2,025	1,975	807	107		
KITSAP	2,785	3	99	182	686	889	530	175	21		
BREMERTON	920	2	53	83	370	252	116	38	6		
KITTITAS	280	1	8	22	85	83	61	17	3		
ELLENSBURG	126		3	12	44	30	29	7	1		
Klickitat	239		10	16	75	75	50	11	2		
LEWIS	833		31	75	338	225	125	32	7		
CENTRALIA	233		10	27	102	60	26	7	1		
LINCOLN	129		2	2	43	46	27	8	1		
NASOH	458		21	31	151	127	99	24	5		
OKANOGAN	546	1	38	52	177	162	92	18	6		
PACIFIC	221		15	19	77	58	40	8	4		
PEND OREILLE	123		7	14	41	32	23	4	2		
PIERCE	9,487	16	388	808	3,120	3,036	1,609	444	60	2	4
PULLMAN	400		30	30	120	137	67	15	1		
TACOMA	3,210	10	169	289	1,032	970	550	157	29	1	3
SAN JUAN	105		1	1	18	35	26	20	3	1	
SKAGIT	1,027	1	38	89	298	338	198	59	6		
MOUNT VERNON	297		15	33	98	80	53	16	2		
SEANANIA	106		5	10	40	36	11	4			
SNORONISH	6,637	9	215	377	1,694	2,393	1,464	430	46	2	7
EDMONDS	418		8	15	103	142	114	33	3		
EVERETT	1,349	2	60	112	478	437	202	54	4		
LYNNWOOD	551		8	35	154	199	116	34	3	2	
MOUNTLAKE TERRACE	247		14	12	50	85	44	18	2		
EPOKARE	3,372	7	200	386	1,614	1,765	1,034	322	41	2	1
SPOKANE (CITY)	2,907	6	122	236	890	935	518	178	21	1	
STEVENS	439		21	50	130	137	78	18	3	1	1
THURSTON	2,122	3	62	152	638	665	432	144	20	2	4
LACEY	237	1	10	16	84	62	40	20	3	1	
OLYMPIA	659		23	49	204	201	137	39	5		1
WASHIAKUM	33		2	2	9	7	9	4			
WALLA WALLA	623	3	21	52	174	203	124	39	7		
WALLA WALLA (CITY)	373	2	17	38	108	111	64	27	6		
WHATCON	1,561	3	50	78	461	517	324	109	19		
BELLINGHAM	581		24	28	184	180	115	44	6		
WHITMAN	424		7	14	92	158	121	29	2	1	
PULLMAN	231		2	4	47	84	71	21	3		
YAKIMA	3,385	14	210	338	1,139	963	529	163	28		1
YAKIMA (CITY)	972	2	50	95	338	295	147	33	12		

TABLE 10

LIVE BIRTHS BY MONTH BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	TOTAL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
STATE TOTALS	69,431	5,620	5,183	5,969	5,777	6,298	5,962	6,236	6,162	5,934	5,689	5,139	5,462
ADAMS	259	28	17	21	24	25	25	18	29	25	16	13	18
ASOTIN	256	19	16	18	22	25	22	27	23	16	25	19	24
BENTON	1,913	148	162	156	169	178	170	181	169	166	142	131	141
KENNEWICK	857	62	68	69	77	82	75	79	81	75	59	66	64
NICHLAND	443	37	43	31	42	35	41	37	47	31	41	30	28
CHILAN	875	86	62	60	88	86	67	81	57	77	75	65	51
WENATCHEE	380	36	27	35	34	42	27	35	25	27	39	30	23
CLALLAM	713	54	56	60	54	65	77	61	61	58	58	48	61
FORT ANGELES	259	20	17	26	21	26	26	25	19	20	21	15	23
CLARK	3,181	261	246	279	278	287	271	288	288	261	254	237	231
VANCOUVER	1,364	112	80	114	125	125	117	132	124	118	100	99	116
COLUMBIA	68	2	7	9	9	10	8	7	3	4	3	4	2
COULITZ	1,169	99	80	95	100	93	116	113	96	93	107	92	85
KELSO	200	20	15	17	19	15	13	18	16	17	20	15	15
LONGVIEW	511	44	35	45	40	37	56	45	41	41	50	48	29
DOUGLAS	379	23	30	40	26	34	33	35	31	35	29	32	31
FERRY	84	2	5	10	11	6	9	6	5	8	9	4	11
FRANKLIN	774	60	68	61	77	78	53	71	79	71	51	48	57
PASCO	472	29	26	35	47	52	31	45	52	44	31	35	35
GARFIELD	22	2	1	3	3	2	1	6	1	1		1	1
GRANT	903	74	65	74	61	87	79	111	73	68	75	69	67
HOSES LAKE	186	13	14	18	9	12	21	23	21	13	17	11	14
GRAYS HARBOR	911	71	69	87	68	79	84	73	79	81	76	62	82
ABERDEEN	262	15	26	25	19	29	25	15	22	19	22	16	29
ISLAND	835	61	67	71	67	78	68	68	74	70	79	78	54
OAK HARBOR	374	28	35	34	34	33	26	36	34	26	39	27	22
JEFFERSON	197	11	19	14	16	12	19	10	21	20	16	19	20
KING	19,937	1,644	1,472	1,669	1,652	1,821	1,714	1,782	1,842	1,716	1,664	1,461	1,520
AUBURN	536	43	36	36	47	41	49	37	73	39	50	39	46
BELLEVUE	923	72	75	83	88	79	70	69	81	77	71	71	87
DES MOINES	92	6	5	3	6	8	12	10	12	11	7	7	5
KENT	512	49	37	45	44	47	33	47	44	38	50	36	42
KIRKLAND	280	20	22	28	22	35	30	21	27	27	15	16	17
MERCER ISLAND	159	10	16	9	14	11	10	19	12	20	13	14	11
REDMOND	405	34	25	38	43	35	36	47	32	32	30	26	27
BENTON	629	50	49	45	52	56	56	53	61	55	56	47	49
SEATTLE	6,892	556	507	563	565	628	618	646	641	602	578	488	500
KITSAP	2,785	247	219	262	236	232	212	267	240	239	217	180	234
BRENERATON	920	82	73	96	71	84	69	84	75	73	72	62	79
KITTITAS	280	37	23	20	22	23	19	20	24	16	27	18	31
ELLENSBURG	126	15	9	9	11	8	10	9	12	4	17	9	13
Klickitat	239	26	17	17	26	22	16	22	22	18	11	19	23
LEWIS	833	56	60	70	81	72	84	78	79	73	59	62	59
CENTRALIA	233	16	18	20	18	14	29	18	22	17	15	26	20
LINCOLN	129	9	14	15	6	11	18	11	13	10	6	6	10
MASON	458	41	38	41	44	42	35	46	41	35	31	30	34
OKANOGAN	546	53	39	52	52	48	42	46	44	51	47	38	34
PACIFIC	221	20	21	23	25	23	12	22	16	11	14	14	20
PEND OREILLE	123	7	13	8	15	12	4	8	12	6	9	14	15
PIERCE	9,487	755	719	788	780	839	775	853	848	825	797	735	773
PUYALLUP	400	27	24	35	36	31	38	44	34	45	27	25	34
TACOMA	3,210	270	237	275	281	284	268	264	281	267	306	227	250
SAN JUAN	105	8	8	10	5	5	11	12	11	11	7	8	9
SKAGIT	1,027	89	68	85	79	92	100	98	105	89	94	65	64
MOUNT VERNON	297	21	26	29	24	24	29	24	32	21	29	15	23
SKANANIA	106	4	5	5	10	8	14	10	8	11	11	10	10
SHONOHISH	6,637	511	485	573	530	610	586	584	572	567	520	514	585
EDMONDS	418	31	34	39	40	39	37	31	34	51	25	28	29
EVERETT	1,349	113	98	119	103	103	115	115	114	114	125	106	123
LYNNWOOD	551	51	32	53	51	53	52	45	39	35	44	37	59
MOUNTLAKE TERRACE	247	13	15	22	28	25	27	20	19	15	20	17	26
SPOKANE	5,372	445	411	451	434	501	477	475	459	447	462	405	405
SPOKANE (CITY)	2,907	248	229	233	248	266	252	252	244	238	252	206	239
STEVENS	439	35	29	34	39	42	36	31	51	38	38	26	40
THURSTON	2,122	163	134	201	181	207	185	177	188	186	165	171	164
LACEY	237	20	14	27	18	30	20	20	22	14	19	16	17
OLYMPIA	659	50	57	62	69	66	52	41	66	49	44	56	47
WAREHAKUM	33	4	3	3	4	4	2	5	1	5	1	1	
WALLA WALLA	623	50	45	56	52	66	66	50	44	47	61	37	49
WALLA WALLA (CITY)	373	22	25	35	41	37	39	30	25	30	40	19	30
WHATCOM	1,561	109	124	152	137	141	123	137	138	127	131	121	121
BELLINGHAM	581	35	44	59	58	46	39	50	57	38	62	48	45
WHITMAN	424	28	28	48	34	43	33	32	40	30	33	32	43
PULLMAN	231	13	14	24	16	19	18	18	27	21	22	18	21
YAKIMA	3,385	280	238	286	260	291	296	334	275	323	269	250	283
YAKIMA (CITY)	972	80	77	86	70	79	91	89	73	88	78	67	94

TABLE 11

LIVE BIRTHS BY BIRTH WEIGHT IN GRAMS BY PLACE OF RESIDENCE, WASHINGTON STATE 1986											
COUNTY AND CITY	TOTAL	1000 GR LESS	1001- 1500	1501- 2000	2001- 2500	2501- 3000	3001- 3500	3501- 4000	4001- 4500	4501 AND OVER	NOT STATED
STATE TOTALS	69,431	298	328	720	2,253	8,713	24,011	22,895	8,234	1,877	102
ADAMS	259	1		4	4	36	84	87	34	9	
ASOTIN	256	2	1	1	11	32	94	80	29	6	
BENTON	1,913	3	14	17	61	215	650	640	245	66	2
KENNEWICK	857	1	8	9	30	110	278	281	116	23	1
RICHLAND	443	1	4	4	10	46	154	145	59	20	
CHELAN	875	2	6	12	36	109	293	305	94	17	1
WENATCHEE	380		1	2	18	48	141	127	35	7	1
CLALLAM	713	1	3	3	16	84	257	237	94	17	1
PORT ANGELES	259		2	1	7	38	89	85	30	7	
CLARK	3,181	13	13	33	115	386	1,077	1,039	425	77	3
VANCOUVER	1,364	6	4	10	49	176	488	416	183	31	1
COLUMBIA	68				2	7	15	29	11	4	
COWLITZ	1,169	3	2	13	38	163	380	400	141	29	
KELSO	200			2	10	32	62	68	21	5	
LONGVIEW	511	1		7	17	73	163	172	68	10	
DOUGLAS	379	1	2	6	9	36	137	119	53	16	
FERRY	84	1			5	7	32	29	7	2	1
FRANKLIN	774	5	1	8	20	113	272	237	98	19	1
PASCO	472	1	1	6	11	79	169	141	56	8	
GARFIELD	22				2	3	6	8	3		
GRANT	903	2	1	21	28	112	290	320	112	25	2
MOSES LAKE	186			2	5	28	49	76	23	3	
GRAYS HARBOR	911	3	9	6	36	112	304	298	108	23	12
ABERDEEN	262	1	2	2	14	38	90	84	24	5	2
ISLAND	835	4	5	9	24	93	264	288	126	22	
OAK HARBOR	374	1	1	2	12	40	121	131	54	12	
JEFFERSON	197		1	3	3	21	72	68	24	4	1
KING	19,957	104	98	209	665	2,597	7,004	6,487	2,261	514	18
AUBURN	536	2	1	8	24	63	198	160	60	18	2
BELLEVUE	923	1	2	7	23	112	329	315	115	19	
DES MOINES	92	1		1	3	7	45	23	8	4	
KENT	512	3	3	1	7	57	185	177	67	12	
KIRKLAND	280	2			10	38	97	89	35	9	
MERCER ISLAND	159	3	1		1	22	48	62	15	6	
REDMOND	405	3	1	6	9	42	138	131	66	9	1
RENTON	629	2	1	10	21	92	225	198	65	15	
SEATTLE	6,892	55	42	91	262	1,024	2,534	2,035	675	165	9
KITSAP	2,785	12	13	33	70	316	914	965	356	106	
BREHERTON	920	4	2	13	20	116	313	300	122	30	
KITTITAS	280		4		10	31	93	109	29	4	
ELLENSBURG	126				3	17	41	49	13	3	
Klickitat	239			2	8	26	86	83	29	4	1
LEWIS	833	4	2	9	36	109	287	258	109	18	1
CENTRALIA	233	1	1	5	12	37	75	68	28	5	1
LINCOLN	129		2	1	1	10	53	39	20	3	
MASON	458		1	6	11	57	136	154	75	14	4
OKANOGAN	546	1	1	6	17	88	194	165	61	12	1
PACIFIC	221			1	6	23	93	62	30	5	1
PEND OREILLE	123			3	5	17	44	40	12	2	
PIERCE	9,487	54	62	112	364	1,297	3,411	2,909	1,045	223	10
PUYALLUP	400	2	5	3	10	47	141	124	51	16	1
TACOMA	3,210	12	22	37	134	476	1,162	961	331	73	2
SAN JUAN	105			1	2	9	30	47	14	2	
SKAGIT	1,027	4	5	8	17	115	342	347	149	39	1
MOUNT VERNON	297	1	1	5	3	36	105	95	44	7	
SKAMANIA	106	2	1		3	14	38	37	11		
SNOWISH	6,637	26	32	61	183	782	2,250	2,235	852	210	6
EDMONDS	418	3	3	3	14	50	136	148	45	13	1
EVERETT	1,349	9	11	15	38	172	478	444	147	34	1
LYNNWOOD	551	3	2	6	18	79	195	157	78	12	1
MOUNTLAKE TERRACE	247		2	1	10	27	86	80	35	5	1
SPOKANE	5,372	21	21	51	178	691	1,883	1,841	553	129	4
SPOKANE (CITY)	2,907	11	7	29	95	395	1,011	997	287	73	2
STEVENS	439		1	4	9	56	153	146	57	12	1
THURSTON	2,122	9	6	27	58	239	697	721	255	83	27
LACY	237	1		3	5	25	84	88	23	7	1
OLYMPIA	659	2	2	8	17	66	225	221	77	27	14
WAKIACUM	33				2	3	14	10	4		
WALLA WALLA	623	3	2	9	18	71	199	229	67	25	
WALLA WALLA (CITY)	373	2	1	6	13	43	122	137	34	15	
WHATCOM	1,561	3	4	13	45	165	534	533	220	44	
BELLINGHAM	581	2		4	15	68	210	191	75	16	
WHITMAN	424	1	3	6	6	36	158	157	50	6	1
PULLMAN	231		3	1	6	23	87	76	31	3	1
YAKIMA	3,385	13	12	32	129	432	1,171	1,137	371	86	2
YAKIMA (CITY)	972	5	2	16	37	128	340	322	92	29	1

TABLE 12

RESIDENCE, MULTIPLE BIRTHS BY NUMBER BORN ALIVE EACH SET, WASHINGTON STATE 1966

COUNTY AND CITY	SETS OF TWINS			SETS OF TRIPLETS				SETS OF FOUR OR MORE TOTAL
	2 BORN ALIVE	1 BORN ALIVE	NONE ALIVE	3 BORN ALIVE	2 BORN ALIVE	1 BORN ALIVE	NONE ALIVE	
STATE TOTAL	694	27		10	1			
ADAMS								
ASOTIN	3							
BENTON	20			1				
KENNEWICK	9			1				
RICHLAND	4							
CHELAN	11	2		2	1			
WENATCHEE	2	2						
CLALLAN	6							
PORT ANGELES	3							
CLARK	30	3						
VANCOUVER	8	2						
COLUMBIA								
COULTE	9							
KELSO	3							
LONGVIEW	4							
DOUGLAS	7							
FERRY								
FRANKLIN	10	2		1				
PASCO	5							
GARFIELD	1							
GRANT	6							
MOSES LAKE	1							
GRAYS HARBOR	4	1						
ABERDEEN	1	1						
ISLAND	7	1						
OAK HARBOR	2							
JEFFERSON	1							
KING	213	8						
AUBURN	7							
BELLEVUE	8							
DES MOINES	1							
KENT	2							
KIRKLAND	2							
MERCER ISLAND	1							
REDMOND	4	1						
BENTON	9	2						
SEATTLE	76	2						
KITSAP	30	3		1				
BREMERTON	5							
KITTITAS	2							
ELLENSBURG								
Klickitat	1							
LEWIS	13							
CENTRALIA	3							
LINCOLN	1							
MASON	5							
OKANOGAN	9							
PACIFIC	3							
PEND OREILLE	2							
PIERCE	97	3		2				
PUTALLUP	5							
TACOMA	27	1						
SAN JUAN	1							
SEAGIT	5							
MOUNT VERNON	2							
SKAMANIA	1							
SHOHWISH	66	2		2				
EDMONDS	4	1						
EVERETT	14							
LYNNWOOD	10							
MOUNTLAKE TERRACE	1							
SPOKANE	41							
SPOKANE (CITY)	23							
STEVENS	2							
THURSTON	22							
LACEY	3							
OLYMPIA	7							
WANKIAKUM	1							
WALLA WALLA	7							
WALLA WALLA (CITY)	2							
WHATCOM	18	1		1				
BELLINGHAM	5			1				
WHITMAN	6	1						
PULLMAN	5	1						
YAKIMA	33							

TABLE 13

LIVE BIRTHS WITH MALFORMATIONS WITH PERCENT OF TOTAL BIRTHS BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	TOTAL BIRTHS	BIRTHS WITH MALFORMATIONS	PERCENT OF TOTAL BIRTHS*	TOTAL MALFORMATIONS**
STATE TOTAL	69,431	1,282	1.9	1,403
ADAMS	259	3	1.2	4
ASOTIN	256	1	.4	1
BENTON	1,913	29	1.5	33
KENNEWICK	857	11	1.3	15
RICHLAND	443	12	2.7	12
CHELAN	875	19	2.2	24
WENATCHEE	380	3	.8	3
CLALLAM	713	14	2.0	17
PORT ANGELES	259	6	2.3	7
CLARK	3,181	14	.4	15
VANCOUVER	1,364	6	.4	6
COLUMBIA	68	4	5.9	4
COWLITZ	1,169	17	1.5	20
KELSO	200	5	2.5	5
LONGVIEW	511	3	.6	4
DOUGLAS	379	3	.8	3
FERRY	84	5	6.0	5
FRANKLIN	774	12	1.6	13
PASCO	472	9	1.9	10
GARFIELD	22	1	4.6	1
GRANT	903	12	1.3	12
MOSES LAKE	186	5	2.7	5
GRAYS HARBOR	911	5	.6	5
ABERDEEN	262	2	.8	2
ISLAND	835	16	1.9	19
OAK HARBOR	374	6	1.6	7
JEFFERSON	197	6	3.1	7
KING	19,957	343	1.7	378
AUBURN	536	8	1.5	10
BELLEVUE	923	14	1.5	16
DES MOINES	92	2	2.2	2
KENT	512	7	1.4	7
KIRKLAND	280	6	2.1	6
MERCER ISLAND	159	6	3.8	6
REDMOND	405	6	1.5	6
RENTON	629	10	1.6	12
SEATTLE	6,892	127	1.8	134
KITSAP	2,785	86	3.1	97
BREMERTON	920	38	4.1	43
KITTITAS	280	4	1.4	4
ELLENBURG	126			
Klickitat	239	5	2.1	5
LEWIS	833	19	2.3	22
CENTRALIA	233	9	3.9	10
LINCOLN	129	1	.8	1
MASON	458	11	2.4	11
OKANOGAN	546	10	1.8	12
PACIFIC	221	1	.5	1
PEND OREILLE	123	2	1.6	3
PIERCE	9,487	254	2.7	262
PUYALLUP	400	3	.8	3
TACOMA	3,210	52	1.6	56
SAN JUAN	105	2	1.9	2
SKAGIT	1,027	19	1.9	23
MOUNT VERNON	297	2	.7	2
SKAMANIA	106	1	.9	1
SNOHOMISH	6,637	150	2.3	163
EDMONDS	418	8	1.9	8
EVERETT	1,349	46	3.4	50
LYNNWOOD	551	11	2.0	13
MOUNTLAKE TERRACE	247	4	1.6	5
SPOKANE	5,372	90	1.7	101
SPOKANE	2,907	45	1.6	51
STEVENS	439	5	1.1	6
THURSTON	2,122	43	2.0	45
LACEY	237	9	3.8	9
OLYMPIA	659	11	1.7	12
WAKIARUN	33			
WALLA WALLA	623	7	1.1	7
WALLA WALLA	373	5	1.3	5
WHATCOM	1,561	33	2.1	34
BELLINGHAM	581	16	2.8	17
WHITMAN	424	10	2.4	10
PULLMAN	231	7	3.0	7
YAKIMA	3,385	25	.7	32
YAKIMA	972	3	.3	3
COUNTY UNKNOWN				

* TOTAL MAY NOT ADD UP TO 100% DUE TO ROUNDING

** INDIVIDUAL BIRTHS MAY HAVE MORE THAN ONE MALFORMATION

TABLE 14

LIVE BIRTHS TO SINGLE MOTHERS BY PLACE OF RESIDENCE BY AGE OF MOTHER WASHINGTON STATE, 1986

COUNTY AND CITY	ALL AGES	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTAL	13,727	107	1,076	2,480	5,006	2,593	1,170	416	66	1	12
ADAMS	46		5	8	18	9	3	2	1		
ASOTIN	77		6	15	32	18	4	2			
BENTON	315	3	39	57	119	68	24	4	1		
KENNEWICK	174	2	18	32	74	34	14				
RICHLAND	65		6	14	26	13	3	3			
CHELAN	193	1	30	34	81	33	10	2	2		
NEWATCHEE	107		15	21	47	16	7	1			
CLALLAM	153	2	13	32	46	35	16	7	2		
FORT ANGELES	65	1	4	11	24	18	2	4	1		
CLARK	698	1	100	134	246	137	58	19	3		
VANCOUVER	415		63	85	154	68	32	10	3		
COLUMBIA	10		1	2	3	2	1	1			
COWLITZ	293	4	43	60	113	46	21	5	1		
KELSO	64	1	9	12	27	8	5	1	1		
LONGVIEW	148	2	22	30	57	23	11	3			
DOUGLAS	55	1	8	12	13	11	5	5			
FERRY	30		2	8	14	5	1				
FRANKLIN	182	2	31	29	67	37	10	5	1		
PASCO	142	2	24	22	51	29	9	5			
GARFIELD	3				1	1	1				
GRANT	166	1	28	31	69	22	10	5			
MOSES LAKE	37		7	7	13	7	3				
GRAYS HARBOR	269	6	40	70	95	43	13		1		1
ABERDEEN	92	2	14	22	31	19	4				
ISLAND	82		5	23	29	15	7	3			
OAK HARBOR	30		3	11	11	3	1	1			
JEFFERSON	44		3	10	14	13	3	1			
KING	3,657	31	410	575	1,285	779	406	148	17		6
AUBURN	145		17	33	58	26	3	8			
BELLEVUE	120	2	7	20	42	31	15	3			
DES MOINES	16		1	2	4	3	4				
KEET	106	1	10	17	45	28	5				
KIRKLAND	35		4	7	12	8	4				
MERCER ISLAND	6				4	2					
KIDNOR	30	1	2	2	10	6	7	2			
RENTON	110		9	17	38	27	10	7			
SEATTLE	1,781	14	202	259	586	397	219	68	12		4
KITSAP	405	3	74	72	139	61	41	12	3		
BRIMERTON	184	2	40	32	67	24	14	3	2		
KITTITAS	45	1	5	7	23	6	2	1			
ELLENBURG	21		1	4	11	2	2	1			
Klickitat	60		8	11	27	7	6	1			
LEWIS	171		17	39	73	32	6	2	2		
CENTRALIA	68		5	15	29	15	2	1	1		
LINCOLN	8		2		5	1					
MASON	87		14	18	28	18	5	2	2		
OKANOGAN	159	1	36	27	51	28	12	3	1		
PACIFIC	54		9	12	18	9	5	1			
PEND OREILLE	32		3	5	16	5	3				
PIERCE	2,026	16	291	379	738	395	145	53	7	1	1
PUYALLUP	91		23	18	25	16	7	2			
TACOMA	972	10	152	183	321	193	78	28	6		1
SAN JUAN	20		1		6	5	2	6			
SKAGIT	202	1	25	44	66	41	16	7	2		
NOOK VERNON	75		12	23	29	6	3	2			
SKAMANIA	21		1	5	9	5	1				
SPORONISH	1,131	9	179	205	428	199	77	30	3		1
EDMONDS	55		6	9	24	10	4	2			
EVERETT	384	2	52	61	168	85	27	9			
LYNNWOOD	88		6	18	43	12	6	3			
MOUNTLAKE TERRACE	42		12	5	10	10	4		1		
SPOKANE	1,118	4	157	211	412	199	93	38	4		
SPOKANE	778	3	102	148	301	136	62	24	2		
STEVENS	96		14	22	25	21	12	1	1		
THURSTON	384	2	48	68	147	67	34	11	2		3
LACEY	34		8	5	12	7	3	1			
OLYMPIA	150		18	25	66	21	15	3	1		1
WASHTACUN	6		2	2	1		1				
WALLA WALLA	128	3	15	24	46	24	10	6			
WALLA WALLA	90	2	12	20	30	17	5	4			
WHATCOM	291	3	39	43	120	50	23	9	4		
BELLINGHAM	142		18	21	67	20	10	4	2		
WHITMAN	32		5	5	13	4	3				
PULLMAN	12		2	1	5	2	2				
YAKIMA	978	12	167	181	370	142	76	24	6		
YAKIMA	304	2	40	56	121	53	25	4	3		
COUNTY UNKNOWN											

TABLE 15

LIVE BIRTHS BY INSTITUTIONS BY PLACE OF OCCURRENCE, WASHINGTON STATE 1966

COUNTY AND CITY	TOTAL	GENERAL HOSPITAL	BIRTH CENTER	FEDERAL FACILITY	HOME	BORN ON ARRIVAL	OTHER AND NOT STATED
STATE TOTALS	68,501	62,600	445	4,188	1,030	48	190
ADAMS	273	272				1	
ASOTIN	5				5		
BENTON	2,415	2,300	96		15	4	
KENNEWICK	928	618	96		11	3	
RICHLAND	1,283	1,179			3	1	
CHELAN	1,238	1,207			27	1	3
WENATCHEE	1,149	1,142			7		
CLALLAM	726	710			14		2
PORT ANGELES	639	631			8		
CLARK	2,192	2,147			44	1	
VANCOUVER	2,180	2,147			32	1	
COLUMBIA	30	29			1		
COWLITZ	1,227	1,219			7	1	
KELSO	1,223	1,219			3	1	
LONGVIEW							
DOUGLAS	8				8		
FERRY	38	36			2		
FRANKLIN	414	410			2	2	
PASCO	413	410			1	2	
GARFIELD							
GRANT	741	740			1		
MOSES LAKE	558	557			1		
GRAYS HARBOR	457	443			14		
ABERDEEN	447	442			5		
ISLAND	704	230		463	10		1
OAK HARBOR	3	2			1		
JEFFERSON	154	143			11		
KING	21,802	21,403	18		321	21	39
AUBURN	638	628			10		
BELLEVUE	2,250	2,232			17	1	
DES MOINES	1				1		
KENT	13				12	1	
KIRKLAND	1,447	1,434			13		
MERCER ISLAND	2				2		
REDMOND	1,488	1,478			10		
BENTON	2,348	2,334			13		1
SEATTLE	13,222	12,993	17		159	19	34
KITSAP	2,472	1,717		699	31	1	4
BREMERTON	1,737	1,717			19	1	
KITTITAS	238	231			2	1	4
ELLENSBURG	232	229			2	1	
Klickitat	213	212			1		
LEWIS	869	817			50	1	1
CENTRALIA	336	227			8		1
LINCOLN	57	57					
MASON	228	206			21	1	
OKANOGAN	530	515			15		
PACIFIC	146	145			1		
PEND OREILLE	67	65			2		
PIERCE	10,624	7,723	118	2,564	109	4	106
PUYALLUP	1,330	1,317			12	1	
TACOMA	6,584	6,403	118		58	1	4
SAN JUAN	12				6		6
SKAGIT	1,279	1,091	162		19		7
MOUNT VERNON	822	655	161		5		1
SKAMANIA	3				3		
SNOWHISH	4,677	4,539			127	3	8
EDMONDS	1,551	1,512			8	1	
EVERETT	2,633	2,615			18		
LYNNWOOD	19				13		6
MOUNTLAKE TERRACE	7				6		1
SPOKANE	6,083	5,537	51	462	30	2	1
SPOKANE (CITY)	5,588	5,512	51		24	1	
STEVENS	269	264			5		
THURSTON	2,157	2,097			56	1	3
LACEY	5				5		
OLYMPIA	2,138	2,097			38	1	2
WAKIACUM							
WALLA WALLA	882	877			5		
WALLA WALLA (CITY)	879	877			2		
WHATCOM	1,509	1,466			40		3
BELLINGHAM	1,486	1,466			19		1
WHITMAN	446	444					2
PULLMAN	419	419					
YAKIMA	3,316	3,308			5	3	
YAKIMA (CITY)	2,481	2,478			2	1	

MORTALITY

TABLE 1

DEATHS IN WASHINGTON STATE BY SELECTED TOPICS, 1985

A. RESIDENCE, RACE BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	34,166	17,941	16,225	
WHITE	32,482	16,918	15,564	
BLACK	742	456	286	
MEXICAN/ CHICANO	118	93	25	
INDIAN	309	169	140	
JAPANESE	114	49	65	
CHINESE	83	51	32	
FILIPINO	132	101	31	
OTHER ASIAN	168	92	76	
OTHER	2	1	1	
UNKNOWN	16	11	5	

B. RESIDENCE, MARITAL STATUS BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	34,166	17,941	16,225	
SINGLE	3,641	2,399	1,242	
MARRIED	15,271	10,628	4,643	
DIVORCED	3,314	1,875	1,439	
WIDOWED	11,777	2,924	8,853	
UNKNOWN	163	115	48	

C. RESIDENCE, AGE GROUP BY SEX

	TOTAL	MALE	FEMALE	UNK
TOTAL	34,166	17,941	16,225	
UNDER 1	675	404	271	
1 - 4	120	70	50	
5 - 14	154	95	59	
15 - 19	301	214	87	
20 - 24	387	296	91	
25 - 34	873	614	259	
35 - 44	1,044	653	391	
45 - 54	1,691	1,070	621	
55 - 64	4,208	2,558	1,650	
65 - 74	7,918	4,691	3,227	
75 - 84	9,322	4,795	4,527	
85 - 94	6,354	2,201	4,153	
95 & OVER	1,114	276	838	
UNKNOWN	5	4	1	

D. RESIDENCE, INFANT DEATHS BY RACE

	TOTAL
TOTAL	675
WHITE	574
BLACK	44
MEXICAN/CHICANO	16
INDIAN	18
JAPANESE	2
CHINESE	
FILIPINO	1
OTHER ASIAN	19
OTHER	
UNKNOWN	1

TABLE 1 (CONT'D)

DEATHS IN WASHINGTON STATE BY SELECTED TOPICS, 1985

E. RESIDENCE, BY LEADING CAUSES

	INTERNATIONAL LIST NUMBER	NUMBER OF DEATHS	PERCENT OF TOTAL DEATHS*
ALL CAUSES		34,166	100.0
1 DISEASES OF THE HEART	391-392.0,393-398,402 404,410-417,420-429	11,554	33.8
2 MALIGNANT NEOPLASMS	140-208,230-234	7,996	23.4
3 CEREBROVASCULAR DISEASE	430-438	2,581	7.6
4 CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	1,708	5.0
5 ALL ACCIDENTS	E800-949	1,578	4.6
6 INFLUENZA AND PNEUMONIA	480-487	1,102	3.2
7 SUICIDE	E950-959	687	2.0
8 DIABETES MELLITUS	250	657	1.9
9 ARTERIOSCLEROSIS	440	469	1.4
10 CIRRHOSIS OF LIVER	571	424	1.2
ALL OTHER CAUSES		5,410	15.8

F. RESIDENCE AND OCCURRENCE, BY MONTH

	RESIDENCE	OCCURRENCE
TOTAL	34,166	34,415
JANUARY	2,993	2,999
FEBRUARY	2,675	2,657
MARCH	3,052	3,044
APRIL	2,839	2,845
MAY	2,885	2,901
JUNE	2,706	2,725
JULY	2,772	2,804
AUGUST	2,778	2,830
SEPTEMBER	2,640	2,683
OCTOBER	2,884	2,921
NOVEMBER	2,843	2,881
DECEMBER	3,099	3,125

G. TYPE OF PLACE BY OCCURRENCE

TOTAL	34,415
GENERAL HOSPITAL	15,462
NURSING HOME	8,746
HOME	7,531
FEDERAL FACILITY	1,053
PSYCHIATRIC HOSPITAL	32
STATE FACILITY	4
DEAD ON ARRIVAL	64
OTHER AND UNKNOWN	1,523

*DETAIL MAY NOT ADD TO 100% DUE TO ROUNDING

TABLE 2

DEATHS WITH RATES* BY PLACE OF RESIDENCE AND OCCURRENCE, WASHINGTON STATE 1986				
COUNTY AND CITY	RESIDENCE		OCCURRENCE	
	TOTAL	RATE	TOTAL	RATE
STATE TOTAL	34,166	7.7	34,415	7.8
ADAMS	103	7.6	97	7.0
ASOTIN	181	10.6	157	9.2
BENTON	618	5.9	597	5.7
KENNEWICK	274	7.5	260	7.1
RICHLAND	190	6.3	249	8.2
CHELAM	430	8.8	353	11.3
WENATCHEE	233	13.0	432	26.0
CLALLAM	537	10.2	504	9.5
PORT ANGELES	195	11.3	303	17.6
CLARK	1,453	7.1	1,303	6.4
VANCOUVER	643	15.0	1,100	25.7
COLUMBIA	55	13.4	44	10.7
COMLITZ	636	8.1	680	8.6
KELSO	109	10.1	39	3.6
LONGVIEW	332	11.3	600	20.4
DOUGLAS	164	7.0	72	3.1
FERRY	47	7.7	25	4.1
FRANKLIN	249	7.1	219	6.2
PASCO	178	9.7	207	11.2
GARFIELD	33	13.2	30	12.0
GRANT	385	7.6	319	6.3
MOSES LAKE	92	8.9	140	13.5
GRAYS HARBOR	656	10.4	551	8.7
ABERDEEN	199	11.7	346	20.3
ISLAND	386	7.6	271	5.4
OAK HARBOR	63	6.2	82	6.1
JEFFERSON	185	10.3	148	8.3
KING	10,236	7.5	11,069	8.1
AUBURN	268	8.9	357	11.9
BELLEVUE	511	6.2	574	7.0
DES MOINES	107	7.8	201	14.7
KENT	176	6.1	139	4.9
KIRKLAND	185	9.5	409	21.1
MERCER ISLAND	123	6.0	95	4.6
REDMOND	123	4.3	265	9.2
RENTON	283	8.2	569	16.5
SEATTLE	5,150	10.5	7,696	15.8
KITSAP	1,124	6.8	1,067	6.5
BREMERTON	368	11.0	673	20.1
KITTITAS	224	9.0	201	8.0
ELLENSBURG	98	8.6	153	13.4
Klickitat	142	8.6	106	6.4
LEWIS	543	9.6	488	8.6
CENTRALIA	157	13.3	244	20.7
LINCOLN	112	11.5	81	8.4
MASON	348	9.8	243	6.9
OKANOGAN	313	9.9	267	8.4
PACIFIC	246	14.3	186	10.8
PEND OREILLE	87	9.7	68	7.6
PIERCE	3,869	7.3	4,009	7.6
PUYALLUP	222	11.4	604	31.1
TACOMA	1,794	11.3	2,822	17.8
SAN JUAN	59	6.6	38	4.3
SKAGIT	697	10.1	711	10.3
MOUNT VERNON	136	9.5	258	18.1
SEKAMAHIA	40	5.1	15	1.9
SNOWDONISH	2,492	6.5	2,267	5.9
EDMONDS	266	9.5	403	14.4
EVERETT	665	11.2	1,001	16.8
LYNNWOOD	195	8.1	129	5.4
MOUNTLAKE TERRACE	73	6.7	31	2.0
SPOKANE	3,151	8.9	3,642	10.2
SPOKANE (CITY)	2,085	12.1	3,423	19.8
STEVENS	220	7.3	176	5.8
THURSTON	1,055	7.4	1,114	7.8
LACEY	190	12.4	140	9.2
OLYMPIA	340	11.7	853	29.4
WAKKIACUN	35	9.7	18	5.0
WALLA WALLA	463	9.5	551	11.4
WALLA WALLA (CITY)	309	12.1	479	18.7
WHATCOM	858	7.4	887	7.6
BELLINGHAM	453	9.8	679	14.6
WHITMAN	196	5.0	143	3.6
PULLMAN	50	2.2	44	2.0
YAKIMA	1,534	8.4	1,496	8.1
YAKIMA (CITY)	598	12.1	1,049	21.2

*RATES PER 1,000 POPULATION.

TABLE 3

DEATHS BY SEX AND RACE BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	TOTAL	MALE	FEMALE	UNK	WHITE	BLACK	MEXICAN/ CHICANO	INDIAN	JAPA- NESE	CHI- NESE	FILI- PINO	OTHER ASIAN	OTHER	UNK
STATE TOTAL	34,166	17,941	16,225		32,482	742	118	309	114	83	132	168	2	16
ADAMS	103	55	50		103		2							
ASOTIN	181	99	82		180			1						
BENTON	618	334	284		594	4	7	2						
KENNEWICK	274	133	141		258	2	6	1			3	8		
RICHLAND	190	107	83		187						3	4		
CHELAM	430	225	205		425		1	3						1
WENATCHEE	233	110	123		231			1						1
CLALLAM	537	286	251		519	2	1	15						
PORT ANGELES	193	106	89		191		1	3						
CLARK	1,453	759	694		1,432	12			1			8		
VANCOUVER	643	326	317		631	9						3		
COLUMBIA	55	25	30		55									
COWLITZ	636	342	294		628	1		4		2		1		
KELSO	109	55	54		109									
LONGVIEW	332	178	154		326			3		2		1		
DOUGLAS	164	87	77		163		1							
FERRY	47	29	18		36			10	1					
FRANKLIN	249	129	120		210	18	19		1			1		
PASCO	178	89	89		145	17	14		1			1		
GARFIELD	33	15	18		33									
GRANT	385	222	163		372	4	8		1					
NOSES LAKE	92	46	46		88	1	3							
GRAYS HARBOR	656	331	325		639	1	1	13		1	1			
ABERDEEN	199	95	104		196		1	1		1				
ISLAND	386	218	168		382						4			
OAK HARBOR	83	44	39		80						3			
JEFFERSON	185	102	83		181			4						
KING	10,236	5,246	4,990		9,378	457	11	62	77	66	96	85		4
AUBURN	268	129	139		258	1	1	4			3	1		
BELLEVUE	511	255	256		501	4			2	3		1		
DES MOINES	107	39	68		106	1								
KENT	176	94	82		170	3	1				1	1		
KIRKLAND	185	79	106		185									
MERCER ISLAND	123	63	60		119	1		1	1	1		1		
REDMOND	123	58	65		119	1		1	1			1		1
RENTON	283	156	127		271	6					2	4		
SEATTLE	5,150	2,665	2,485		4,456	398	6	40	65	55	79	50		1
KITSAP	1,124	604	520		1,091	18		5	1		5	3	1	
BREMERTON	368	188	180		353	11		2				1	1	
KITTITAS	224	134	90		223						1			
ELLENSBURG	98	51	47		97						1			
Klickitat	142	81	61		140			2						
LEWIS	545	293	252		544			1						
CENTRALIA	157	77	80		157									
LINCOLN	112	55	57		110		1	1						
NASON	348	204	144		338	1		7	2					
OKANOGAN	313	172	141		290		5	18						
PACIFIC	246	132	114		245		1							
PEND OREILLE	87	48	39		84			1	1			1		
PIERCE	3,869	2,028	1,841		3,627	155	1	31	11	2	10	31	1	
PUYALLUP	222	96	126		217			4				1		
TACOMA	1,794	889	905		1,636	111		18	5		5	19		
SAN JUAN	59	37	22		59									
SKAGIT	697	350	347		687		1	8						1
MOUNT VERNON	136	68	68		136									
SKAMANIA	40	24	16		39			1						
SNOHOMISH	2,492	1,286	1,206		2,442	10	1	17	1	1	1	17		2
EDMONDS	266	120	146		262	1		1				2		
EVERETT	665	337	328		651	5		3	1			5		
LYNNWOOD	195	103	92		190	1				1		3		
MOUNTLAKE TERRACE	73	44	29		68	1		1			1	2		
SPOKANE	3,151	1,637	1,514		3,086	30		11	11	4	2	3		4
SPOKANE (CITY)	2,085	1,052	1,033		2,036	24		7	9	3	1	3		2
STEVENS	220	126	94		212	1		6				1		
THURSTON	1,055	565	490		1,036	6		2	3	2	3	3		
LACEY	190	86	104		185	3			1		1			
OLYMPIA	340	181	159		336	1			1	2				
WAKIARUM	35	21	14		34			1						
WALLA WALLA	463	233	230		458	2		1		2				
WALLA WALLA (CITY)	309	151	158		306	2				1				
WHATCOM	858	449	409		831	1	1	17	1		2	2		3
BELLINGHAM	453	212	241		448	1		1	1			2		
WHITMAN	196	85	111		189	1		2		3		1		
PULLMAN	50	24	26		48	1						1		
YAKIMA	1,534	873	661		1,387	18	56	63	2		4	3		1
YAKIMA (CITY)	598	289	309		563	15	10	7			2	1		

TABLE 4

DEATHS BY AGE GROUP BY PLACE OF RESIDENCE, WASHINGTON STATE 1986														
COUNTY AND CITY	TOTAL	UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 AND OVER	AGE UNK
STATE TOTAL	34,166	675	120	154	301	387	873	1,044	1,691	4,208	7,918	9,322	7,468	5
ADAMS	105	3	2		4		2		3	16	24	30	21	
ASOTIN	181	3			1	1	6	4	4	20	38	45	59	
BENTON	618	13	4	3	7	9	22	28	43	96	136	158	99	
KENNEWICK	274	6	2	1		6	10	13	21	42	50	76	47	
RICHLAND	190	3	2	1	4	2	6	6	13	22	49	51	31	
CHELAN	430	6		4	2	3	5	8	22	52	106	107	114	1
WENATCHEE	233	1		2	1	1	2	4	7	24	55	60	75	1
CLALLAM	537	6		1	1	10	16	14	21	42	138	153	135	
PORT ANGELES	195	2		1		3	8	3	7	13	42	55	61	
CLARK	1,453	28	10	7	9	20	29	53	91	207	343	396	260	
VANCOUVER	643	14	5	1	5	5	11	20	34	83	140	192	133	
COLUMBIA	55							2		4	10	19	20	
COWLITZ	636	6	4	6	11	9	17	16	33	76	161	185	112	
KELSO	109	2	1	2			3	4	6	19	24	30	18	
LONGVIEW	332	2	3	1	7	5	8	6	13	30	89	99	69	
DOUGLAS	164	1		1	2	2	4	7	9	18	40	42	38	
FERRY	47			2			3		3	9	12	12	6	
FRANKLIN	249	10	3	4	2	4	13	7	20	38	40	67	41	
PASCO	178	4	2			3	10	4	14	25	28	55	33	
GARFIELD	33									2	6	8	17	
GRANT	385	8	2	3	3	9	13	6	15	57	93	114	62	
NOSES LAKE	92	4				3	3	1	2	11	19	31	18	
GRAYS HARBOR	656	12	2	5	2	8	15	18	31	68	170	182	143	
ABERDEEN	199	3		1		2	2	2	12	17	52	61	47	
ISLAND	386	17	2	3	2	4	6	10	17	43	111	110	61	
OAK HARBOR	83	8		1		1	2	2	6	5	22	21	15	
JEFFERSON	185	1	1		2		4	6	8	22	47	53	41	
KING	10,236	195	30	32	90	105	282	360	538	1,248	2,278	2,778	2,300	
AUBURN	268	6	1		2	6	9	16	16	37	59	69	34	
BELLEVUE	511	11	2	1	5	8	14	11	24	66	125	136	108	
DES MOINES	107	1				1	2		3	10	18	17	55	
KENT	176	9	2	1	2		4	4	11	34	39	45	25	
KIRKLAND	185	4		1		2	3	5	9	22	48	48	43	
NEENEC ISLAND	123	3			1	1	4	4	10	16	23	41	24	
REDMOND	123	5			4	2	1	3	7	19	25	29	28	
RENTON	283	5	1		4	5	9	18	13	26	78	70	54	
SEATTLE	5,150	71	13	16	25	34	140	176	211	564	1,125	1,500	1,275	
KITSAP	1,124	28	3	10	6	15	23	31	54	145	254	298	256	1
BREMERTON	368	10	1	3	1	4	10	5	11	39	79	114	90	1
KITTITAS	224	2	1		2	4	5	5	11	26	60	65	43	
ELLENSBURG	98	1			1	3	2	2	8	13	17	29	22	
Klickitat	142	2	1		1	1	4	5	4	18	39	37	30	
LEWIS	545	11	1	2	5	3	11	15	21	63	135	152	126	
CENTRALIA	157	3			2		2	3	6	11	44	42	44	
LINCOLN	112	1	1	1		2	1		5	6	26	36	33	
NASOS	348	3			2	4	8	11	22	45	89	98	66	
OKANOGAN	313	4	2	1	5	6	10	6	14	35	64	76	89	1
PACIFIC	246	2	1		1	1	2	5	13	36	64	73	48	
PEND OREILLE	87			2		1	5	1	3	12	26	26	11	
PIERCE	3,869	96	16	20	37	44	105	128	197	520	931	991	784	
PULLUP	222	3			3	3	4	8	6	28	41	62	64	
TACOMA	1,794	30	8	7	12	11	49	57	81	200	428	493	418	
SAN JUAN	59	2		1					1	5	26	14	10	
SKAGIT	697	8			2	4	14	7	34	97	158	198	175	
MOUNT VERNON	136				2	2	3	2	3	20	28	42	38	
SKANANIA	40		1		1	1	1	1	3	7	10	11	4	
SPOKANE	2,492	52	9	16	26	33	69	83	128	318	602	674	482	
EDMONDS	266	3	1	2	3	2	5	5	9	34	54	79	69	
EVERETT	665	12	3	2	5	8	19	15	29	64	157	198	153	
LYNNWOOD	195	9			2	7	3	9	20	27	42	49	27	
MOUNTLAKE TERRACE	73	2			2		4	4	4	20	19	14	4	
SPOKANE	3,151	65	8	11	30	40	87	79	124	374	720	894	737	2
SPOKANE (CITY)	2,085	36	2	5	8	29	42	43	73	248	485	604	510	
STEVENS	220	3		3	3	6	4	7	10	22	43	59	40	
THURSTON	1,055	25	2	4	7	7	22	32	51	137	251	282	235	
LACEY	190	4		1	1	2	2	3	7	16	37	49	68	
OLYMPIA	340	8	1	1	2	2	6	9	15	39	80	96	81	
WAKIACUN	35				1				2	6	7	8	11	
WALLA WALLA	463	5	1		4	4	9	6	20	39	83	141	151	
WALLA WALLA (CITY)	309	4	1		1	3	6	6	14	26	54	95	99	
WHATCOM	858	18	4	2	5	5	21	24	31	81	190	249	228	
BELLINGHAM	453	8	1		1	1	8	9	14	32	95	139	145	
WHITMAN	196	4		1	1	2	5	7	7	26	45	48	50	
PULLMAN	50	4				2	3	2	1	7	9	12	10	
YAKIMA	1,534	35	9	9	24	20	50	52	78	172	322	433	330	
YAKIMA (CITY)	598	15	1		6	4	19	13	23	44	127	167	177	

TABLE 5

DEATHS BY MONTH OF OCCURRENCE BY PLACE OF RESIDENCE, WASHINGTON STATE 1986															
COUNTY AND CITY	TOTAL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	UNK	
STATE TOTAL	34,166	2,993	2,675	3,052	2,839	2,885	2,706	2,772	2,778	2,640	2,884	2,843	3,097	2	
ADAMS	105	4	7	10	8	10	7	12	10	16	5	8	8		
ASOTIM	181	14	16	17	16	8	21	13	16	21	13	12	14		
BENTON	618	48	41	67	55	43	47	51	53	54	47	51	61		
KENNEWICK	274	20	25	26	24	18	24	22	16	32	23	21	21		
RICHLAND	190	19	9	21	17	15	12	13	21	15	9	18	21		
CHELAN	430	37	34	34	32	37	41	40	37	34	35	28	41		
WENATCHEE	233	20	20	18	19	15	18	21	20	22	15	19	26		
CLALLAM	537	58	37	53	53	38	50	41	44	41	42	46	34		
PORT ANGELES	195	23	17	24	14	10	15	15	20	11	14	22	8		
CLARK	1,453	120	134	118	88	119	118	130	115	105	129	121	154		
VANCOUVER	643	42	65	45	38	61	60	62	52	41	53	53	71		
COLUMBIA	55	5	6	10	4	5	7	3	2	3	4	5	1		
COWLITZ	836	38	50	57	44	53	56	60	60	54	57	61	46		
KELSO	109	10	9	11	7	12	12	6	10	9	10	6	9		
LONGVIEW	332	18	24	29	24	25	35	30	30	33	29	32	21		
DOUGLAS	164	14	14	9	14	16	15	11	17	11	15	13	15		
FERRY	47	5	3	2	3	3	3	7	7	5	4	1	4		
FRANKLIN	249	19	18	21	26	21	19	22	24	23	17	21	18		
PASCO	178	13	14	13	20	13	15	14	15	20	14	13	14		
GARFIELD	33	3	4	3	2	3	5	3	5	5	2	3	3		
GRANT	385	29	24	50	26	33	27	44	22	32	26	23	39		
MOSES LAKE	92	6	5	12	4	12	5	8	8	12	8	4	8		
GRAYS HARBOR	656	53	58	60	59	59	56	48	55	50	47	56	55		
ABERDEEN	199	15	22	20	22	15	15	14	15	9	14	18	20		
ISLAND	386	35	35	37	36	30	24	28	31	30	43	28	29		
OAK HARBOR	83	8	4	13	7	3	3	7	4	5	11	7	11		
JEFFERSON	185	15	15	8	18	16	19	18	12	13	16	20	15		
KING	10,236	943	786	895	866	860	771	827	823	819	855	857	934		
AUBURN	268	33	19	18	22	13	18	25	28	20	25	20	27		
BELLEVUE	511	41	34	58	46	39	43	37	41	49	33	41	49		
DES MOINES	107	7	12	3	16	9	5	4	14	7	16	3	11		
KENT	176	21	16	13	11	16	9	12	21	18	17	12	10		
KIRKLAND	185	20	16	16	12	20	18	16	11	20	11	11	14		
MERCER ISLAND	123	12	13	7	15	17	9	7	11	7	13	7	5		
REDMOND	123	11	11	9	11	8	9	8	10	10	16	8	12		
RENTON	283	32	24	15	14	22	33	35	20	20	24	25	17		
SEATTLE	5,150	477	395	475	453	446	384	423	385	414	413	415	470		
KITSAP	1,124	83	95	133	80	93	86	91	102	92	97	90	82		
BREMERTON	368	26	36	44	27	37	24	36	28	21	32	28	29		
KITTITAS	224	23	17	19	16	22	21	16	22	13	13	20	22		
ELLENSBURG	98	7	6	9	7	6	9	9	12	9	5	7	12		
CLICKITAT	142	8	14	10	14	11	10	16	8	8	18	10	15		
LEWIS	545	60	41	57	36	56	45	32	44	39	44	40	50		
CENTRALIA	157	13	9	17	11	17	14	8	11	7	12	14	24		
LINCOLN	112	8	7	7	12	10	10	8	10	6	9	11	14		
NASOH	348	27	28	30	22	32	28	29	26	22	33	35	36		
OKANOGAN	313	19	30	28	26	31	28	31	21	19	21	28	31		
PACIFIC	246	15	21	23	19	14	23	23	16	19	24	29	20		
PEND OREILLE	87	3	5	2	6	3	7	8	7	7	23	8	8		
PIERCE	3,869	341	297	330	307	339	348	306	305	276	321	320	378		
PUYALLUP	222	20	22	27	18	16	16	15	16	21	21	14	15		
TACOMA	1,794	165	141	177	151	158	154	155	127	127	132	134	173		
SAN JUAN	59	6	4	9	5	6	3	5	8	1	2	4	6		
SKAGIT	697	72	57	55	54	50	49	54	57	47	78	56	68		
MOUNT VERNON	136	22	8	13	12	7	8	9	15	12	13	5	12		
SKAMAWIA	40	2	2	2	6	2	2	5	4	4	6	2	3		
SHOONISH	2,492	205	171	231	215	209	196	206	198	198	221	211	231		
EDMONDS	266	21	26	24	24	20	17	20	26	18	18	25	27		
EVERETT	665	42	44	61	60	57	53	45	65	51	70	56	61		
LYNNWOOD	195	18	7	15	18	21	21	17	12	23	20	10	13		
MOUNT LAKE TERRACE	73	2	7	6	4	5	4	11	8	3	5	8	10		
SPOKANE	3,151	268	274	262	294	278	239	236	265	237	256	274	266		
SPOKANE (CITY)	2,085	178	185	185	193	194	154	152	170	164	174	163	173		
STEVENS	220	13	22	14	18	20	14	22	27	18	16	16	20		
THURSTON	1,053	77	73	100	95	85	80	89	91	86	91	102	102		
LACEY	190	14	9	17	22	12	15	13	20	16	11	19	22		
OLYMPIA	340	27	24	32	30	32	27	29	25	21	22	28	33		
WAHIAKUM	35	4	9	3	1	3	3	5	3	2	2	2	2		
WALLA WALLA	463	39	37	44	32	44	35	34	39	42	40	29	48		
WALLA WALLA (CITY)	309	27	23	33	23	29	25	26	24	28	21	22	28		
WHATCOM	858	103	66	84	83	67	53	58	70	59	80	71	64		
BELLINGHAM	453	44	35	48	50	36	28	29	36	31	44	39	33		
WHITMAN	196	21	10	21	18	22	18	17	20	12	12	6	8		
PULLMAN	50	3	3	9	4	6	6	4	4	3	2	2	2		
YAKIMA	1,534	156	109	137	130	134	122	123	110	116	117	128	152		
YAKIMA (CITY)	598	61	47	49	49	59	40	46	41	43	41	52	70		

TABLE 6

DEATHS WITH RATES* BY SELECTED DISEASE CONDITIONS BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	INFECTIOUS AND PARASITIC DISEASES		DIABETES MELLITUS		ALCOHOLISM		DISEASES OF THE HEART		CEREBROVASCULAR DISEASE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	346	7.8	657	14.9	64	1.4	11,554	261.4	2,581	58.4
ADAMS			1	7.2			37	266.2	6	43.2
ASOTIN	2	11.8	4	23.5			65	382.4	17	100.0
BENTON	5	4.8	12	11.5			188	180.8	51	49.0
KENNEWICK	2	5.5	7	19.1			81	221.3	25	68.3
RICHLAND	3	9.9	1	3.3			60	198.4	11	36.4
CHelan	1	2.0	7	14.3	3	6.1	147	300.6	33	67.5
WENATCHEE	1	5.6	6	33.4	1	5.6	77	428.3	14	77.9
CLALLAM	5	9.5	10	18.9	1	1.9	194	366.7	39	73.7
PORT ANGELES	1	5.8	7	40.5			64	369.9	12	69.4
CLARK	8	3.9	32	15.6	3	1.5	468	228.3	100	48.8
VANCOUVER	5	11.7	18	42.1			200	467.9	58	135.7
COLUMBIA			1	24.4			25	609.8	3	73.2
COWLITZ	7	8.9	17	21.5	1	1.3	250	327.0	48	60.8
KELSO	1	9.3	4	37.2			44	408.9	4	37.2
LONGVIEW	3	10.2	5	17.0	1	3.4	139	473.3	31	105.5
DOUGLAS			2	8.6			49	210.3	13	55.8
FERRY	1	16.4					11	180.3	6	98.4
FRANKLIN	2	5.7	3	14.2	3	8.5	75	212.5	12	34.0
PASCO	2	10.9	4	21.7	3	16.3	58	314.9	10	54.3
GARFIELD			1	40.0			7	280.0	5	200.0
GRANT	3	5.9	8	15.8	1	2.0	127	251.5	20	39.6
MOSES LAKE			4	38.5			32	308.0	4	38.5
GRAYS HARBOR	6	9.5	16	25.4			254	403.2	48	76.2
ABERDEEN	1	5.9	10	58.8			86	505.6	17	99.9
ISLAND	1	2.0	8	15.8			133	262.8	25	49.4
OAK HARBOR			3	22.3			29	215.1	6	44.5
JEFFERSON	4	22.3	8	44.7	1	5.6	48	268.2	18	100.6
KING	138	10.1	179	13.1	12	.9	3,316	243.5	756	55.5
AUBURN	1	3.3	3	10.0			18	293.8	18	60.1
BELLEVUE	4	4.9	6	7.3	1	1.2	144	203.0	36	44.0
DES MOINES	1	7.3					55	401.8	6	43.8
KENT	3	10.5	3	10.5	1	3.5	62	216.6	10	34.9
KIRKLAND	2	10.3	2	10.3			68	350.3	12	61.8
MERCER ISLAND	2	9.7	1	4.8			35	169.3	7	33.9
REDMOND	1	3.5	1	3.5			42	145.8	7	24.3
RENTON	1	2.9	3	8.7	1	2.9	104	301.8	17	49.3
SEATTLE	86	17.6	95	19.5	7	1.4	1,664	340.8	422	86.4
KITSAP	13	7.9	19	11.6	3	1.8	376	228.6	81	49.2
BREMERTON	5	15.0	7	20.9	3	9.0	135	403.9	19	56.9
KITTITAS	4	16.0	3	12.0			54	216.0	17	68.0
ELLENBURG			2	17.5			29	254.4	5	43.9
Klickitat			2	12.0			49	295.2	6	36.1
LEWIS			2	3.5			202	355.6	44	77.5
CENTRALIA			1	8.5			52	440.7	18	152.5
LINCOLN	2	20.6					49	505.2	8	82.5
NASOH	3	8.5			1	2.8	123	347.5	20	58.5
OKANOGAN	1	3.2	4	12.7			122	386.1	32	101.3
PACIFIC	4	23.3	2	11.6			79	459.3	19	110.5
PEND OREILLE	1	11.1					33	366.7	3	33.3
PIERCE	30	5.7	86	16.2	8	1.5	1,406	264.9	281	52.9
PUYALLUP	1	5.2	7	26.1			89	458.8	16	82.5
TACOMA	13	8.2	34	21.4	4	2.5	684	430.5	146	91.9
SAN JUAN			1	11.2			19	213.5	3	33.7
SKAGIT	6	8.7	12	17.4	2	2.9	251	363.8	68	98.6
MOUNT VERNON	2	14.0	4	28.1			50	350.6	13	91.2
SKANANIA							8	102.6	6	76.9
SNOMONISH	24	6.3	59	15.5	3	.8	832	218.0	149	39.0
EDMONDS	3	10.7	5	17.8			97	345.7	14	49.9
EVERETT	12	20.2	19	31.9	2	3.4	202	339.7	50	84.1
LYNNWOOD			8	25.0	1	4.2	66	275.0	4	16.7
HOUGHTLAKE TERRACE			1	6.4			16	102.6	4	25.7
SPOKANE	25	7.0	50	14.0	14	3.9	1,070	300.6	248	75.3
SPOKANE	18	10.4	37	21.4	13	7.5	701	403.9	196	113.5
STEVENS	1	3.3	4	13.2			68	225.2	21	69.5
THURSTON	9	6.3	30	21.1	2	1.4	367	258.1	86	60.5
LACEY	1	6.5	4	26.2			71	465.0	21	137.5
OLYMPIA	3	10.3	11	37.9			122	420.8	25	86.2
WARTIAKON			1	27.8			10	277.8	1	27.8
WALLA WALLA	4	8.2	12	24.7	1	2.1	144	296.9	37	76.3
WALLA WALLA	3	11.7	7	27.4			99	386.9	19	74.2
WHEATCON	10	8.6	24	20.6			283	244.2	75	64.3
BELLINGHAM	5	10.8	11	23.7			162	349.3	45	97.0
WHITMAN	3	7.6	3	7.6	1	2.5	59	149.4	20	50.6
PULLMAN			1	4.4			11	48.8	3	13.3
YAKIMA	23	12.5	32	17.4	4	2.2	546	297.4	136	74.1
YAKIMA	14	28.2	9	18.1	2	4.0	212	427.5	69	139.1

* RATES PER 100,000 ESTIMATED POPULATION.

TABLE 7

DEATHS WITH RATES* BY SELECTED DISEASE CONDITIONS BY PLACE OF RESIDENCE, WASHINGTON STATE 1966

COUNTY AND CITY	GENERAL ARTERIOSCLEROSIS		INFLUENZA AND PNEUMONIA		CHRONIC OBSTRUCTIVE PULMONARY DISEASES		CIRRHOSIS OF THE LIVER		NEPHRITIS NEPHROTIC SYNDROME NEPHROSIS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	469	10.6	1,102	24.9	1,708	38.6	424	9.6	182	4.1
ADAMS	1	7.2	2	14.4	3	21.6	2	14.4	3	21.6
ASOTIN	4	23.5	2	11.8	4	22.5			2	11.8
BENTON	4	3.8	26	25.0	35	33.7	11	10.6	3	2.9
KENNEWICK	3	8.2	18	49.2	14	38.3	6	16.4	2	5.5
RICHLAND	1	3.3	6	19.8	10	33.1	3	9.9		
CHELAN	3	6.1	8	16.4	24	49.1	7	14.3	1	2.0
WENATCHEE	2	11.1	6	33.4	19	105.7	5	27.8		
CLALLAM	14	26.5	21	39.7	22	41.6	2	3.8		
FORT ANGELES	3	28.9	9	52.0	8	46.2				
CLARK	14	6.8	41	20.0	87	42.4	17	8.3	3	1.5
VANCOUVER	7	16.4	20	46.8	40	93.6	9	21.1	2	4.7
COLUMBIA	1	24.4			3	73.2			3	73.2
COVILTZ	7	8.9	19	24.1	23	29.2	4	5.1	1	1.3
KELSO	2	18.6	7	65.1	2	18.6	1	9.3		
LONGVIEW	4	13.6	6	20.4	13	44.3				
DOUGLAS	1	4.3	2	8.6	7	30.0	2	8.6	2	8.6
FERRY	1	16.4	1	16.4	3	49.2			2	32.8
FRANKLIN	1	2.8	8	22.7	18	51.0	1	2.8	1	2.8
PASCO	1	5.4	6	32.6	15	81.4	1	5.4	1	5.4
GARFIELD	3	120.0	2	80.0						
GRANT	2	4.0	10	19.8	21	41.6	8	15.8	3	5.9
MOSES LAKE	1	9.6	2	19.2	5	48.1	4	38.5		
GRAYS HARBOR	12	19.0	15	23.8	23	36.5	6	9.5	4	6.3
ABERDEEN	2	11.8	3	17.6	6	35.3	2	11.8	1	5.9
ISLAND	8	15.8	10	19.8	23	45.5	1	2.0		
OAK HARBOR			5	37.1	4	29.7				
JEFFERSON			3	27.9	13	72.6				
KING	123	9.0	348	25.6	457	33.6	158	11.6	72	5.3
AUBURN	5	16.7	21	70.1	15	50.1	2	6.7	1	3.3
BELLEVUE	6	7.3	15	18.3	14	17.1	6	7.3	1	1.2
DES MOINES			6	43.8	7	51.1	1	7.3	1	7.3
KENT	2	7.0	4	14.0	8	28.0				
KIRKLAND	2	10.3	2	10.3	10	51.5	2	10.3	3	15.5
MERCER ISLAND			3	14.5	5	24.2	4	19.4	1	4.8
REDMOND			6	20.8	3	10.4	3	10.4	1	3.5
RENTON	4	11.6	9	26.1	11	31.9	6	17.4	2	5.8
SEATTLE	59	12.1	182	37.3	236	48.3	84	17.2	43	8.8
KITSAP	7	4.3	45	27.4	66	40.1	15	9.1	3	1.8
BREMERTON	3	9.0	9	26.9	25	74.8	6	18.0	1	3.0
KITTITAS	1	4.0	7	28.0	20	80.0	3	12.0	2	8.0
ELLENSSBURG	1	8.8	6	52.6	14	122.8			1	8.8
Klickitat	1	6.0	5	30.1	9	54.2	1	6.0	1	6.0
LEWIS	5	8.8	17	29.9	22	38.7	10	17.6	5	8.8
CENTRALIA	2	16.9	5	67.8	4	33.9	4	33.9		
LINCOLN			5	51.5	2	20.6			1	10.3
MASON	1	2.8	15	42.4	19	53.7	5	14.1	4	11.3
OKANOGAN	3	9.5	11	34.8	9	28.5	4	12.7	3	9.5
PACIFIC	1	5.8	4	23.3	15	87.2	4	23.3	4	23.3
PEND OREILLE	2	22.2	1	11.1	7	77.8			1	11.1
PIERCE	80	15.1	110	20.7	218	41.1	59	11.1	14	2.6
PUYALLUP	17	87.6	6	30.9	10	51.5	2	10.3	2	10.3
TACOMA	29	18.3	56	35.2	112	70.5	28	17.6	6	3.8
SAN JUAN			4	44.9	4	44.9	2	22.5		
SKAGIT	7	10.1	35	50.7	41	59.4	3	4.3	3	4.3
MOUNT VERNON	2	14.0	7	49.1	6	42.1	1	7.0	1	7.0
SKANANIA			2	25.6	1	12.8			2	25.6
SNOHOMISH	34	8.9	80	21.0	125	32.8	24	6.3	11	2.9
EDMONDS	1	3.6	9	32.1	18	64.1	2	7.1		
EVERETT	13	21.9	17	28.6	39	65.6	4	6.7	4	6.7
LYNNWOOD			6	25.0	6	25.0	1	4.2	1	4.2
MOUNTLAKE TERRACE	1	6.4	2	12.8	8	51.3				
SPOKANE	62	17.4	100	28.1	180	50.6	36	10.1	11	3.1
SPOKANE	50	29.0	69	40.0	119	68.9	25	14.5	8	4.6
STEVENS	2	6.6	4	13.2	18	59.6	1	3.3	1	3.3
THURSTON	6	4.2	35	24.6	57	40.1	13	9.1	3	2.1
LACEY			7	43.8	9	58.9	1	6.3	1	6.3
OLYMPIA	3	10.3	9	31.0	24	82.8	5	17.2		
WAKIACUM			6	166.7	1	27.8	1	27.8		
WALLA WALLA	17	35.1	22	45.4	28	57.7	2	4.1	3	6.2
WALLA WALLA	12	46.9	16	62.5	23	89.9	2	7.8		
WHATCOM	22	18.9	26	22.3	27	23.1	3	2.6	4	3.4
BELLINGHAM	14	30.2	7	15.1	14	30.2			3	6.5
WHITMAN	2	5.1	8	20.3	6	15.2	3	7.6	1	2.5
PULLMAN			4	17.8	1	4.4				
YAKIMA	17	9.3	40	21.8	67	36.5	16	8.7	5	2.7
YAKIMA	6	12.1	18	32.3	31	62.5	6	12.1	2	4.0

* RATES PER 100,000 ESTIMATED POPULATION.

TABLE 8

DEATHS DUE TO MALIGNANT NEOPLASM BY PRIMARY SITE WITH RATES* BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	MALIGNANT NEOPLASMS		LIP, ORAL CAVITY, AND PHARYNX		DIGESTIVE ORGANS AND PERITONEUM		RESPIRATORY AND INTRATHORACIC ORGANS		GENITAL ORGANS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	7,994	180.9	130	2.9	1,912	43.3	2,403	54.4	905	20.5
ADAMS	29	208.6	1	7.2	5	36.0	12	86.3	3	21.6
ASOTIN	38	223.5			9	52.9	8	47.1	1	5.9
BENTON	143	137.5	2	1.9	32	30.8	41	39.4	19	18.3
KENNEWICK	58	158.5	1	2.7	11	30.1	20	54.6	9	24.6
RICHLAND	55	181.9	1	3.3	8	26.5	15	49.6	8	26.5
CHELAN	108	220.9	3	6.1	22	45.0	37	75.7	10	20.4
WENATCHEE	50	278.1	2	11.1	12	66.7	18	100.1	3	16.7
CLALLAN	133	251.4			37	69.9	36	68.1	17	32.1
PORT ANGELES	54	312.1			15	86.7	11	63.6	9	52.0
CLARK	383	186.8	4	2.0	80	39.0	126	61.5	41	20.0
VANCOUVER	156	365.0	2	4.7	31	72.5	52	121.7	20	46.8
COLUMBIA	10	243.9			2	48.8	2	48.8		
COWLITZ	139	176.2	2	2.5	27	34.2	42	53.2	23	29.2
KELSO	27	250.9			13	27.9	12	120.8	3	27.9
LONGVIEW	73	248.6			15	51.1	18	61.3	16	54.5
DOUGLAS	45	193.1			13	55.8	12	51.5	6	25.8
FERRY	7	114.6			2	32.8	2	32.8		
FRANKLIN	54	153.0	2	5.7	13	36.8	14	39.7	4	11.3
PASCO	30	162.9	2	10.9	8	43.4	7	38.0	2	10.9
GARFIELD	9	360.0			1	40.0	3	120.0	1	40.0
GRANT	100	198.0			15	29.7	42	83.2	8	15.8
HOSES LAKE	17	163.6			2	19.2	5	48.1		
GRAYS HARBOR	129	204.8	4	6.3	38	60.3	37	58.7	15	23.8
ABERDEEN	35	205.8			11	64.7	8	47.0	7	41.2
ISLAND	101	199.6	3	5.9	26	51.4	32	63.2	13	25.7
OAK HARBOR	16	118.7	1	7.4	3	22.3	7	51.9	2	14.8
JEFFERSON	52	290.5	1	5.6	14	78.2	18	100.6	5	27.9
KING	2,451	180.0	46	3.4	601	44.1	713	52.4	287	21.1
AUBURN	61	203.7	1	3.3	14	46.7	17	56.8	9	30.1
BELLEVUE	136	166.3	1	1.2	30	36.7	27	33.0	20	24.5
DES MOINES	11	80.4			5	36.5	4	29.2	1	7.3
KENT	42	146.8	3	10.5	9	31.4	13	45.4	2	7.0
KIRKLAND	41	211.2	2	10.3	13	67.0	10	51.5	7	36.1
MERCER ISLAND	45	217.7	1	4.8	13	62.9	11	53.2	6	29.0
REDMOND	30	104.1	2	6.9	7	24.3	10	34.7	3	10.4
KENTON	66	191.5	1	2.9	18	52.2	24	69.6	5	14.5
SEATTLE	1,146	234.7	22	4.5	295	60.4	338	69.2	127	26.0
KITSAP	248	150.8	4	2.4	63	38.3	74	45.0	27	16.4
BRINERTON	75	224.4	1	3.0	16	47.9	24	71.8	9	26.9
KITTITAS	67	268.0			18	72.0	25	100.0	5	20.0
ELLENBURG	18	137.9			6	52.6	5	43.9	1	8.8
Klickitat	40	241.0	2	12.0	5	30.1	17	102.4	7	42.2
LEWIS	140	246.5	3	5.3	38	66.9	38	66.9	4	42.3
CENTRALIA	39	330.5	1	8.5	12	101.7	11	93.2	5	42.4
LINCOLN	22	226.8			5	51.5	5	51.5	4	41.2
MASON	92	259.9			20	56.5	32	90.4	13	36.7
OKANOGAN	63	199.4			14	44.3	13	41.1	6	19.0
PACIFIC	54	314.0			11	64.0	23	133.7	4	23.3
PEND OREILLE	21	233.3			2	22.2	9	100.0	2	22.2
PIERCE	845	159.2	14	2.6	200	37.7	263	49.5	90	17.0
PUYALLUP	40	206.2			5	25.8	14	72.2	7	36.1
TACOMA	368	231.6	9	5.7	88	55.4	118	74.3	41	25.8
SAN JUAN	15	168.5			2	22.5	5	56.2	3	33.7
SKAGIT	144	208.7	4	5.8	34	49.3	47	68.1	17	24.6
MOUNT VERNON	28	195.4	1	7.0	11	77.1	7	49.1	4	28.1
SKANANIA	12	153.8			7	89.7	2	25.6	2	25.6
SNOHOMISH	620	162.5	10	2.6	170	44.5	174	45.6	58	15.2
EDMONDS	63	224.5			19	67.7	22	78.4	5	17.8
EVERETT	154	259.0	4	6.7	47	79.0	43	72.3	13	21.9
LYNNWOOD	55	229.2			15	62.5	14	58.3	13	54.2
MOUNTLAKE TERRACE	28	179.6			3	19.2	10	64.1	5	32.1
SPOKANE	703	197.5	11	3.1	149	41.9	206	57.9	95	26.7
SPOKANE (CITY)	441	255.4	8	4.6	103	59.6	130	75.3	56	32.4
STEVENS	42	139.1	1	3.3	9	29.8	16	53.0	3	9.9
THURSTON	248	174.4	4	2.8	61	42.9	78	54.9	23	16.2
LACEY	44	288.1	1	6.5	11	72.0	16	104.8	4	26.2
OLYMPIA	81	279.4			19	65.5	27	93.1	9	31.0
WAKIARUN	7	194.4			2	55.6	1	27.8		
WALLA WALLA	92	189.7	2	4.1	19	39.2	25	51.5	14	28.9
WALLA WALLA (CITY)	58	226.7	2	7.8	15	58.6	17	66.4	7	27.4
WHATCOM	214	183.4	3	2.6	63	54.0	54	46.3	15	12.9
BELLINGHAM	107	230.7	3	6.5	32	69.0	26	56.1	9	19.4
WHITMAN	49	124.1			11	27.8	10	25.3	3	7.6
PULLMAN	14	62.1			3	13.3	2	8.9		
YAKIMA	327	178.1	4	2.2	72	39.2	109	59.4	37	20.2
YAKIMA (CITY)	120	242.0	3	6.0	27	54.4	31	62.5	14	28.2

* RATES PER 100,000 ESTIMATED POPULATION.

TABLE 8 (CONT'D)

DEATHS DUE TO MALIGNANT NEOPLASM BY PRIMARY SITE WITH RATES* BY PLACE OF RESIDENCE, WASHINGTON STATE 1986										
COUNTY AND CITY	URINARY ORGANS		SKIN		BREAST		LEUKEMIAS AND NEOPLASMS OF THE LYMPHATIC AND HEMATOPOIETIC TISSUE		OTHER AND UNSPECIFIED PRIMARY SITES	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	312	7.1	116	2.6	692	15.7	779	17.6	747	16.9
ADAMS			1	7.2	4	28.8			3	21.6
ASOTIN	3	17.6			3	17.6	7	41.2	7	41.2
BENTON	5	4.8			9	8.7	14	13.5	21	20.2
KENNEWICK	2	5.5			3	8.2	4	10.9	8	21.9
RICHLAND	3	9.9			4	13.2	9	29.8	7	23.1
CHELAN	5	10.2			11	22.5	8	16.4	12	24.5
WENATCHEE	2	11.1			7	38.9	1	5.6	5	27.8
CLALLAM	3	5.7	1	1.9	18	34.0	10	18.9	11	20.8
PORT ANGELES					6	34.7	7	40.5	6	34.7
CLARK	17	8.3	2	1.0	39	19.0	36	17.6	38	18.5
VANCOUVER	8	18.7			13	30.4	17	39.8	13	30.4
COLUMBIA	1	24.4			3	73.2	2	48.8		
COVILTZ	5	6.3	3	3.8	11	13.9	16	20.3	10	12.7
KELSO					2	18.6	4	37.2	2	18.6
LONGVIEW	3	10.2	2	6.8	8	27.2	7	23.8	4	13.6
DOUGLAS			1	4.3	4	17.2	4	17.2	5	21.5
FERRY	1	16.4			1	16.4	1	16.4		
FRANKLIN	3	8.5	2	5.7	4	11.3	5	14.2	7	19.8
PASCO	2	10.9	1	5.4	2	10.9	3	16.3	3	16.3
GARFIELD					1	40.0	3	120.0		
GRANT	5	9.9			3	5.9	11	21.8	16	31.7
MOSES LAKE	2	19.2			1	9.6	3	28.9	4	38.5
GRAYS HARBOR	9	14.3			5	7.9	11	17.5	10	15.9
ABERDEEN					2	11.8	5	29.4	2	11.8
ISLAND	4	7.9	4	7.9	7	13.8	5	9.9	7	13.8
OAK HARBOR	1	7.4			1	7.4	1	7.4		
JEFFERSON			1	5.6	3	16.8	5	27.9	5	27.9
KING	87	6.4	44	3.2	216	15.9	231	17.0	226	16.6
AUBURN	3	10.0	2	6.7	5	16.7	5	16.7	5	16.7
BELLEVUE	7	8.6	6	7.3	9	11.0	20	24.5	16	19.6
DES MOINES			1	7.3						
KENT	1	3.5			6	21.0	2	7.0	6	21.0
KIRKLAND	2	10.3	1	5.2	6	30.9				
MERCER ISLAND	1	4.8	1	4.8	5	24.2	3	14.5	4	19.4
REDMOND	1	3.5			4	13.9	2	6.9	1	3.5
RENTON	3	8.7	1	2.9	4	11.6	5	14.5	5	14.5
SEATTLE	35	7.2	21	4.3	102	20.9	104	21.3	102	20.9
KITSAP	11	6.7	4	2.4	18	10.9	31	18.8	16	9.7
BREMERTON	5	15.0			7	20.9	6	18.0	7	20.9
KITTITAS	3	12.0	1	4.0	5	20.0	7	28.0	3	12.0
ELLENSBURG	2	17.5			2	17.5	2	17.5		
Klickitat	1	6.0			4	24.1	3	18.1	1	6.0
LEWIS	10	17.6	1	1.8	9	15.8	11	19.4	6	10.6
CENTRALIA	1	8.5	1	8.5	3	25.4	2	16.9	3	25.4
LINCOLN	3	30.9			2	20.6	1	10.3	2	20.6
MASON	5	14.1			8	22.6	7	19.8	7	19.8
OKANOGAN	2	6.3	1	3.2	6	19.0	16	50.6	5	15.8
PACIFIC	2	11.6	2	11.6	3	17.4	7	40.7	2	11.6
PEND OREILLE					5	55.6	1	11.1	2	22.2
PIERCE	33	6.2	13	2.8	77	14.5	75	14.1	80	15.1
PUYALLUP	2	10.3			1	5.2	6	30.9	5	25.8
TACOMA	15	9.4	4	2.5	31	19.5	22	13.8	40	25.2
SAN JUAN	1	11.2					1	11.2	3	33.7
SKAGIT	1	1.4	1	1.4	11	15.9	13	18.8	16	23.2
MOUNT VERNON					3	21.0	1	7.0	1	7.0
SKAMANIA									1	12.8
SNODWISH	28	7.3	6	1.6	47	12.3	62	16.2	65	17.0
EDMONDS	4	14.3			3	10.7	6	21.4	4	14.3
EVERETT	4	6.7	1	1.7	9	15.1	14	23.5	19	31.9
LYNNWOOD	1	4.2			7	29.2	1	4.2	4	16.7
MOUNTLAKE TERRACE	3	19.2			1	6.4			6	38.5
SPOKANE	31	8.7	10	2.8	69	19.4	75	21.1	57	16.0
SPOKANE (CITY)	16	9.3	3	1.7	40	23.2	50	29.0	35	20.3
STEVENS			3	9.9	3	9.9	3	9.9	4	13.2
THURSTON	7	4.9	4	2.8	21	14.8	22	15.5	28	19.7
LACEY			1	6.5	2	13.1	5	32.7	4	26.2
OLYMPIA	1	3.4	1	3.4	6	20.7	6	20.7	12	41.4
WAHIAKUM			1	27.8	1	27.8	2	55.6		
WALLA WALLA	4	8.2	2	4.1	12	24.7	10	20.6	4	8.2
WALLA WALLA (CITY)	3	11.7	1	3.9	7	27.4	6	23.4		
WHATCOM	9	7.7	3	2.6	19	16.3	16	13.7	32	27.4
BELLINGHAM	4	8.6	1	2.2	8	17.2	7	15.1	17	36.7
WHITMAN	1	2.5	1	2.5	5	12.7	7	17.7	11	27.8
PULLMAN	1	4.4	1	4.4	2	8.9	2	8.9	3	13.3
YAKIMA	12	6.5	4	2.2	25	13.6	40	21.8	24	13.1
YAKIMA (CITY)	4	8.1			15	30.2	19	38.3	7	14.1

* RATES PER 100,000 ESTIMATED POPULATION.

TABLE 9

DEATHS WITH RATES* BY EXTERNAL CAUSES BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	ALL ACCIDENTS NUMBER RATE	MOTOR VEHICLE NUMBER RATE	FALLS NUMBER RATE	DROWNINGS NUMBER RATE	FIRES NUMBER RATE	ALL OTHER ACCIDENTS NUMBER RATE
STATE TOTAL	1,578 35.7	799 18.1	229 5.2	119 2.7	49 1.6	362 8.2
ADAMS	11 79.1	6 43.2	2 14.4			3 21.6
ASOTIN	9 52.9	6 35.3	2 11.8			1 5.9
BENTON	39 37.5	25 24.0	2 1.9	1 1.0	3 2.9	8 7.7
KENNEWICK	14 38.3	8 21.9			2 5.5	4 10.9
RICHLAND	10 33.1	5 16.5	1 3.3	1 3.3		3 9.9
CHELAM	15 30.7	5 10.2	2 4.1	4 8.2		4 8.2
WENATCHEE	6 33.4	2 11.1	2 11.1	2 11.1		
CLALLAM	29 54.8	12 22.7	4 7.6	3 5.7		10 18.9
PORT ANGELES	12 69.4	4 23.1	3 17.3	1 5.8		4 23.1
CLARE	70 34.1	39 19.0	6 2.9	6 2.9	4 2.0	15 7.3
VANCOUVER	25 58.5	17 39.8	2 4.7	2 4.7		4 9.4
COLUMBIA						
COWLITZ	42 53.2	21 26.6	2 2.5	3 3.8	9 11.4	7 8.9
KELSO	6 55.8	1 9.3			4 37.2	1 9.3
LONGVIEW	23 78.3	13 44.3	1 3.4	1 3.4	5 17.0	3 10.2
DOUGLAS	12 51.5	7 30.0	2 8.6			3 12.9
FERRY	2 32.8	1 16.4				1 16.4
FRANKLIN	13 36.8	6 17.0		2 5.7		5 14.2
PASCO	6 32.6	3 16.3		1 5.4		2 10.9
CARFIELD	2 80.0		1 40.0			1 40.0
GRANT	23 45.5	17 33.7		2 4.0	2 4.0	2 4.0
HOSES LAKE	3 28.9	2 19.2		1 9.6		
GRAY'S HARBOR	41 65.1	19 30.2	5 7.9	2 3.2	2 3.2	13 20.6
ABERDEEN	8 47.0	5 29.4	1 5.9			2 11.8
ISLAND	19 37.5	6 11.9		2 4.0	6 11.9	5 9.9
OAK HARBOR	5 37.1					5 37.1
JEFFERSON	13 72.6	4 22.3	2 11.2	2 11.2	2 11.2	3 16.8
KING	419 30.8	199 14.6	85 6.2	29 2.1	9 .7	97 7.1
AUBURN	17 56.8	11 36.7	2 6.7	1 3.3		3 10.0
BELLEVUE	20 24.5	7 8.6	9 11.0	1 1.2		3 3.7
DES MOINES	1 7.3					1 7.3
KENT	11 38.4	4 14.0	3 10.5	2 7.0		1 3.2
KIRKLAND	10 51.5	3 25.8	2 10.3	2 10.3		
MERCER ISLAND	3 14.5	1 4.8	2 9.7			
REDMOND	4 13.9	4 13.9				
RENTON	15 43.5	10 29.0	3 8.7			2 5.8
SEATTLE	181 37.1	57 11.7	51 10.4	15 3.1	7 1.4	51 10.4
KITSAP	54 32.8	26 15.8	6 3.6	9 3.3	4 2.4	9 5.5
BREMERSTON	14 41.9	7 20.9	2 6.0	3 9.0		2 6.0
KITTITAS	11 44.0	5 20.0	4 16.0			2 8.0
ELLENSBURG	9 78.9	4 35.1	3 26.3			2 17.5
Klickitat	11 68.3	7 42.2	2 12.0			2 12.0
LEWIS	28 49.3	14 24.6	3 5.3	2 3.5	1 1.8	8 14.1
CENTRALIA	2 16.9		1 8.5			1 8.5
LINCOLN	6 61.9	5 51.5				1 10.3
NASOH	22 62.1	13 36.7	1 2.8	2 3.6	1 2.8	5 14.1
OKANOGAN	26 82.3	14 44.3	4 12.7	5 15.8	1 3.2	2 6.3
PACIFIC	10 58.1	4 23.3	3 17.4	1 5.8		2 11.6
PEND OREILLE	6 66.7	4 44.4	1 11.1			1 11.1
PIERCE	137 25.8	72 13.6	26 4.9	10 1.9	3 .6	26 4.9
PUYALLUP	7 36.1	2 10.3	2 10.3	1 5.2		2 10.3
TACOMA	48 30.2	24 15.1	11 6.9	4 2.5	1 .6	8 5.0
SAN JUAN	2 22.5					2 22.5
SKAGIT	25 36.2	15 21.7	4 5.8	3 4.3		3 4.3
MOUNT VERNON	4 28.1	2 14.0	2 14.0			
SKANAWIA	2 25.4	2 25.4				
SNOHOMISH	131 34.3	55 14.4	21 5.5	8 2.1	8 2.1	39 10.2
EDMONDS	15 53.5	5 17.8	2 7.1		1 3.6	7 24.9
EVERETT	30 50.4	11 18.5	8 13.5	3 5.0	3 5.0	5 8.4
LYNNWOOD	8 33.3	1 4.2	2 8.3		3 12.5	2 8.3
MOUNTLAKE TERRACE	3 19.2	2 12.8				1 6.4
SPOKANE	150 42.1	81 22.8	20 5.6	9 2.5		40 11.2
SPOKANE (CITY)	91 52.7	42 24.3	19 11.0	5 2.9		25 14.5
STEVENS	26 86.1	15 49.7	1 3.3		1 3.3	9 29.8
THURSTON	38 26.7	23 16.2	3 2.1	3 2.1	5 3.5	4 2.8
LACEY	3 19.6	3 19.6				
OLYMPIA	9 31.0	5 17.2	1 3.4	1 3.4		2 6.9
WANKIAKUM	1 27.8	1 27.8				
WALLA WALLA	17 35.1	11 22.7	4 8.2			2 4.1
WALLA WALLA (CITY)	10 39.1	7 27.4	2 7.8			1 3.9
WHATCOM	30 25.7	11 9.4	5 4.3	4 3.4	5 4.3	5 4.3
BELLINGHAM	7 15.1	2 4.3	2 4.3			3 6.5
WHITMAN	4 10.1	2 5.1				2 5.1
PULLMAN						
YAKIMA	82 44.7	46 25.1	6 3.3	7 3.8	3 1.6	20 10.9
YAKIMA (CITY)	20 40.3	12 24.2	3 6.0			5 10.1

*RATES PER 100,000 ESTIMATED POPULATION.

TABLE 10

DEATHS WITH RATES* BY EXTERNAL CAUSES BY PLACE OF RESIDENCE, WASHINGTON STATE 1966

COUNTY AND CITY	SUICIDE		HOMICIDE		UNDETERMINED EXTERNAL INJURIES	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	687	15.5	228	5.2	25	1.7
ADAMS	2	14.4	1	7.2		
ASOTIN	4	23.5	1	5.9	1	5.9
BENTON	20	19.2	4	3.8	2	1.9
KENNEWICK	6	16.3	3	8.1	1	2.7
RICHLAND	7	23.1	1	3.3	1	3.3
CHELAN	3	6.1	1	2.0		
WENATCHEE	1	5.5	1	5.5		
CLALLAM	6	11.3	1	1.9		
PORT ANGELES						
CLARK	28	13.7	9	4.4	2	1.0
VANCOUVER	16	37.4	5	11.6		
COLUMBIA						
COWLITZ	8	10.1	3	3.8		
FELSO						
LONGVIEW	5	17.0	2	6.8		
DOUGLAS	6	25.8	2	8.6		
FERRY			1	16.4	2	32.8
FRANKLIN	8	22.7	4	11.3		
PASCO	5	27.1	4	21.7		
GARFIELD						
GRANT	8	15.8	3	5.9		
MOSES LAKE	1	9.6	1	9.6		
GRAYS HARBOR	13	20.6	2	3.2	3	4.8
ABERDEEN	3	17.6				
ISLAND	6	11.9				
OAK HARBOR	1	7.4				
JEFFERSON	3	16.8				
KING	240	17.6	86	6.3	27	2.0
AUBURN	6	20.0	5	15.6		
BELLEVUE	16	19.5				
DES MOINES	1	7.3				
KENT	6	20.9	3	10.4		
KIRKLAND	4	20.6				
MERCER ISLAND	3	14.5				
REDMOND	2	6.9	1	3.4		
BENTON	11	31.9	1	2.9	2	5.8
SEATTLE	112	22.9	51	10.4	16	3.2
KITSAP	22	13.4	6	3.6	2	1.2
BREMERTON	5	14.9	3	8.9	1	2.9
KITTITAS	6	24.0	1	4.0		
ELLENSBURG	2	17.5				
Klickitat			1	6.0		
LEWIS	5	8.8	4	7.0		
CENTRALIA	2	16.9	1	8.4		
LINCOLN	1	10.3				
PASO	4	11.3	1	2.8		
OKANOGAN	3	9.5	2	6.3		
PACIFIC	1	5.8	1	5.8	2	11.6
PEND OREILLE	2	22.2				
PIERCE	88	16.6	38	7.2	26	4.9
PUYALLUP	4	20.6	1	5.1	2	10.3
TACOMA	37	23.2	20	12.5	10	6.2
SAN JUAN						
SKAGIT	5	7.2	2	2.9		
MOUNT VERNON			1	7.0		
SKANANIA						
SNOHOMISH	66	17.3	10	2.6	1	.3
EDMONDS	4	16.2	1	3.5		
EVERETT	21	35.3	4	8.7		
LYNNWOOD	10	41.6			1	4.1
MOUNTLAKE TERRACE	3	19.2				
SPOKANE	57	16.0	12	3.4	4	1.1
SPOKANE (CITY)	35	20.2	7	4.0	4	2.3
STEVENS	6	19.9				
THURSTON	16	11.3	9	6.3		
LACEY	3	19.6				
OLYMPIA	3	10.3	1	3.4		
WAKIARUM						
WALLA WALLA	5	10.3	2	4.1		
WALLA WALLA (CITY)	5	19.5				
WHATCOM	16	13.7	1	.9	3	2.6
BELLINGHAM	7	15.0			1	2.1
WHITMAN	5	12.7				
PULLMAN	3	13.3				
YAKIMA	24	13.1	20	10.9		
YAKIMA (CITY)	5	10.0	5	10.0		

*RATES PER 100,000 ESTIMATED POPULATION.

TABLE 11

DEATHS WITH RATES(1) AND PERCENT(2) BY AGE GROUP AND SEX BY LEADING CAUSES, WASHINGTON STATE RESIDENTS 1986

	INTERNATIONAL LIST NUMBER	NUMBER	TOTAL RATE	PERCENT(3)	NUMBER	MALE RATE	PERCENT(3)	NUMBER	FEMALE RATE	PERCENT(3)
ALL AGES										
ALL CAUSES		34,166	773.0	100.0	17,941	815.6	100.0	16,225	730.9	100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	11,554	261.4	33.8	6,187	281.3	34.5	5,367	241.8	33.1
MALIGNANT NEOPLASMS	140-208,230-234	7,996	180.9	23.4	4,243	192.9	23.6	3,753	169.1	23.1
CEREBROVASCULAR DISEASE	430-438	2,581	58.4	7.6	971	44.1	5.4	1,610	72.5	9.9
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	1,708	38.6	5.0	988	44.9	5.5	720	32.4	4.4
ALL ACCIDENTS	E800-949	1,578	35.7	4.6	1,094	49.7	6.1	484	21.8	3.0
INFLUENZA AND PNEUMONIA	480-487	1,102	24.9	3.2	511	23.2	2.8	591	26.6	3.6
SUICIDE	E950-959	687	15.5	2.0	513	23.3	2.9	174	7.8	1.1
DIABETES MELLITUS	250	657	14.9	1.9	293	13.3	1.6	364	16.4	2.2
ARTERIOSCLEROSIS	440	469	10.6	1.4	178	8.1	1.0	291	13.1	1.8
CIRRHOSIS OF LIVER	571	424	9.6	1.2	260	11.8	1.4	164	7.4	1.0
ALL OTHER CAUSES		5,410	122.4	15.8	2,703	122.9	15.1	2,707	121.9	16.7
UNDER 1										
ALL CAUSES		675	961.2	100.0	404	1126.8	100.0	271	788.4	100.0
CERTAIN CAUSES MORTALITY IN EARLY INFANCY	760-762,764-766, 770-779	178	253.5	26.4	106	295.7	26.2	72	209.5	26.6
SUDDEN INFANT DEATH SYNDROME	7980	177	252.0	26.2	114	318.0	28.2	63	183.3	23.2
CONGENITAL ANOMALIES	740-759	140	199.4	20.7	82	228.7	20.3	58	168.7	21.4
BIRTH INJURY, ETC.	763,767-769	88	125.3	13.0	44	122.7	10.9	44	128.0	16.2
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	15	21.4	2.2	9	25.1	2.2	6	17.5	2.2
ALL OTHER CAUSES		77	109.6	11.4	49	136.7	12.1	28	81.5	10.3
1 - 4										
ALL CAUSES		120	44.0	100.0	70	50.0	100.0	50	37.6	100.0
ALL ACCIDENTS	E800-949	43	15.7	35.8	28	20.0	40.0	15	11.3	30.0
CONGENITAL ANOMALIES	740-759	21	7.7	17.5	8	5.7	11.4	13	9.8	26.0
MALIGNANT NEOPLASMS	140-208,230-234	13	4.8	10.8	9	6.4	12.9	4	3.0	8.0
HOMICIDE	E960-969	9	3.3	7.5	5	3.6	7.1	4	3.0	8.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	4	1.5	3.3	2	1.4	2.9	2	1.5	4.0
ALL OTHER CAUSES		30	11.0	25.0	18	12.9	25.7	12	9.0	24.0
5 - 14										
ALL CAUSES		154	25.4	100.0	95	30.6	100.0	59	19.9	100.0
ALL ACCIDENTS	E800-949	72	11.9	46.8	49	15.8	51.6	23	7.7	39.0
MALIGNANT NEOPLASMS	140-208,230-234	23	3.8	14.9	12	3.9	12.6	11	3.7	18.6
CONGENITAL ANOMALIES	740-759	10	1.6	6.5	7	2.3	7.4	3	1.0	5.1
HOMICIDE	E960-969	9	1.5	5.8	5	1.6	5.3	4	1.3	6.8
SUICIDE	E950-959	6	1.0	3.9	4	1.3	4.2	2	.7	3.4
ALL OTHER CAUSES		34	5.6	22.1	18	5.8	18.9	16	5.4	27.1
15 - 19										
ALL CAUSES		301	91.2	100.0	214	126.4	100.0	87	54.1	100.0
ALL ACCIDENTS	E800-949	172	52.1	57.1	130	76.8	60.7	42	26.1	48.3
SUICIDE	E950-959	52	15.8	17.3	41	24.2	19.2	11	6.8	12.6
HOMICIDE	E960-969	21	6.4	7.0	12	7.1	5.6	9	5.6	10.3
MALIGNANT NEOPLASMS	140-208,230-234	15	4.5	5.0	11	6.5	5.1	4	2.5	4.6
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	7	2.1	2.3	2	1.2	.9	5	3.1	5.7
ALL OTHER CAUSES		34	10.3	11.3	18	10.6	8.4	16	10.0	18.4
20 - 24										
ALL CAUSES		387	109.8	100.0	296	163.3	100.0	91	53.2	100.0
ALL ACCIDENTS	E800-949	187	53.1	48.3	153	84.4	51.7	34	19.9	37.4
SUICIDE	E950-959	64	18.2	16.5	52	28.7	17.6	12	7.0	13.2
HOMICIDE	E960-969	40	11.4	10.3	25	13.8	8.4	15	8.8	16.5
MALIGNANT NEOPLASMS	140-208,230-234	30	8.5	7.8	23	12.7	7.8	7	4.1	7.7
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	13	3.7	3.4	6	3.3	2.0	7	4.1	7.7
ALL OTHER CAUSES		53	15.0	13.7	37	20.4	12.5	16	9.4	17.6
25 - 34										
ALL CAUSES		873	109.6	100.0	614	150.2	100.0	259	66.8	100.0
ALL ACCIDENTS	E800-949	306	38.4	35.1	240	58.7	39.1	66	17.0	25.5
SUICIDE	E950-959	145	18.2	16.6	110	26.9	17.9	35	9.0	13.5
MALIGNANT NEOPLASMS	140-208,230-234	86	10.8	9.9	46	11.3	7.5	40	10.3	15.4
HOMICIDE	E960-969	70	8.8	8.0	44	10.8	7.2	26	6.7	10.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	46	5.8	5.3	26	6.4	4.2	20	5.2	7.7
ALL OTHER CAUSES		220	27.6	25.2	148	36.2	24.1	72	18.6	27.8

TABLE 11 (CONT'D)

DEATHS WITH RATES(1) AND PERCENT(2) BY AGE GROUP AND SEX BY LEADING CAUSES, WASHINGTON STATE RESIDENTS 1986

	INTERNATIONAL LIST NUMBER	NUMBER	TOTAL RATE	PERCENT(3)	NUMBER	MALE RATE	PERCENT(3)	NUMBER	FEMALE RATE	PERCENT(3)
35 - 44										
ALL CAUSES		1,044	155.2	100.0	653	192.0	100.0	391	117.6	100.0
MALIGNANT NEOPLASMS	140-208,230-234	267	39.7	25.6	117	34.4	17.9	150	45.1	38.4
ALL ACCIDENTS	E800-949	179	26.6	17.1	134	39.4	20.5	45	13.5	11.5
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	157	23.3	15.0	120	35.3	18.4	37	11.1	9.5
SUICIDE	E950-959	121	18.0	11.6	79	23.2	12.1	42	12.6	10.7
CIRRHOSIS OF LIVER	571	44	6.5	4.2	28	8.2	4.3	16	4.8	4.1
ALL OTHER CAUSES		276	41.0	26.4	175	51.5	26.8	101	30.4	25.8
45 - 54										
ALL CAUSES		1,691	403.1	100.0	1,070	501.3	100.0	621	301.4	100.0
MALIGNANT NEOPLASMS	140-208,230-234	576	137.3	34.1	289	135.4	27.0	287	139.3	46.2
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	503	119.9	29.7	393	184.1	36.7	110	53.4	17.7
ALL ACCIDENTS	E800-949	96	22.9	5.7	65	30.5	6.1	31	15.0	5.0
SUICIDE	E950-959	89	21.2	5.3	62	29.0	5.8	27	13.1	4.3
CIRRHOSIS OF LIVER	571	70	16.7	4.1	48	22.5	4.5	22	10.7	3.5
ALL OTHER CAUSES		357	85.1	21.1	213	99.8	19.9	144	69.9	23.2
55 - 64										
ALL CAUSES		4,208	1086.5	100.0	2,558	1372.9	100.0	1,650	820.9	100.0
MALIGNANT NEOPLASMS	140-208,230-234	1,590	410.5	37.8	851	456.7	33.3	739	367.7	44.8
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	1,348	348.0	32.0	974	522.8	38.1	374	186.1	22.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	220	56.8	5.2	121	65.0	4.7	99	49.2	6.0
CEREBROVASCULAR DISEASE	430-438	176	45.4	4.2	86	46.2	3.4	90	44.8	5.5
CIRRHOSIS OF LIVER	571	125	32.3	3.0	82	44.0	3.2	43	21.4	2.6
ALL OTHER CAUSES		749	193.4	17.8	444	238.3	17.4	305	151.7	18.5
65 - 74										
ALL CAUSES		7,918	2593.2	100.0	4,691	3360.8	100.0	3,227	1946.8	100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	2,718	890.2	34.3	1,813	1298.9	38.6	905	546.0	28.0
MALIGNANT NEOPLASMS	140-208,230-234	2,570	841.7	32.5	1,408	1008.8	30.0	1,162	701.0	36.0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	610	199.8	7.7	345	247.1	7.4	265	159.8	8.2
CEREBROVASCULAR DISEASE	430-438	442	144.8	5.6	216	154.8	4.6	226	136.3	7.0
DIABETES MELLITUS	250	182	59.6	2.3	93	66.6	2.0	89	53.7	2.8
ALL OTHER CAUSES		1,396	457.2	17.6	816	584.6	17.4	580	349.9	18.0
75 - 84										
ALL CAUSES		9,322	6036.8	100.0	4,795	8001.8	100.0	4,527	4790.7	100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	3,509	2272.4	37.6	1,808	3017.2	37.7	1,701	1800.1	37.6
MALIGNANT NEOPLASMS	140-208,230-234	2,019	1307.5	21.7	1,126	1879.0	23.5	893	945.0	19.7
CEREBROVASCULAR DISEASE	430-438	900	582.8	9.7	370	617.4	7.7	530	560.9	11.7
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	490-496	597	386.6	6.4	366	610.8	7.6	231	244.4	5.1
INFLUENZA AND PNEUMONIA	480-487	330	213.7	3.5	194	323.7	4.0	136	143.9	3.0
ALL OTHER CAUSES		1,967	1273.8	21.1	931	1553.6	19.4	1,036	1096.4	22.9
85 AND OVER										
ALL CAUSES		7,468	14526.1	100.0	2,477	16818.3	100.0	4,991	13605.8	100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	3,229	6280.8	43.2	1,031	7000.3	41.6	2,198	5991.9	44.0
CEREBROVASCULAR DISEASE	430-438	959	1865.4	12.8	250	1697.4	10.1	709	1932.8	14.2
MALIGNANT NEOPLASMS	140-208,230-234	806	1567.8	10.8	351	2383.2	14.2	455	1240.4	9.1
INFLUENZA AND PNEUMONIA	480-487	545	1060.1	7.3	181	1229.0	7.3	364	992.3	7.3
ARTERIOSCLEROSIS	440	242	470.7	3.2	65	441.3	2.6	177	482.5	3.5
ALL OTHER CAUSES		1,687	3281.4	22.6	599	4067.1	24.2	1,088	2966.0	21.8
AGE UNKNOWN										
ALL CAUSES		2		100.0	1		100.0	1		100.0
DISEASES OF THE HEART	391-2.0,393-8,402, 404,410-7,420-9	1		50.0				1		100.0
ALL OTHER CAUSES		1		50.0	1		100.0			

(1) RATE PER 100,000 POPULATION IN EACH AGE - SEX GROUP.

(2) PERCENT OF TOTAL DEATHS IN EACH AGE - SEX GROUP.

(3) DETAIL MAY NOT ADD UP TO 100 PERCENT DUE TO ROUNDING.

TABLE 12

DEATHS WITH RATES(1) BY SELECTED CAUSES BY SEX, WASHINGTON STATE RESIDENTS 1986

CAUSE WITH INTERNATIONAL LIST NUMBER	TOTAL		MALE		FEMALE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
TOTAL ALL CAUSES	[34,166]	[773.0]	[17,941]	[815.6]	[16,225]	[730.9]
INFECTIOUS AND PARASITIC DISEASES	[346]	[7.8]	[175]	[8.0]	[171]	[7.7]
TUBERCULOSIS (010-018, 137)	20	.5	14	.6	6	.3
SEPTICEMIA (038)	185	4.2	79	3.6	106	4.8
OTHER (000-139)	141	3.2	82	3.7	59	2.7
NEOPLASMS	[8,082]	[182.9]	[4,288]	[194.9]	[3,794]	[170.9]
MALIGNANT NEOPLASMS (140-208, 230-234)	7,996	180.9	4,243	192.9	3,753	169.1
BENIGN AND UNSPECIFIED NEOPLASMS (210-229, 235-239)	86	1.9	45	2.0	41	1.8
ENDOCRINE, NUTRITIONAL, METABOLIC DISEASES, AND IMMUNITY DISORDERS	[916]	[20.7]	[440]	[20.0]	[476]	[21.4]
DIABETES MELLITUS (250)	657	14.9	293	13.3	364	16.4
NUTRITIONAL DEFICIENCIES (260-269)	39	.9	11	.5	28	1.3
OTHER (240-279)	220	5.0	136	6.2	84	3.8
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	[149]	[3.4]	[74]	[3.4]	[75]	[3.4]
ANEMIA (280-285)	76	1.7	35	1.6	41	1.8
OTHER (286-289)	73	1.7	39	1.8	34	1.5
MENTAL DISORDERS	[423]	[9.6]	[179]	[8.1]	[244]	[11.0]
ALCOHOL-RELATED (291, 303, 305)	88	2.0	64	2.9	24	1.1
OTHER (290-319)	335	7.6	115	5.2	220	9.9
DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	[770]	[17.4]	[360]	[16.4]	[410]	[18.5]
PARKINSON'S DISEASE (332)	127	2.9	69	3.1	58	2.6
AMYOTROPHIC LATERAL SCLEROSIS (335.2)	74	1.7	38	1.7	36	1.6
OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-337)	341	7.7	137	6.2	204	9.2
MULTIPLE SCLEROSIS (340)	51	1.2	15	.7	36	1.6
OTHER (320-326, 340-389)	177	4.0	101	4.6	76	3.4
DISEASES OF THE CIRCULATORY SYSTEM	[15,215]	[344.3]	[7,677]	[349.0]	[7,538]	[339.6]
DISEASES OF THE HEART (391-392.0, 393-398, 402, 404, 410-417, 420-429)	123	2.8	40	1.8	83	3.7
CHRONIC RHEUMATIC HEART DISEASE (391-392.0, 393-398)	267	6.0	113	5.1	154	6.9
HYPERTENSIVE HEART DISEASE (402)	32	.7	9	.4	23	1.0
ACUTE ISCHEMIC HEART AND RENAL DISEASE (404)	3,456	78.2	2,043	92.9	1,413	63.6
CHRONIC ISCHEMIC HEART DISEASE (410, 411)	4,143	93.7	2,257	102.6	1,886	85.0
OTHER HEART DISEASE (415-417, 420-429)	3,533	79.9	1,725	78.4	1,808	81.4
HYPERTENSIVE DISEASE (401-403)	131	3.0	54	2.5	77	3.5
CEREBROVASCULAR DISEASE (430-438)	2,581	58.4	971	44.1	1,610	72.5
ARTERIOSCLEROSIS (440)	469	10.6	176	8.1	291	13.1
OTHER (390-459)	480	10.9	287	13.0	193	8.7
DISEASES OF THE RESPIRATORY SYSTEM	[3,158]	[71.5]	[1,692]	[76.9]	[1,466]	[66.0]
CHRONIC AND UNQUALIFIED BRONCHITIS (490-491)	56	1.3	34	1.5	22	1.0
EMPHYSEMA (492)	306	6.9	191	8.7	115	5.2
ASTHMA (493)	83	1.9	29	1.3	54	2.4
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (494-496)	1,263	28.6	734	33.4	529	23.8
PNEUMONIA (480-486)	1,036	23.4	490	22.3	546	24.6
INFLUENZA (488)	66	1.5	21	1.0	45	2.0
OTHER (460-478, 500-519)	348	7.9	193	8.8	155	7.0

(1) RATES PER 100,000 ESTIMATED POPULATION

TABLE 12 (CONT'D)

DEATHS WITH RATES(1) BY SELECTED CAUSES BY SEX, WASHINGTON STATE RESIDENTS 1986

CAUSE WITH INTERNATIONAL LIST NUMBER	TOTAL		MALE		FEMALE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
DISEASES OF THE DIGESTIVE SYSTEM	[1,208]	[27.3]	[581]	[26.4]	[627]	[28.2]
ULCER OF STOMACH AND DUODENUM (531-533)	116	2.6	40	1.8	76	3.4
HERNIA AND INTESTINAL OBSTRUCTION (550-553,560)	87	2.0	39	1.8	48	2.2
CIRRHOSIS OF THE LIVER (571)	424	9.6	260	11.8	164	7.4
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS (574-576)	56	1.3	30	1.4	26	1.2
OTHER (520-579)	525	11.9	212	9.6	313	14.1
DISEASES OF THE GENITOURINARY SYSTEM	[370]	[8.4]	[182]	[8.3]	[188]	[8.5]
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	182	4.1	94	4.3	88	4.0
OTHER (590-629)	188	4.3	88	4.0	100	4.5
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)	[12]	]			[12]	[1.1]
DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (680-709)	[31]	[.7]	[12]	[.5]	[19]	[.9]
DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)	[137]	[3.1]	[38]	[1.7]	[99]	[4.5]
CONGENITAL ANOMALIES (740-759)	[242]	[5.5]	[132]	[6.0]	[110]	[5.0]
BIRTH INJURIES, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS (763,767-769)	[90]	[2.0]	[45]	[2.0]	[45]	[2.0]
OTHER CAUSES OF MORTALITY IN EARLY INFANCY (760-762,764-766,770-779)	[181]	[4.1]	[106]	[4.8]	[75]	[3.4]
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS	[276]	[6.2]	[158]	[7.2]	[118]	[5.3]
SUDDEN INFANT DEATH SYNDROME (798.0-798.1)	185	4.2	116	5.3	69	3.1
OTHER (780-799)	91	2.1	42	1.9	49	2.2
ACCIDENTS	[1,578]	[35.7]	[1,094]	[49.7]	[484]	[21.8]
MOTOR VEHICLE (E810-825,E9290)	799	18.1	556	25.3	243	10.9
WATER TRANSPORT (E830-838)	26	.6	25	1.1	1	.2
AIR AND SPACE TRANSPORT (E840-845)	37	.8	32	1.5	5	.2
ACCIDENTAL POISONING (E850-865,E9292)	109	2.5	70	3.2	39	1.8
FALLS (E880-888, E9293)	229	5.2	130	5.9	99	4.5
FIRE (E890-899,E9294)	69	1.6	40	1.8	29	1.3
ACCIDENTAL DROWNING (E910)	93	2.1	76	3.5	17	.8
OTHER (E800-949)	216	4.9	165	7.5	51	2.3
SUICIDE	[687]	[15.5]	[513]	[23.3]	[174]	[7.8]
FIREARMS AND EXPLOSIVES (E955)	328	7.4	289	13.1	39	1.8
OTHER (E950-954,E956-959)	359	8.1	224	10.2	135	6.1
HOMICIDE	[228]	[5.2]	[143]	[6.5]	[85]	[3.8]
FIREARMS AND EXPLOSIVES (E965)	109	2.5	75	3.4	34	1.5
OTHER (E960-964,E966-969)	119	2.7	68	3.1	51	2.3
LEGAL INTERVENTION (E979-978)	[2]	]	[2]	[.1]		
UNDETERMINED EXTERNAL INJURIES (E980-989)	[75]	[1.7]	[50]	[2.3]	[25]	[1.1]

(1) RATES PER 100,000 ESTIMATED POPULATION

TABLE 13

DEATHS DUE TO MALIGNANT NEOPLASM BY PRIMARY SITE WITH RATES(1) BY SEX, WASHINGTON STATE RESIDENTS 1986

CAUSE WITH INTERNATIONAL LIST NUMBER	TOTAL		MALE		FEMALE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
TOTAL ALL CAUSES	17,996	[180.9]	4,243	[192.9]	3,753	[169.1]
LIP, ORAL CAVITY, AND PHARYNX (140-149,230.0)	1130	[2.9]	178	[3.5]	952	[2.3]
DIGESTIVE ORGANS AND PERITONEUM (150-159,230.1-230.9)	11,912	[43.3]	1977	[44.4]	9935	[42.1]
ESOPHAGUS (150,230.1)	141	3.2	102	4.6	39	1.8
STOMACH (151,230.2)	237	5.4	153	7.0	84	3.8
SMALL INTESTINE, INCLUDING DUODENUM (152)	22	.5	10	.5	12	.5
COLON (153,230.3)	757	17.1	347	15.8	410	18.5
RECTUM (154,230.4-230.6)	132	3.0	69	3.1	63	2.8
LIVER AND INTRAHEPATIC DUCTS (155,230.8)	118	2.7	71	3.2	47	2.1
GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)	53	1.2	21	1.0	32	1.4
PANCREAS (157)	393	8.9	180	8.2	213	9.6
RETROPERITONEUM AND PERITONEUM (158)	8	.2	5	.2	3	.1
OTHER AND ILL-DEFINED SITES (159,230.7,230.9)	51	1.2	19	.9	32	1.4
RESPIRATORY AND INTRATHORACIC ORGANS (160-165,231)	2,403	[54.4]	1,576	[71.6]	827	[37.3]
LUNG (162,231.1,231.2)	2,330	52.7	1,515	68.9	815	36.7
OTHER AND ILL-DEFINED SITES (160-161,163-165,231.0,231.8,231.9)	73	1.7	61	2.8	12	.5
BONE, CONNECTIVE TISSUE, SKIN AND BREAST (170-175,232,233.0)	1878	[19.9]	103	[4.7]	775	[34.9]
BONE AND ARTICULAR CARTILAGE (170)	19	.4	12	.5	7	.3
CONNECTIVE TISSUE AND OTHER SOFT TISSUE (171)	51	1.2	20	.9	31	1.4
SKIN (172-173,232)	116	2.6	69	3.1	47	2.1
BREAST (174,175,233.0)	692	15.7	2	.1	690	31.1
GENITAL ORGANS (179-187,233.1-233.6)	1805	[20.5]	516	[23.5]	1289	[17.5]
URINARY ORGANS (188-189,233.7-233.9)	312	[7.1]	212	[9.6]	100	[4.5]
BRAIN (191)	1203	[4.6]	115	[5.2]	88	[4.0]
OTHER AND ILL-DEFINED SITES (190,192-199,234)	1474	[10.7]	1223	[10.1]	251	[11.3]
LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	1779	[17.6]	1443	[20.1]	336	[15.1]
LYMPHOSARCOMA (200)	117	2.6	68	3.1	49	2.2
HODGKINS DISEASE (201)	18	.4	9	.4	9	.4
LYMPHOID AND HISTIOCYTIC TISSUE (202)	180	4.1	97	4.4	83	3.7
MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE TISSUE (203)	148	3.3	88	4.0	60	2.7
LYMPHOID LEUKEMIA (204)	100	2.3	71	3.2	29	1.3
MYELOID LEUKEMIA (205)	154	3.5	78	3.5	76	3.4
MONOCYTIC LEUKEMIA (206)	7	.2	3	.1	4	.2
OTHER AND UNSPECIFIED LEUKEMIA (207-208)	55	1.2	29	1.3	26	1.2

(1) RATES PER 100,000 ESTIMATED POPULATION

(2) GROUP TOTALS ARE SHOWN IN BRACKETS

TABLE 14

DEATHS BY NON-TRANSPORT CAUSES, BY PLACE OF ACCIDENT, WASHINGTON STATE RESIDENTS 1986

CAUSE OF DEATH	TOTAL	HOME	NURSING HOME	AGRICULTURE	INDUSTRY	PRISON	PUBLIC	UNKNOWN
STATE TOTAL	697	334	44	24	30		186	79
POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS (E850-E858)	82	53					22	7
POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPORS (E860-E869)	27	12			3		7	5
MISADVENTURES AND ABNORMAL REAC- TIONS DUE TO SURGICAL AND MEDICAL CARE (E700-E879)	16						7	9
FALLS (E880-E888)	225	116	44		8		37	20
FALLS ON STAIRS AND LADDERS (E880,E881)	33	27			3		2	1
FALLS FROM ONE LEVEL TO ANOTHER (E882-E884)	37	15	9		2		11	
FALLS ON SAME LEVEL (E885,E886)	16	11	2				2	1
OTHER AND UNSPECIFIED FALLS (E887,E888)	139	63	33		3		22	18
FIRE (E890-E899)	69	67					2	
NATURAL AND ENVIRONMENTAL FACTORS (E900-E909)	21	6					12	3
DROWNING, EXCLUDING SUBMERSION FOLLOWING BOATING ACCIDENTS (E910)	93	22					69	2
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION AND OBSTRUCTION (E911,E912)	37	14					5	18
MECHANICAL SUFFOCATION (E913)	11	10						1
FOREIGN BODY ENTERING OTHER ORIFICE (E914,E915)	1							1
STRUCK BY, AGAINST OR BETWEEN OBJECTS (E916-E918)	47	9		14	10		14	
MACHINERY (E919,E920)	20	6		7	3		4	
EXPLOSION AND EXPLOSIVE MATERIAL (E921,E923)	4	1			3			
FIREARMS (E922)	11	10					1	
HOT SUBSTANCE, CORROSIVE LIQUID AND STEAM (E924)	2	2						
ELECTRICITY (E925)	10	2		1	3		4	
OTHER AND UNSPECIFIED NON- TRANSPORT ACCIDENTS (E926-E949)	21	4		2			2	13

TABLE 15

DEATHS WITH RATES* BY EXTERNAL CAUSES BY PLACE OF OCCURRENCE, WASHINGTON STATE 1986

COUNTY AND CITY	ALL ACCIDENTS NUMBER RATE	MOTOR VEHICLE NUMBER RATE	FALLS NUMBER RATE	DROWNINGS NUMBER RATE	FIRES NUMBER RATE	ALL OTHER ACCIDENTS NUMBER RATE
STATE TOTAL	1,554 35.2	264 17.3	231 5.2	118 2.7	68 1.5	373 8.4
ADAMS	10 71.9	8 57.6		1 7.2		1 7.2
ASOTI	5 29.4	2 11.8	2 11.8	1 5.9		
BENTON	42 40.4	24 23.1	2 1.9	2 1.9	3 2.9	11 10.6
KENNEWICK	17 46.4	9 24.6	1 2.7		2 5.5	5 13.7
RICHLAND	14 46.3	7 23.1	1 3.3	2 6.6		4 13.2
CHELAN	33 67.5	15 30.7	6 12.3	4 8.2		8 16.4
WENATCHEE	26 144.6	13 72.3	6 33.4	3 16.7		4 22.2
CLALLAM	25 47.3	10 18.9	3 5.7	6 11.3	1 1.9	5 9.5
PORT ANGELES	15 86.7	6 34.7	3 17.3	2 11.6		4 23.1
CLARK	47 22.9	25 12.2	5 2.4	3 1.5	4 2.0	10 4.9
VANCOUVER	41 95.9	21 49.1	4 9.4	3 7.0	4 9.4	9 21.1
COLUMBIA						
COWLITZ	39 49.4	21 26.6	1 1.3	1 1.3	7 8.9	9 11.4
KEISO	3 27.9	1 9.3			2 18.6	
LONGVIEW	28 95.3	16 54.5	1 3.4	1 3.4	5 17.0	5 17.0
DOUGLAS	9 38.6	5 21.5	1 4.3	1 4.3		2 8.6
FERRY	4 65.6	3 49.2				1 16.4
FRANKLIN	16 45.3	8 22.7		2 5.7		6 17.0
PASCO	11 59.7	5 27.1		1 5.4		5 27.1
GARFIELD	3 120.0	1 40.0	1 40.0			1 40.0
GRANT	23 45.5	16 31.7		3 5.9	2 4.0	2 4.0
MOSES LAKE	3 28.9	1 9.6		1 9.6		1 9.6
GRAYS HARBOR	30 47.6	16 25.4	2 3.2	1 1.6	2 3.2	9 14.3
ABERDEEN	14 82.3	5 29.4	2 11.8	1 5.9	1 5.9	5 29.4
ISLAND	15 29.6	5 9.9	1 2.0	3 5.9	4 7.9	2 4.0
OAK HARBOR	4 29.7	2 14.8	1 7.4			1 7.4
JEFFERSON	17 95.0	3 16.8	2 11.7	3 16.8	1 5.6	8 44.7
KING	413 30.3	188 13.8	86 6.3	24 1.8	13 1.0	102 7.5
AUBURN	16 53.4	8 26.7	3 10.0	2 6.7		3 10.0
BELLEVUE	21 25.7	11 13.5	7 8.6	1 1.2		2 2.4
DES MOINES	2 14.6	7 24.5		1 7.3		1 7.3
KENT	7 24.5	8 41.2				
KIRKLAND	18 92.7	1 4.8	2 10.3	2 10.3		6 30.9
MERCER ISLAND	2 9.7	1 4.8				
REDMOND	7 24.3	4 13.9	2 6.9			1 3.5
KENTON	18 52.2	7 20.3	4 11.6	1 2.9		6 17.4
SEATTLE	278 56.9	116 23.8	63 12.9	14 2.9	10 2.0	75 15.4
KITSAP	44 26.7	18 10.9	7 4.3	5 3.0	4 2.4	10 6.1
BREMERSTON	21 62.8	9 26.9	4 12.0	3 9.0	1 3.0	4 12.0
KITTITAS	15 60.0	8 32.0	4 16.0			3 12.0
ELLENSBURG	9 78.9	4 35.1	3 26.3			2 17.9
Klickitat	8 48.2	3 18.1	2 12.0			3 18.1
LEWIS	27 47.5	14 24.6	2 3.5	2 3.5		9 15.8
CENTRALIA	4 33.9	1 8.5				3 25.4
LINCOLN	9 92.8	7 72.2				2 20.6
MASON	20 56.5	11 31.1		4 11.3	1 2.8	4 11.3
OKANOGAN	23 72.8	12 38.0	2 6.3	6 19.0	1 3.2	2 6.3
PACIFIC	6 34.7	1 5.6	1 5.6	3 17.4		1 5.6
PEND OREILLE	9 100.0	7 77.8				2 22.2
PIERCE	125 23.5	65 12.2	28 5.3	9 1.7	2 .4	21 4.0
PUYALLUP	12 61.9	7 36.1	2 10.3			3 15.5
TACOMA	73 45.9	38 23.9	17 10.7	5 3.1	1 .6	12 7.6
SAN JUAN	3 33.7					3 33.7
SKAGIT	26 37.7	15 21.7	4 5.8	2 2.9	1 1.4	4 5.8
MOUNT VERNON	5 35.1	2 14.0	1 7.0		1 7.0	1 7.0
SKAMANIA	8 102.6	2 25.6		1 12.8		5 64.1
SNOHOMISH	112 29.4	49 12.8	19 5.0	5 1.3	8 2.1	31 5.1
EDMONDS	21 74.8	4 14.3	7 24.9		1 3.6	9 32.1
EVERETT	44 74.0	23 38.7	8 13.5	3 5.0	3 5.0	7 11.8
LYNNWOOD	6 25.0	1 4.2			3 12.5	2 8.3
MOUNTLAKE TERRACE						
SPOKANE	170 47.8	92 25.8	23 6.5	10 2.8		45 12.6
SPOKANE (CITY)	152 88.0	79 45.7	23 13.3	8 4.6		42 24.3
STEVENS	24 78.5	12 39.7	1 3.3		1 3.3	10 33.1
THURSTON	44 30.9	25 17.6	4 2.8	3 2.1	5 3.5	7 4.9
LACEY	3 19.6	1 6.5		2 13.1		
OLYMPIA	31 106.9	20 69.0	4 13.8	1 3.4	1 3.4	5 17.2
WAKEIAKUM	1 27.8			1 27.8		
WALLA WALLA	26 53.6	13 26.8	9 18.6			4 8.2
WALLA WALLA (CITY)	17 66.4	6 23.4	8 31.3			3 11.7
WHATCOM	42 36.0	15 12.9	8 6.9	5 4.3	5 4.3	9 7.7
BELLINGHAM	24 51.7	10 21.6	6 12.9	1 2.2	3 6.5	4 8.6
WHITMAN	4 10.1	2 5.1				2 5.1
PULLMAN	1 4.4					1 4.4
YAKIMA	77 41.9	42 23.4	5 7.7	7 3.8	3 1.6	19 10.3
YAKIMA (CITY)	35 70.6	22 44.4	3 6.0	3 6.0	1 2.0	8 12.1

*RATES PER 100,000 ESTIMATED POPULATION.

TABLE 16

DEATHS WITH RATES* BY EXTERNAL CAUSES BY PLACE OF OCCURRENCE, WASHINGTON STATE 1986

COUNTY AND CITY	SUICIDE		HOMICIDE		UNDETERMINED EXTERNAL INJURIES	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
STATE TOTAL	682	15.4	221	5.0	76	1.7
ADAMS	3	21.6				
ASOTIN	3	17.6			1	5.9
BENTON	17	16.3	5	4.8	1	1.0
KENNEWICK	6	16.4	2	5.5		
RICHLAND	8	26.5	2	6.6		
CHelan	6	12.3	3	6.1		
WENATCHEE	4	22.2	2	11.1		
CLALLAM	6	11.3	1	1.9		
PORT ANGELES	1	5.8	1	5.8		
CLARK	28	13.7	5	2.4	3	1.5
VANCOUVER	25	58.5	5	11.7	1	2.3
COLUMBIA						
COWLITZ	8	10.1	4	5.1		
KELSO	1	9.3	1	9.3		
LONGVIEW	7	23.8	2	6.8		
DOUGLAS	5	21.5	1	4.3		
FERRY					1	16.4
FRANKLIN	8	22.7	4	11.3	1	2.8
PASCO	8	43.4	4	21.7	1	5.4
GARFIELD						
GRANT	8	15.8	3	5.9		
MOSES LAKE	4	38.5	2	19.2		
GRAYS HARBOR	13	20.6	2	3.2	2	3.2
ABERDEEN	3	17.6				
ISLAND	6	11.9				
OAK HARBOR	2	14.8				
JEFFERSON	4	22.3				
KING	230	16.9	81	5.9	31	2.3
AUBURN	9	30.1			1	3.3
BELLEVUE	17	20.8	2	2.4		
DES MOINES	1	7.3			1	7.3
KENT	15	52.4	2	7.0		
KIRKLAND	4	20.6	1	5.2		
MERCER ISLAND	2	9.7				
REDMOND	3	10.4	2	6.9		
RENTON	15	43.5			3	8.7
SEATTLE	143	29.3	64	13.1	21	4.3
KITSAP	21	12.8	6	3.6	1	.6
BREMERTON	14	41.9	4	12.0	1	3.0
KITITITAS	6	24.0				
ELLENSBURG	2	17.5				
Klickitat						
LEWIS	5	8.8	7	12.3		
CENTRALIA	2	16.9	4	33.9		
LINCOLN	1	10.3				
MASON	5	14.1				
OKANOGAN	3	9.5	3	9.5		
PACIFIC	1	5.8	1	5.8		
PEND OREILLE	2	22.2				
PIERCE	85	16.0	37	7.0	25	4.7
PUYALLUP	8	41.2	1	5.2	3	15.5
TACOMA	53	33.4	26	16.4	15	9.4
SAN JUAN						
SKAGIT	7	10.1	1	1.4		
MOUNT VERNON	2	14.0				
SKAMANIA						
SNODGRASS	67	17.6	9	2.4		
EDMONDS	7	24.9	1	3.6		
EVERETT	25	42.0	5	8.4		
LYNNWOOD	8	33.3				
MOUNTLAKE TERRACE	3	19.2				
SPOKANE	62	17.4	15	4.2	5	1.4
SPOKANE (CITY)	52	30.1	15	8.7	5	2.9
STEVENS	5	16.6				
THURSTON	15	10.5	9	6.3	2	1.4
LACEY	3	19.6				
OLYMPIA	10	34.5	8	27.6	2	6.9
Wahkiakum	1	27.8				
Walla Walla	4	8.2	2	4.1		
Walla Walla (CITY)	3	11.7	1	3.9		
WHATCOM	19	16.3	1	.9	3	2.6
BELLINGHAM	12	25.9	1	2.2	2	4.3
WHITMAN	3	7.6				
PULLMAN	1	4.4				
YAKIMA	25	13.6	21	11.4		
YAKIMA (CITY)	17	34.3	8	16.1		

*RATES PER 100,000 ESTIMATED POPULATION.

TABLE 17

DEATHS BY TYPE OF PLACE BY PLACE OF OCCURRENCE, WASHINGTON STATE 1986									
COUNTY AND CITY	TOTAL	GENERAL HOSPITAL	NURSING HOME	HOME	FEDERAL FACILITY	PSYCHIATRIC HOSPITAL	STATE FACILITY	DEAD ON ARRIVAL	OTHER AND NOT SPECIFIED
STATE TOTAL	34,415	15,462	8,746	7,531	1,053	32	4	64	1,523
ADAMS	97	40	29	19					9
ASOTIN	157	31	75	46					5
BENTON	597	304	114	144					34
KENNEWICK	260	110	62	76				1	11
RICHLAND	249	166	29	44					10
CHILAN	553	313	134	81				1	24
WENATCHEE	432	273	96	51				1	11
CHALLAM	504	173	176	127				1	27
PORT ANGELES	305	155	75	65				1	9
CLARK	1,305	502	372	337	39			3	52
VANCOUVER	1,100	502	271	248	39			3	37
COLUMBIA	44	19	12	9					4
COWLITZ	680	300	199	104				2	75
KELSO	39		3	32					4
LONGVIEW	600	299	183	56				1	61
DOUGLAS	72		24	36					12
FERRY	25	15		3					7
FRANKLIN	219	125	27	51					16
PASCO	207	125	27	42					13
GARFIELD	30	5	21	3					1
GRANT	319	147	72	75					25
MOSES LAKE	140	63	38	31					8
GRAYS HARBOR	551	200	192	123				2	34
ABERDEEN	346	174	122	41					9
ISLAND	271	71	52	118	5			3	22
OAK HARBOR	82		30	43					9
JEFFERSON	148	67	32	29				1	19
KING	11,069	5,387	2,493	2,457	310	4		12	406
AUBURN	357	188	74	79					16
BELLEVUE	574	324	73	157					20
DES MOINES	201		175	21					5
YENT	139		4	117					18
KIRKLAND	409	186	129	72		4		1	17
MERCER ISLAND	95		59	33					3
REDMOND	265	152	58	40				2	13
RENTON	369	312	121	120					16
SEATTLE	7,696	4,163	1,459	1,543	310			8	213
KITSAP	1,067	370	305	271	47			9	65
BREMERTON	673	364	156	129				9	15
KITTITAS	201	79	69	39					14
ELLENSBURG	153	79	50	22					2
Klickitat	106	56	23	23					4
LEWIS	488	249	112	94				3	30
CENTRALIA	244	119	90	27				2	6
LINCOLN	81	26	26	18					11
NASON	243	100	53	64			1	1	24
OKANOGAN	267	108	67	58				1	33
PACIFIC	186	96	46	37					5
PEND OREILLE	68	28	10	23					7
PIERCE	4,009	1,744	917	808	409	16		12	103
PUYALLUP	604	281	218	92				3	10
TACOMA	2,822	1,462	643	511	136	10		6	54
SAN JUAN	38		11	20					7
SKAGIT	711	325	194	163				1	28
MOUNT VERNON	256	132	73	31				1	1
SKAMANIA	15			7					8
SNOHOMISH	2,267	928	641	619				5	74
EDMONDS	403	259	72	68					4
EVERETT	1,001	565	237	186				1	12
LYNNWOOD	129		47	76					6
MOUNTLAKE TERRACE	31			30					1
SPOKANE	3,642	1,794	898	623	173	12	3	1	136
SPOKANE (CITY)	3,423	1,782	827	543	167			1	103
STEVENS	176	66	37	55					18
THURSTON	1,114	498	329	251				1	35
LACEY	140	1	97	37					5
OLYMPIA	853	497	179	157				1	19
WASHTON	18		13	3					2
WALLA WALLA	551	205	189	77	70				10
WALLA WALLA (CITY)	479	205	146	57	70				1
WHATCOM	887	269	327	231					60
BELLINGHAM	679	269	256	129					25
WHITMAN	143	43	58	35					5
PULLMAN	44	17	17	9				2	1
YAKIMA	1,496	777	393	250				2	72
YAKIMA (CITY)	1,049	623	282	121				1	22

TABLE 18

DEATHS BY MONTH BY SELECTED CAUSES, WASHINGTON STATE OCCURRENCES 1986

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
TOTAL ALL CAUSES	34,411	2,999	2,657	3,044	2,845	2,901	2,725	2,804	2,830	2,683	2,921	2,881	3,121
INFECTIOUS AND PARASITIC DISEASES (001-139)	351	35	25	25	31	29	30	36	33	24	27	26	30
PNEUMONIA (480-487)	1,049	95	90	112	90	100	73	59	68	58	94	96	114
INFLUENZA (487)	67	16	20	9	6	2	2	1		1	4	2	4
BRONCHITIS (490-491)	55	5	7	4	5	3	3	4	3	3	4	4	10
EMPHYSEMA (492)	312	36	26	28	38	22	17	29	30	13	22	23	28
ASTHMA (493)	83	5	11	9	7	5	5	10	3	8	6	10	4
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (494-496)	1,270	115	95	119	114	111	100	102	107	93	99	91	124
CONGENITAL ANOMALIES (740-759)	246	18	17	22	17	23	15	27	18	18	27	27	17
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY (760-799)	282	25	22	21	28	17	28	25	26	20	26	21	23
MOTORCYCLE ACCIDENTS (E810-E825)	79			3	9	9	18	15	10	7	4	2	2
OTHER MOTOR VEHICLE ACCIDENTS (E810-E825)	682	44	29	55	51	69	64	62	60	52	63	71	62
DROWNINGS RESULTING FROM BOATING ACCIDENT (E830-E832)	24		1	2		4	3	2	2	1		8	1
OTHER DROWNINGS (E910)	94	2	9	6	5	13	14	10	20	5	4	3	3
FALLS (E880-E888)	7	14	15	19	20	19	26	19	24	19	26	16	10
FIRE (E890-E899)	68	4	11	7	5	2	7	2	1	9	3	11	6
OTHER ACCIDENTS (E800-E928)	209	15	15	15	16	21	17	18	26	19	19	15	13
SUICIDE (E950-E959)	682	56	47	64	68	66	53	60	44	53	62	56	53
HOMICIDE (E960-E969)	219	21	21	23	14	11	16	19	28	20	15	17	14

TABLE 19

INFANT MORTALITY BY RACE BY PLACE OF RESIDENCE, WASHINGTON STATE 1966											
COUNTY AND CITY	TOTAL	WHITE	BLACK	MEXICAN/ CHICANO	INDIAN	JAPA- NESE	CHI- NESE	FILI- PINO	OTHER ASIAN	OTHER	UNKNOWN
STATE TOTAL	675	574	44	16	18	2		1	19		1
ADAMS	3	3									
ASOTIN	3	3									
BENTON	13	12		1							
KENNEWICK	6	6									
RICHLAND	3	3									
CHELAN	6	5			1						
WENATCHEE	1	1									
CLALLAM	6	6									
FORT ANGELES	2	2									
CLARK	28	27	1								
VANCOUVER	14	14									
COLUMBIA											
COWLITZ	6	6									
KELSO	2	2									
LONGVIEW	2	2									
DOUGLAS	1	1									
FERRY											
FRANKLIN	10	5		5							
PASCO	4	1		3							
GARFIELD											
GRANT	8	7		1							
MOSES LAKE	4	3		1							
GRAYS HARBOR	12	10			2						
ABERDEEN	3	3									
ISLAND	17	17									
OAK HARBOR	8	8									
JEFFERSON	1				1						
KING	195	156	23		4	1			10		1
AUBURN	6	3			2				1		
BELLEVUE	11	11									
DES MOINES	1	1									
KENT	9	9									
KIRKLAND	4	4									
MERCER ISLAND	3	2							1		
REDMOND	5	5									
BENTON	5	3							2		
SEATTLE	71	47	18			1			5		
KITSAP	28	28									
BREMERTON	10	10									
KITTITAS	2	2									
ELLENSBURG	1	1									
Klickitat	2	2									
LEWIS	11	11									
CENTRALIA	3	3									
LINCOLN	1	1									
MASON	3	3									
OKANOGAN	4	4									
PACIFIC	2	1		1							
PEND OREILLE											
PIERCE	96	71	17	1	2				5		
PUYALLUP	3	3									
TACOMA	30	20	6						4		
SAN JUAN	2	2									
SKAGIT	8	8									
MOUNT VERNON											
SKAMANIA											
SNOHOMISH	52	49			2				1		
EDMONDS	3	3									
EVERETT	12	12									
LYNNWOOD	9	9									
MOUNTLAKE TERRACE	2	2									
SPOKANE	65	59	2		1	1			2		
SPOKANE (CITY)	36	34							2		
STEVENS	3	3									
THURSTON	25	23	1								
LACEY	4	3	1								
OLYMPIA	8	8									
WAHIAKUM											
WALLA WALLA	5	5									
WALLA WALLA (CITY)	4	4									
WHATCOM	18	17			1						
BELLINGHAM	8	8									
WHITMAN	4	4									
PULLMAN	4	4									
YAKIMA	35	23		7	4				1		
YAKIMA (CITY)	15	11		3	1						

TABLE 20

INFANT MORTALITY BY LEADING CAUSES BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	TOTAL ALL CAUSES	BIRTH INJURIES	OTHER CAUSES OF MORTALITY IN EARLY INFANCY	CONGENITAL MALFORMATIONS	INFLUENZA AND PNEUMONIA	ALL ACCIDENTS	SUDDEN INFANT DEATH	ALL OTHER CAUSES
STATE TOTAL	675	88	178	140	6	13	177	73
ADAMS	3			1		1	1	
ASOTIN	3	1		1				1
BENTON	13	2	3	5			2	1
KENNEWICK	6	2	1	3				
RICHLAND	3			1			2	
CHELAN	6	1	2	1		1	1	
WENATCHEE	1			1				
CLALLAM	6	1					3	2
PORT ANGELES	2	1						1
CLARK	28	2	6	5		1	13	1
VANCOUVER	14	1	2	1		1	8	1
COLUMBIA								
COWLITZ	6		1	1			3	1
KELSO	2			1			1	
LONGVIEW	2						1	1
DOUGLAS	1	1						
FERRY								
FRANKLIN	10	2	5			1	2	
PASCO	4	1	2				1	
GARFIELD								
GRANT	8		4	1			2	1
MOSES LAKE	4		2	1			1	
GRAYS HARBOR	12		4	1		1	5	1
ABERDEEN	3		1				2	
ISLAND	17	3	2	5	1	1	4	1
OAK HARBOR	8	1	1	3	1		2	
JEFFERSON	1							1
KING	195	22	58	31	2	3	55	24
AUBURN	6		1		1		2	2
BELLEVUE	11		3	2			5	1
DES MOINES	1							1
KENT	9		3	3		1	1	1
KIRKLAND	4	1		1			2	
MERCER ISLAND	3		1				1	1
REDMOND	5	2	1	1			1	
RENTON	5	1	1				1	2
SEATTLE	71	8	28	9	1	2	17	6
KITSAP	28	4	7	7			4	3
BREMERTON	10	1	3	3			2	1
KITTITAS	2			1			1	
ELLENSBURG	1						1	
Klickitat	2			1				1
LEWIS	11	1	3	4			2	1
CENTRALIA	3		1	1			1	
LINCOLN	1			1				
MASON	3		1				2	
OKANOGAN	4	2		1			1	
PACIFIC	2	1						1
PEND OREILLE								
PIERCE	96	20	28	16	1		21	10
PUYALLUP	3		2	1				
TACOMA	30	7	6	3	1		10	3
SAN JUAN	2	1					1	
SKAGIT	8	1	1	2			4	
MOUNT VERNON								
SKAMANIA								
SNOWBUSH	52	6	14	13			12	7
EDMONDS	3		1	1				1
EVERETT	12	1	2	2			6	1
LYNNWOOD	9		1	4			3	1
MOUNTLAKE TERRACE	2	1					1	
SPOKANE	65	6	19	20	1	2	13	4
SPOKANE (CITY)	36	2	12	11	1		9	1
STEVENS	3			2			1	
THURSTON	25	2	4	6			11	2
LACEY	4		1	2			1	
OLYMPIA	8		2	2			3	1
WAKIACUM								
WALLA WALLA	5	1	1	1				2
WALLA WALLA (CITY)	4	1	1					2
WHATCOM	18	2	1	4		1	5	5
BELLINGHAM	8	1	1	1			3	2
WHITMAN	4	1	2	1				
PULLMAN	4	1	2	1				
YAKIMA	35	5	9	8	1	1	8	3
YAKIMA (CITY)	15	2	4	6			2	1

TABLE 21

INFANT MORTALITY BY AGE AND SEX BY CAUSE, WASHINGTON STATE RESIDENTS 1986

CAUSE AND INTERNATIONAL LIST NUMBER	TOTAL		UNDER 1 DAY		1 DAY- UNDER 7 DAYS		7 DAYS- UNDER 28 DAYS		28 DAYS- UNDER 3 MO.		3 MO.- UNDER 6 MO.		6 MO.- UNDER 9 MO.		9 MO.- UNDER 12 MO.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
TOTAL ALL CAUSES	404	271	116	92	55	39	44	28	99	42	60	48	21	14	9	8
ALL INFECTIVE AND PARASITIC DISEASES (000-139)	8	3														
MALIGNANT NEOPLASMS (140-208,230-234)		1														
MENINGITIS (320,322)	2	2														
DISEASES OF THE CIRCULATORY SYSTEM (390-459)	11	7														
PNEUMONIA AND INFLUENZA (480-487)	5	1														
OTHER DISEASES OF RESPIRATORY SYSTEM (510-519)	3	2														
HERNIA AND INTESTINAL OBSTRUCTION (550-553,560)	1	1														
CONGENITAL ANOMALIES (740-759)	82	58	27	14	24	17	15	6	9	10	3	5	2	4	2	2
ANENCEPHALUS (740)	4	2	3	1	1	1										
SPINA BIFIDA AND MENINGOCELE (741)																
OTHER ANOMALIES OF THE CENTRAL NERVOUS SYSTEM (742)	7	7	2	3												
ANOMALIES OF THE HEART (745-746)	20	14														
OTHER ANOMALIES OF CIRCULATORY SYSTEM (747)	6	3	1	1	7	6	2	2	1	1	1	3	1	1	1	1
ANOMALIES OF THE RESPIRATORY SYSTEM (748)	16	9	10	4	4	4	1	2								
ANOMALIES OF THE DIGESTIVE SYSTEM (749-751)	1	1														
ANOMALIES OF THE GENITOURINARY SYSTEM (752-753)	4	3	3	2	1	2										
ANOMALIES OF THE MUSCULOSKELETAL SYSTEM (754-756)	8	6	2	2	4	4	1									
CHROMOSOMAL ANOMALIES (758)	11	8	4	1	3	2	2	1	2	3						
OTHER CONGENITAL ANOMALIES	5	5	2		1	3	1		1		1					
CERTAIN DISEASES OF EARLY INFANCY (760-779)	150	116	87	73	26	20	19	14	10	2	2	7	5		1	1
MATERNAL DISEASES AFFECTING CHILD (760)	3		1		1						1					
COMPLICATIONS OF PREGNANCY AFFECTING CHILD (761-762)	14	21	11	19	1	2			1				1			
BIRTH INJURIES (763,767-769)	44	44	18	23	13	8	9	8	1	1		4	2		1	
OTHER DISEASES PECULIAR TO EARLY INFANCY	89	51	57	31	11	10	10	6	8	1	1	3	2			
SUDDEN INFANT DEATH SYNDROME (7980)	114	63		1			6	4	56	23	41	29	9	5	2	1
ALL OTHER DISEASES (000-799)	14	8	2	2	3		2		5	2	1	3			1	1
ALL ACCIDENTS (E800-E949)	7	6			1		1	1	1		3	2			1	1
MOTOR VEHICLE ACCIDENTS (E810-E825)		2														
ACCIDENTAL DROWNING AND SUBMERSION (E910)	1	1														
INHALATION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION (E911-912)	2	1									2	1				
MECHANICAL SUFFOCATION IN BED OR CRADLE AND IN OTHER AND UNSPECIFIED CIRCUMSTANCES (E913)	1	1					1		1		1	1				
ALL OTHER ACCIDENTS	3	1			1											
HOMICIDE (E963-E968)																
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-988)	7	2		1	1				3		2		1	1		

TABLE 22

MATCHED INFANT DEATHS BY MOTHER'S AGE GROUP, WASHINGTON STATE RESIDENTS 1985*

COUNTY AND CITY	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTAL	674	4	107	203	193	115	32	7		13
ADAMS	3		1	1		1				
ASOTIN	3			1	2					
BENTON	13		2	4	4	2	1			
KENNEWICK	6		1	2	2	1				
RICHLAND	3			1		1	1			
CHELAN	6		2	1	1	1	1			
WENATCHEE	1						1			
CLALLAM	6		3	1		2				
PORT ANGELES	2			1		1				
CLARK	28	1	5	12	5	3	2			
VANCOUVER	14		3	7	2	1	1			
COLUMBIA										
COWLITZ	6		4	1	1					
KELSO	2		1	1						
LONGVIEW	2		1		1					
DOUGLAS	1					1				
FERRY										
FRANKLIN	10		3	2	5					
PASCO	4		2	1	1					
GARFIELD										
GRANT	8			3	4			1		
MOSES LAKE	4			1	3					
GRAYS HARBOR	12		2	7	1	2				
ABERDEEN	3		1	1		1				
ISLAND	17		4	9	3	1				
OAK HARBOR	8		1	6	1					
JEFFERSON	1		1							
KING	194	1	19	49	60	44	12	4		5
AUBURN	6		3		1		1			1
BELLEVUE	11			3	1	6	1			
DES MOINES	1		1							
KENT	9		2	4	2			1		
KIRKLAND	4				3	1				
MERCEY ISLAND	3				2	1				
REDMOND	5		1		1	2				1
RENTON	3			2		3				
SEATTLE	71	1	9	16	23	14	4	3		1
KITSAP	28		3	9	6	8	2			
BREMERTON	10		1	6	2	1				
KITTITAS	2			1	1					
ELLENSBURG	1			1						
Klickitat	2		1		1					
LEWIS	11		1	5	5					
CENTRALIA	3			2	1					
LINCOLN	1						1			
MASON	3			3						
OKANOGAN	4		2	1	1					
PACIFIC	2		1			1				
PEND OREILLE										
PIERCE	94		18	33	28	12	2			3
FUYALLUP	3		2		1					
TACOMA	30		7	8	9	5				1
SAN JUAN	2			1		1				
SKAGIT	8			3	3	1				1
SKANAWIA										
SNODGRASS	32		11	9	21	9	1	1		
EDMONDS	3			1	1	1				
EVERETT	12		3	3	5	1				
LYNWOOD	9		1	4	2	2				
MOUNTLAKE TERRACE	2		1	1						
SPOKANE	65	1	11	21	16	7	6	1		2
SPOKANE (CITY)	36	1	8	11	6	3	5	1		1
STEVENS	3		2			1				
THURSTON	23	1		8	6	9	1			
LACEY	4			1	1	2				
OLYMPIA	8	1		2	3	1	1			
WASHELEKUM										
WALLA WALLA	5			1	2	2				
WALLA WALLA (CITY)	4				2	2				
WHATCOM	18		1	9	2	4	1			1
BELLINGHAM	8			4	2	2				
WHITMAN	4		1	1	1	1				
FULLMAN	4		1	1	1	1				
YAKIMA	35		9	7	14	2	2			1
YAKIMA (CITY)	13		4	3	5	1	1			1

*DEATHS ARE MATCHED WITH BIRTHS TO FIND MOTHER'S AGE.
RESIDENCE IS THE INFANT'S AT THE TIME OF DEATH.

TABLE 23

FETAL, PERINATAL, NEONATAL AND INFANT MORTALITY BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY AND CITY	FETAL DEATHS		PERINATAL MORTALITY(2)		NEONATAL MORTALITY		INFANT MORTALITY	
	NUMBER	RATIO(1)	NUMBER	RATE(3)	NUMBER	RATE(4)	NUMBER	RATE(4)
STATE TOTAL	445	6.4	747	10.7	374	5.4	675	9.7
ADAMS	1	3.9	1	3.8			3	11.6
ASOTIN	3	11.7	5	19.3	2	7.8	3	11.7
BENTON	13	6.8	20	10.4	9	4.7	13	6.8
BENNECK	7	8.2	11	12.7	5	5.8	6	7.0
BILLINGS	4	9.0	5	11.2	2	4.5	3	6.8
CHELAN	6	6.9	11	12.5	5	5.7	6	6.9
CHENAPAH	5	13.2	6	15.6	1	2.6	1	2.6
CLALLAM	5	7.0	6	8.4	2	2.8	6	8.4
CLATSOP	1	3.9	2	7.7	1	3.9	2	7.7
CLATSOP	12	3.8	18	5.6	9	2.8	28	8.8
CLATSOP	5	3.7	6	5.8	4	2.9	14	10.3
COLUMBIA								
COWLITZ	1	.9	3	2.6	2	1.7	6	5.1
DEKALB	1	5.0	1	5.0	1	2.0	2	10.0
DOUGLAS			1	2.0			2	3.9
DOUGLAS					1	2.6	1	2.6
FERRY								
FRANKLIN	4	5.2	9	11.6	5	6.5	10	12.9
PASCO	2	4.2	3	6.3	1	2.1	4	8.5
GARFIELD								
GRANT	13	14.4	17	18.6	5	5.5	8	8.9
MOSES LAKE	2	10.8	4	21.3	3	16.1	4	21.5
GRAYS HARBOR	9	9.9	13	14.1	5	5.5	12	13.2
ABERDEEN	4	15.3	5	18.8	1	3.8	3	11.5
ISLAND	5	6.0	14	16.7	10	12.0	17	20.4
OAK HARBOR	1	2.7	5	13.3	4	10.7	8	21.4
JEFFERSON	1	5.1	1	5.1			1	5.1
KING	151	7.6	237	12.8	106	5.3	195	9.8
KASABA	3	5.6	4	7.4	1	1.9	6	11.2
BELLEVUE	9	9.8	12	12.9	3	3.3	11	11.9
DES MOINES	1	10.9	1	10.8			1	10.9
KENT	9	17.6	14	26.9	5	9.8	9	17.6
KIRKLAND	5	17.9	5	17.5			4	14.3
MERCER ISLAND	2	12.6	3	16.6	2	12.6	3	18.9
REDMOND	7	17.3	10	24.3	3	7.4	5	12.3
RENTON	7	11.1	11	17.3	4	6.4	5	7.9
SEATTLE	69	10.0	105	15.1	43	6.2	71	10.3
KITSAP	17	6.1	33	11.8	20	7.2	28	10.1
BREMERTON	7	7.6	14	15.1	8	8.7	10	10.9
KITTITAS	1	3.6	2	7.1	1	3.6	2	7.1
ELLensburg	1	7.9	1	7.9			1	7.9
Klickitat	1	4.2	2	8.3	1	4.2	2	8.4
LEWIS	2	2.4	8	9.6	7	8.4	11	13.2
CENTRALIA	1	4.3	3	12.8	2	8.6	3	12.9
LINCOLN			1	7.8	1	7.8	1	7.8
MASON	2	4.4	2	4.3	1	2.2	3	6.6
GRANDGAN	11	20.1	13	23.3	2	3.7	4	7.3
PACIFIC			1	4.5	1	4.5	2	9.0
PEND OREILLE								
PIERCE	47	5.0	86	9.0	54	5.7	96	10.1
PUYALLUP	1	2.5	4	10.0	3	7.5	3	7.5
TACOMA	17	5.3	26	8.1	14	4.4	30	9.3
SAN JUAN			1	9.5	1	9.5	2	19.0
SKAGIT	4	3.9	7	6.8	4	3.9	8	7.8
MOUNT VERNON	2	6.7	2	6.7				
SKAMANIA								
SNOROMISH	42	6.3	67	10.0	32	4.8	52	7.8
EDMONDS	4	9.6	6	14.2	2	4.8	3	7.2
EVERETT	14	10.4	17	12.5	5	3.7	12	8.9
LYNNWOOD	4	7.3	10	18.0	7	12.7	9	16.3
MOUNTLAKE TERRACE	2	8.1	3	12.0	1	4.0	2	8.1
SPOKANE	28	5.2	60	11.1	40	7.4	65	12.1
SPOKANE (CITY)	16	5.5	34	11.6	23	7.9	36	12.4
STEVENS	1	2.3	1	2.3			3	6.8
THURSTON	21	9.9	35	14.9	12	5.7	25	11.8
LACEY	5	21.1	8	33.1	3	12.7	4	16.9
OLYMPIA	6	9.1	9	13.5	4	6.1	8	12.1
WASHTACUM								
WALLA WALLA	10	16.1	13	20.5	3	4.8	5	8.0
WALLA WALLA (CITY)	7	18.8	9	23.7	2	5.4	4	10.7
WHATCOM	7	4.5	12	7.7	7	4.5	18	11.5
BELLINGHAM	3	5.2	6	10.3	3	5.2	8	13.8
WHITMAN	1	2.4	4	9.4	3	7.1	4	9.4
PULLMAN	1	4.3	4	17.2	3	13.0	4	17.3
YAKIMA	26	7.7	47	13.8	23	6.8	35	10.3
YAKIMA (CITY)	21	11.3	22	22.4	11	11.3	15	15.4

(1)RATIO PER 1,000 LIVE BIRTHS
 (2)FETAL DEATHS PLUS LIVERDORN INFANTS DYING AT 6 DAYS AND UNDER
 (3)RATE PER 1,000 LIVE BIRTHS PLUS FETAL DEATHS
 (4)RATE PER 1,000 LIVE BIRTHS

TABLE 24

FETAL, PERINATAL, NEONATAL AND INFANT MORTALITY BY PLACE OF OCCURRENCE, WASHINGTON STATE 1986

COUNTY AND CITY	FETAL DEATHS		PERINATAL MORTALITY(2)		NEONATAL MORTALITY		INFANT MORTALITY	
	NUMBER	RATIO(1)	NUMBER	RATE(3)	NUMBER	RATE(4)	NUMBER	RATE(4)
STATE TOTAL	453	6.6	765	11.1	388	5.7	683	10.0
ADAMS							1	3.7
ASOTIN								
BENTON	16	6.6	26	10.7	11	4.6	15	6.2
KENNEWICK	5	5.4	5	5.4				
RICHLAND	9	7.6	16	13.4	8	6.8	12	10.1
CHELAN	7	5.7	8	6.4	1	.8	1	.8
WENATCHEE	6	5.2	6	5.2				
CLALLAM	5	6.9	6	8.2	2	2.8	6	8.3
FORT ANGELES	5	7.8	6	9.3	2	3.1	4	6.3
CLARK	10	4.6	12	5.4	2	.9	16	7.3
VANCOUVER	10	4.6	12	5.5	2	.9	16	7.3
COLUMBIA								
COWLITZ	2	1.6	4	3.3	2	1.6	6	4.9
KELSO							1	
LONGVIEW	2	1.6	4	3.3	2	1.6	5	4.1
DOUGLAS								
FERRY								
FRANKLIN	3	7.2	4	9.6	1	2.4	3	7.2
PASCO	3	7.3	4	9.6	1	2.4	2	4.8
GARFIELD								
GRANT	8	10.8	10	13.4	2	2.7	3	4.0
MOSES LAKE	6	10.8	7	12.4	1	1.8	2	3.6
GRAYS HARBOR	6	13.1	8	17.3	2	4.4	7	15.3
ABERDEEN	6	13.4	8	17.7	2	4.5	4	8.9
ISLAND	3	4.3	5	7.1	2	2.8	9	12.8
JEFFERSON	1	6.5	1	6.5			1	6.5
KING	185	8.5	325	14.8	171	7.8	280	12.8
AUBURN	6	9.4	10	15.5	4	6.3	8	12.5
BELLEVUE	13	6.7	21	9.3	6	2.7	11	4.9
KENT							7	538.5
KIRKLAND	9	6.2	10	6.9	1	.7	5	3.5
MERCER ISLAND							1	500.0
REDMOND			2	1.3	2	1.3	4	2.7
RENTON	9	3.8	17	7.2	8	3.4	11	4.7
SEATTLE	140	10.6	259	19.4	149	11.3	223	16.9
KITSAP	8	3.2	12	4.8	5	2.0	10	4.0
BREMERSTON	5	2.9	7	4.0	2	1.2	5	2.9
KITTITAS	1	4.2	1	4.2			2	8.4
ELLENSBURG	1	4.3	1	4.3			1	4.3
Klickitat	2	9.4	2	9.3				
LEWIS	3	3.5	7	8.0	4	4.6	6	6.9
CENTRALIA			4	11.9	4	11.9	6	17.9
LINCOLN								
MASON					1	4.4	3	13.2
OKANOGAN	11	20.8	12	22.2	1	1.9	3	5.7
PACIFIC							1	6.8
PEND OREILLE							1	14.9
PISCE	55	5.2	108	10.1	74	7.0	118	11.1
PULLAP	6	4.3	10	7.5	6	3.0	7	5.3
TACOMA	31	4.7	62	9.4	49	7.4	81	12.3
SAN JUAN							2	166.7
SKAGIT	6	4.7	7	5.4	2	1.6	6	4.7
MOUNT VERNON	5	6.1	6	7.3	1	1.2	2	2.4
SKAMANIA								
SNOWHORN	23	4.9	33	7.0	11	2.4	23	4.9
EDMONDS	4	2.6	8	5.1	4	2.6	5	3.2
EVERETT	19	7.2	25	9.4	6	2.3	14	5.3
LYNNWOOD					1	32.6	3	157.9
MOUNTLAKE TERRACE							1	142.8
SPOKANE	36	5.9	90	14.7	68	11.2	98	16.1
SPOKANE (CITY)	35	6.3	88	15.7	67	12.0	95	17.0
STEVENS							2	7.4
THURSTON	18	8.3	20	9.2	2	.9	14	6.5
OLYMPIA	17	8.0	19	8.8	2	.9	9	4.2
WARRIACUM								
WALLA WALLA	11	12.5	11	12.3			2	2.3
WALLA WALLA (CITY)	11	12.5	11	12.4			2	2.3
WHATCOM	6	4.0	7	4.6	3	2.0	12	8.0
BELLINGHAM	5	3.4	6	4.0	2	1.3	7	4.7
WHITMAN	1	2.2	2	4.5	1	2.2	1	2.2
PULLMAN	1	2.4	2	4.8	1	2.4	1	2.4
YAKIMA	26	7.8	44	13.2	20	6.0	31	9.3
YAKIMA (CITY)	20	8.1	36	14.4	17	8.9	24	9.7

(1)RATIO PER 1,000 LIVE BIRTHS

(2)FETAL DEATHS PLUS LIVEBORN INFANTS DYING AT 6 DAYS AND UNDER

(3)RATE PER 1,000 LIVE BIRTHS PLUS FETAL DEATHS

(4)RATE PER 1,000 LIVE BIRTHS

TABLE 25

FETAL MORTALITY BY SEX AND WEIGHT, WASHINGTON STATE RESIDENTS 1986

GRAM WEIGHT	TOTAL	MALE	FEMALE	SEX UNKNOWN
STATE TOTAL	445	225	211	9
1,000 GRAMS OR LESS	157	89	66	2
1,001 - 1,500	38	15	23	
1,501 - 2,000	38	18	20	
2,001 - 2,500	29	15	14	
2,501 - 3,000	32	14	17	1
3,001 - 3,500	30	14	16	
3,501 - 4,000	14	8	6	
4,001 - 4,500	10	7	3	
4,501 AND OVER	14	7	6	1
NOT STATED	83	38	40	5

TABLE 26

FETAL MORTALITY BY CAUSE, WASHINGTON STATE RESIDENTS 1986

CAUSE WITH INTERNATIONAL LIST NUMBER	TOTALS
TOTAL ALL CAUSES	445
CONGENITAL ANOMALIES (740-759)	41
ANENCEPHALUS (740)	9
SPINA BIFIDA (741)	2
OTHER ANOMALIES OF THE CENTRAL NERVOUS SYSTEM (742)	
ANOMALIES OF THE HEART (745-746)	7
OTHER ANOMALIES OF CIRCULATORY SYSTEM (747)	1
ANOMALIES OF RESPIRATORY SYSTEM (748)	
ANOMALIES OF DIGESTIVE SYSTEM (749-751)	
ANOMALIES OF THE GENITOURINARY SYSTEM (752-753)	2
ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	2
CHROMOSOMAL ANOMALIES (758)	4
OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (743-744,757,759)	14
CERTAIN CAUSES OF PERINATAL MORBIDITY AND MORTALITY (760-779)	402
MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PREGNANCY (760)	
CHRONIC HYPERTENSION (760.0)	9
MATERNAL INFECTIONS (760.2)	1
MATERNAL INJURY (760.5)	9
OTHER MATERNAL CONDITIONS (760.1,760.3-760.4,760.6-760.9)	5
MATERNAL CONDITIONS RELATED TO PREGNANCY (761)	
INCOMPETENT CERVIX (761.0)	4
PREMATURE RUPTURE OF MEMBRANES (761.1)	17
OTHER MATERNAL CONDITIONS (761.2-761.9)	4
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	
COMPLICATIONS OF PLACENTA (762.0-762.3)	81
COMPLICATIONS OF CORD (762.4-762.6)	81
COMPLICATIONS OF MEMBRANES (762.7-762.9)	14
COMPLICATIONS OF LABOR (763)	3
OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH (764-767)	32
INTRAUTERINE HYPOXIA (768)	13
DISEASES OF THE FETUS AND ILL-DEFINED CAUSES (770-779)	
RESPIRATORY CONDITIONS (770)	3
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	
FETAL HEMORRHAGE (772)	1
HAEMOLYTIC DISEASE AND OTHER PERINATAL JAUNDICE (773-774)	4
ENDOCRINE AND METABOLIC DISTURBANCES (775)	4
HAEMATOLOGICAL DISORDERS (776)	
DISORDERS OF DIGESTIVE SYSTEM (777)	
CONDITIONS INVOLVING THE INTEGUMENT AND	
TEMPERATURE REGULATION (778)	4
OTHER CONDITIONS OF FETUS (779)	113
ALL OTHER CAUSES (001-739,780-799)	2

TABLE 27

FETAL DEATHS BY MOTHER'S AGE GROUP BY PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY	ALL AGES	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTAL	445	1	17	40	117	107	90	39	12		22
ADAMS	1				1						
ASOTIH	3				2		1	1			
BENTON	13				7	2	3	1			
CHELAN	6			1	3		1		1		
CLALLAM	5			1	1	1		2			
CLARK	12			1	3	3	2	2			1
COLUMBIA											
COWLITZ	1				1						
DOUGLAS											
FERRY											
FRANKLIN	4		1	1			1	1			
GARFIELD											
GRANT	13			2	4	2	4		1		
GRAYS HARBOR	9		2	2		1	3				1
ISLAND	5			1	2	2					
JEFFERSON	1				1					1	
KING	151		5	13	28	45	33	14	4		9
KITSAP	17				1	10	3	1	1		1
KITTITAS	1										1
Klickitat	1										1
LEWIS	2			1		1					
LINCOLN											
MASON	2						1		1		
OKANOGAN	11		1	1	2	2	1	3			1
PACIFIC											
PEND OREILLE											
PIERCE	47	1	4	3	16	9	7	5	2		
SAN JUAN											
SKAGIT	4				2	1	1				
SKANANIA											
SNOHOMISH	42			2	10	9	12	5	1		3
SPOKANE	28		1	1	15	3	6	2			
STEVENS	1				1						
THURSTON	21			3	4	7	4	1			2
WAHKIAKUM											
WALLA WALLA	10				4	2	2	1			1
WHATCOM	7				2	2	1	1			1
WHITHAN	1			1							
YAKIMA	26		3	6	7	5	4		1		

INDUCED TERMINATIONS OF PREGNANCY

TABLE 1

INDUCED TERMINATIONS OF PREGNANCY BY SELECTED TOPICS, 1986

A. RESIDENCE, BY AGE GROUP
OF PATIENT

AGE GROUP		%
TOTAL	26,991	100.0*
<15	183	0.7
15-17	2,887	10.7
18-19	3,731	13.8
20-24	8,928	33.1
25-29	5,850	21.7
30-34	3,375	12.5
35-39	1,631	6.0
40-44	353	1.3
45+	26	0.1
UNKNOWN	27	0.1

B. RESIDENCE, BY GESTATIONAL AGE

WEEKS		%
TOTAL	26,991	100.0*
1-4	560	2.1
5-8	14,828	54.9
9	3,647	13.5
10	2,949	10.9
11	1,398	5.2
12	1,047	3.9
13-15	1,343	5.0
16-19	956	3.5
20+	245	0.9
UNKNOWN	18	0.1

C. RESIDENCE, BY NUMBER OF
PREVIOUS LIVE BIRTHS

		%
TOTAL	26,991	100.0*
0	15,016	55.6
1	5,026	18.6
2	3,554	13.2
3	1,120	4.1
4	336	1.2
OVER 4	154	0.6
UNKNOWN	1,785	6.6

D. RESIDENCE, BY NUMBER OF
PREVIOUS INDUCED ABORTIONS

		%
TOTAL	26,991	100.0*
0	14,018	51.9
1	6,793	25.2
2	2,701	10.0
3	967	3.6
4	432	1.6
OVER 4	259	1.0
UNKNOWN	1,821	6.7

E. RESIDENCE, BY NUMBER OF
PREVIOUS PREGNANCIES

		%
TOTAL	26,991	100.0*
0	8,435	31.3
1	5,444	20.2
2	4,098	15.2
3	2,565	9.5
4	1,502	5.6
OVER 4	1,495	4.4
UNKNOWN	3,452	12.8

F. RESIDENCE, BY RACE,
BY HISPANIC ORIGIN

		%
TOTAL	26,991	100.0*
WHITE	17,914	66.4
BLACK	1,280	4.7
ASIAN	875	3.2
AMERICAN INDIAN	226	0.8
OTHER	131	0.5
UNKNOWN	6,565	24.3
HISPANIC ORIGIN	434	1.6

TABLE 1 (CONT'D)

INDUCED TERMINATIONS OF PREGNANCY BY SELECTED TOPICS, 1986

G. RESIDENCE AND OCCURRENCE, BY TRAVEL PATTERN

RESIDENCE			OCCURRENCE		
		%			%
TOTAL	26,991	100.0*	TOTAL	27,947	100.0*
INSIDE HOME					
COUNTY	18,322	67.9	COUNTY RESIDENT	18,322	65.6
OUTSIDE HOME			OUT-OF COUNTY		
COUNTY	8,668	32.1	RESIDENT	9,625	34.4
UNKNOWN	1	---			

H. OCCURRENCE, BY OPERATIVE PROCEDURE

		%
TOTAL	27,947	100.0*
SUCTION CURETTAGE	25,603	91.6
DILATATION AND		
EVACUATION	2,001	7.2
SALINE	211	0.8
PROSTAGLANDIN	114	0.4
SHARP CURETTAGE	12	---
HYSTERECTOMY/		
HYSTEROTOMY	3	---
OTHER	2	---
UNKNOWN	1	---

I. OCCURRENCE, BY STATE OR COUNTRY OF RESIDENCE

		%
TOTAL	27,947	100.0*
WASHINGTON	26,209	93.8
IDAHO	312	1.1
OREGON	307	1.1
ALASKA	240	0.9
MONTANA	26	0.1
CALIFORNIA	23	0.1
CANADA	705	2.5
OTHER STATES AND		
COUNTRIES	46	0.2
UNKNOWN	79	0.3

J. OCCURRENCE, BY TYPE OF COMPLICATION

TOTAL	252
RETAINED PRODUCTS	70
INFECTION	40
HEMORRHAGE	25
UTERINE PERFORATION	12
FAILED ABORTION	5
CERVICAL LACERATION	4
OTHER COMPLICATIONS**	83
MULTIPLE COMPLICATIONS	13

K. OCCURRENCE, BY TYPE OF FACILITY

TOTAL	27,947	100.0*
HOSPITAL	1,565	5.6
NONHOSPITAL	26,382	94.4

*DETAIL MAY NOT ADD TO 100% DUE TO ROUNDING

**OTHER COMPLICATIONS INCLUDE MINOR COMPLICATIONS, SUCH AS UNEXPLAINED PAIN (44) AND HEMORRHAGE LESS THAN 500cc (18).

TABLE 2

INDUCED ABORTIONS, LIVE BIRTHS, AND ABORTION RATIO
WITH PERCENT CHANGE WASHINGTON STATE RESIDENTS 1974-1986

YEAR	INDUCED ABORTIONS*	PERCENT CHANGE	LIVE BIRTHS	PERCENT CHANGE	ABORTION RATIO**	PERCENT CHANGE
1974	16,159		50,096		323	
1975	18,628	+15.3	50,821	+1.4	367	+13.6
1976	20,251	+8.7	53,004	+4.3	382	+4.1
1977	23,938	+18.2	57,256	+8.0	418	+9.4
1978	26,254	+9.7	58,725	+2.6	447	+6.9
1979	26,796	+2.1	64,377	+9.6	416	-6.9
1980	27,947	+4.3	67,857	+5.4	412	-1.0
1981	28,968	+3.7	69,756	+2.8	415	+ .7
1982	27,431	-5.3	69,529	- .3	395	-4.8
1983	26,560	-3.2	68,705	-1.2	387	-2.0
1984	26,732	+ .6	68,947	+ .4	388	+ .3
1985	25,835	-3.4	70,226	+1.9	368	-5.2
1986	26,991	+4.5	69,431	-1.1	389	+5.7

* RESIDENT ABORTION FIGURES FOR 1974 THROUGH 1977 ARE ESTIMATES DERIVED FROM OCCURRENCE ABORTION COUNTS FOR THOSE YEARS. THE OCCURRENCE COUNTS WERE DISCOUNTED BY 11.14 PERCENT ON THE BASIS OF THE 1978 RATIO OF RESIDENTS TO OCCURRENCES (I.E., 88.86 PERCENT OF THE TOTAL ABORTIONS REPORTED IN 1978 WERE TO WASHINGTON STATE RESIDENTS). NOTE THAT THESE ESTIMATES ARE NOT THE SAME AS THOSE PUBLISHED IN THE 1978 AND 1979 REPORTS.

** NUMBER OF RESIDENTS ABORTIONS PER 1,000 RESIDENT LIVE BIRTHS.

TABLE 3

REPORTED PREGNANCIES BY AGE OF PATIENT AND PREGNANCY OUTCOME WITH PERCENTS
WASHINGTON STATE RESIDENTS 1986

AGE OF PATIENT	ABORTIONS	FETAL DEATHS	LIVE BIRTHS	TOTAL REPORTED PREGNANCIES
UNDER 15	183 (61.4%)	1 (.3%)	114 (38.3%)	298
15-17	2,887 (54.2%)	17 (.3%)	2,419 (45.4%)	5,323
18-19	3,731 (44.0%)	40 (.5%)	4,717 (55.6%)	8,488
20-24	8,928 (31.0%)	117 (.4%)	19,787 (68.6%)	28,832
25-29	5,850 (20.5%)	107 (.4%)	22,588 (79.1%)	28,545
30-34	3,375 (18.7%)	90 (.5%)	14,577 (80.8%)	18,042
35-39	1,631 (26.1%)	39 (.6%)	4,573 (73.3%)	6,243
40-44	353 (36.8%)	12 (1.3%)	593 (61.9%)	958
45 & OVER	26 (52.0%)		24 (48.0%)	50
UNKNOWN	27 (30.7%)	22 (25.0%)	39 (44.3%)	88
ALL AGES	26,991 (27.9%)	445 (.5%)	69,431 (71.7%)	96,867

TABLE 4

AGE GROUP SPECIFIC FERTILITY RATE, ABORTION RATE, AND ABORTION RATIO, WASHINGTON STATE RESIDENTS 1986

AGE OF PATIENT	1986 FEMALE POPULATION*	FERTILITY RATE**	ABORTION RATE***	ABORTION RATIO****
10-14	142,122	.8	1.3	1,605
15-19	160,704	44.4	41.2	927
15-17	99,183	24.4	29.1	1,193
18-19	61,521	76.7	60.7	791
20-24	171,090	115.7	52.2	451
25-29	189,983	118.9	30.8	259
30-34	197,506	73.8	17.1	232
35-39	189,752	24.1	8.6	357
40-44	142,852	4.2	2.5	595
45-49	109,924	.2	.2	1,042
15-44	1,051,887	66.0	25.6	389

* 1986 ESTIMATES FROM OFFICE OF FINANCIAL MANAGEMENT

** RESIDENT LIVE BIRTHS FOR SPECIFIC AGE GROUP PER 1,000 FEMALE POPULATION IN THAT AGE GROUP.

*** RESIDENT ABORTIONS FOR SPECIFIC AGE GROUP PER 1,000 FEMALE POPULATION IN THAT AGE GROUP.

**** RESIDENT ABORTIONS FOR SPECIFIC AGE GROUP PER 1,000 RESIDENT LIVE BIRTHS FOR THAT AGE GROUP.

TABLE 5

PREVIOUS LIVEBIRTHS BY AGE OF PATIENT, WASHINGTON RESIDENTS 1986

PREVIOUS LIVEBIRTHS								
AGE OF PATIENT	TOTAL	0	1	2	3	4	OVER 4	UNKNOWN
STATE TOTAL	26,991	15,016	5,026	3,554	1,120	336	154	1,785
UNDER 15	183	167	2					14
15-17	2,887	2,518	143	9	1			216
18-19	3,731	2,879	461	76	11	2		302
20-24	8,928	5,278	1,900	926	160	38	5	621
25-29	5,850	2,534	1,371	1,118	375	93	33	326
30-34	3,375	1,127	772	844	325	87	40	180
35-39	1,631	421	320	455	196	90	42	107
40-44	353	77	49	111	46	24	30	16
45 & OVER	26	5	2	8	5	2	4	
UNKNOWN	27	10	6	7	1			3

TABLE 6

PREVIOUS INDUCED ABORTIONS BY AGE OF PATIENT, WASHINGTON RESIDENTS 1986

PREVIOUS ABORTIONS								
AGE OF PATIENT	TOTAL	0	1	2	3	4	OVER 4	UNKNOWN
STATE TOTAL	26,991	14,018	6,793	2,701	967	432	259	1,821
UNDER 15	183	159	9					15
15-17	2,887	2,311	320	35	5			216
18-19	3,731	2,510	731	150	27	6	2	305
20-24	8,928	4,399	2,489	939	294	114	64	629
25-29	5,850	2,340	1,754	867	303	151	97	338
30-34	3,375	1,341	974	467	229	117	61	186
35-39	1,631	738	427	200	91	35	29	111
40-44	353	194	81	35	13	7	4	19
45 & OVER	26	16	2	4	4			
UNKNOWN	27	10	6	4	1	2	2	2

TABLE 7

INDUCED ABORTIONS BY AGE OF PATIENT BY GESTATION OF PREGNANCY, WASHINGTON STATE RESIDENTS 1986											
WEEKS GESTATION	AGE OF PATIENT										
	TOTAL	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	UNKNOWN
STATE TOTAL	26,991	183	2,887	3,731	8,928	5,850	3,375	1,631	353	26	27
UNDER 9	15,388	78	1,283	1,865	5,125	3,561	2,178	1,040	225	19	14
9-12	9,042	69	1,131	1,423	3,000	1,849	971	474	110	3	12
13-15	1,343	17	249	216	421	246	127	58	6	2	1
16-19	956	17	170	181	302	159	80	41	5	1	
20 & OVER	245	2	53	46	77	30	14	15	7	1	
UNKNOWN	17		1		3	5	5	3			

TABLE 8

INDUCED ABORTIONS BY TYPE OF PROCEDURE BY GESTATION OF PREGNANCY, WASHINGTON STATE OCCURRENCES 1986							
TYPE OF PROCEDURE	WEEKS GESTATION						
	TOTAL	UNDER 9	9-12	13-15	16-19	20 & OVER	UNKNOWN
STATE TOTAL	27,947	15,948	9,206	1,430	1,068	281	14
SUCTION CURETTAGE	25,603	15,703	9,112	706	59	9	14
DILATATION AND EVACUATION (D&E)	2,001	237	89	708	792	175	
SHARP CURETTAGE	12	7	3		2		
SALINE	211		1	6	131	73	
PROSTAGLANDIN	114			8	83	23	
HYSTEROTOMY/ HYSTERECTOMY	3	1		1		1	
OTHER	2			1	1		
UNKNOWN	1		1				

TABLE 9

INDUCED ABORTIONS WITH COMPLICATIONS BY TYPE OF PROCEDURE BY GESTATION OF PREGNANCY, WASHINGTON STATE OCCURRENCES 1986

TYPE OF PROCEDURE	WEEKS GESTATION						
	TOTAL	UNDER 9	9-12	13-15	16-19	20 & OVER	UNKNOWN
STATE TOTAL	252	125	82	9	26	10	
	RATE*	9.0	7.8	8.9	6.3	24.3	35.6
SUCTION CURETTAGE	194	111	81	1		1	
	RATE*	7.6	7.1	8.9	1.4	111.1	
DILATATION AND EVACUATION (D&E)	31	13	1	8 ²	7	2	
	RATE*	15.5	54.9	11.2	11.3	8.8	11.4
SHARP CURETTAGE	2	1			1		
	RATE*	166.7	142.9		300.0		
SALINE	16				11	5	
	RATE*	75.8			84.0	68.5	
PROSTAGLANDIN	9				7	2	
	RATE*	78.9			84.3	87.0	
HYSTEROTOMY/ HYSTERECTOMY							
OTHER							
UNKNOWN							

*COMPLICATIONS PER 1,000 PROCEDURES PERFORMED

TOTAL OF PATIENTS WITH COMPLICATIONS IS 252. TOTAL COMPLICATIONS IS 265.

TABLE 10

INDUCED ABORTIONS WITH COMPLICATIONS BY TYPE BY GESTATION OF PREGNANCY, WASHINGTON STATE OCCURRENCES 1986

TYPE OF COMPLICATION	WEEKS GESTATION						
	TOTAL	UNDER 9	9-12	13-15	16-19	20 & OVER	UNKNOWN
STATE TOTAL	252	125	82	9	26	10	0
	RATE*	9.0	7.8	8.9	6.3	24.3	35.6
HEMORRHAGE	25	4	8	3	8	2	
	RATE*	.9	.3	.9	2.1	7.5	7.1
INFECTION	40	28	10	1		1	
	RATE*	1.4	1.8	1.1	.7	3.6	
UTERINE PERFORATION	12	6	4		2		
	RATE*	.4	.4	.4	1.9		
CERVICAL LACERATION	4	1	2		1		
	RATE*	.1	.1	.2	.9		
RETAINED PRODUCTS	70	40	16		11	3	
	RATE*	2.5	2.5	1.7	10.3	10.7	
FAILED ABORTION	5	2	2		1		
	RATE*	.2	.1	.2	.9		
OTHER COMPLICATIONS	83	39	36	5	2	1	
	RATE*	3.0	2.4	3.9	3.5	1.9	3.6
MULTIPLE COMPLICATIONS	13	5	4		1	3	
	RATE*	.5	.3	.4	.9	10.7	

* COMPLICATIONS PER 1,000 PROCEDURES.

TOTAL NUMBER OF PATIENTS WITH COMPLICATIONS WAS 252.

TOTAL NUMBER OF COMPLICATIONS WAS 265.

TABLE 11

INDUCED ABORTIONS WITH COMPLICATIONS BY GESTATION OF PREGNANCY WITH RATES, WASHINGTON STATE OCCURRENCES 1982-1986

PROCEDURES	1982	1983	1984	1985	1986
STATE TOTAL	29,298	27,857	27,783	26,581	27,947
COMPLICATION CASES	282	236	175	153	252
COMPLICATION RATE*	9.6	8.5	6.3	5.8	9.0
UNDER 9 WKS GESTATION	17,767	16,460	15,165	14,092	15,948
COMPLICATION CASES	129	127	73	63	125
COMPLICATION RATE*	7.3	7.7	4.8	4.5	7.8
9-12 WKS GESTATION	10,000	9,217	10,170	9,774	9,206
COMPLICATION CASES	100	60	65	45	82
COMPLICATION RATE*	10.0	6.5	6.4	4.6	8.9
13-15 WKS GESTATION	705	1,117	1,234	1,385	1,430
COMPLICATION CASES	17	27	6	10	9
COMPLICATION RATE*	24.1	24.2	4.8	7.2	6.3
16-19 WKS GESTATION	604	837	887	992	1,068
COMPLICATION CASES	27	19	18	23	26
COMPLICATION RATE*	44.7	22.7	20.3	23.2	24.3
OVER 19 WKS GESTATION	196	195	287	330	281
COMPLICATION CASES	9	3	13	17	10
COMPLICATION RATE*	45.9	15.4	45.3	36.4	35.6
UNKNOWN GESTATION	26	31	20	8	13
COMPLICATION CASES					
COMPLICATION RATE*					

* COMPLICATIONS PER 1,000 PROCEDURES

TABLE 12

INDUCED ABORTIONS WITH COMPLICATIONS BY TYPE OF PROCEDURE WITH RATES, WASHINGTON STATE OCCURRENCES 1982-1986

PROCEDURES	1982	1983	1984	1985	1986
STATE TOTAL	29,298	27,857	27,783	26,581	27,947
COMPLICATION CASES	282	236	175	153	252
COMPLICATION RATE*	9.6	8.5	6.3	5.8	9.0
SUCTION CURETTAGE	27,873	26,050	25,898	24,529	25,603
COMPLICATION CASES	240	201	134	112	194
COMPLICATION RATE*	8.6	7.7	5.2	4.6	7.6
DILATATION & EVACUATION	792	1,289	1,453	1,670	2,001
COMPLICATION CASES	8	16	14	7	31
COMPLICATION RATE*	10.1	12.4	9.6	4.2	15.5
SHARP CURETTAGE	25	26	9	11	12
COMPLICATION CASES			2	1	2
COMPLICATION RATE*			222.2	90.9	166.7
PROSTAGLANDIN	147	155	167	134	114
COMPLICATION CASES	3	4	9	13	8
COMPLICATION RATE*	20.4	25.8	53.9	97.0	78.9
SALINE	449	328	244	227	211
COMPLICATION CASES	30	15	14	20	16
COMPLICATION RATE*	66.8	45.7	57.4	88.1	75.8
HYSTEROTOMY/HYSTERECTOMY	5	6	8	5	3
COMPLICATION CASES	1		2		
COMPLICATION RATE*	200.0		250.0		
OTHER PROCEDURE	4	3		3	2
COMPLICATION CASES					
COMPLICATION RATE*					
UNKNOWN	3		4	2	1
COMPLICATION CASES					
COMPLICATION RATE*					

* COMPLICATIONS PER 1,000 PROCEDURES

OCCURRENCE



TABLE 13. INDUCED ABORTION INTERCOUNTY TRAVEL

RESIDENCE	ADAMS	ASOTIN	BENTON	CHELAN	CLALLAM	CLARK	COLUMBIA	COWLITZ	DOUGLAS	FERRY	FRANKLIN	GARFIELD	GRANT	GRAYS HARBOR	ISLAND	JEFFERSON	KING
ADAMS													35				
ASOTIN																	5
BENTON						1							14				15
CHELAN													24				91
CLALLAM					3												88
CLARK						445							1				8
COLUMBIA						1							1				1
COWLITZ						29											17
DOUGLAS													7				20
FERRY													1				
FRANKLIN													8				5
GARFIELD																	
GRANT													168				12
GRAYS HARBOR																	139
ISLAND															79		86
JEFFERSON																1	14
KING																	11753
KITSAP																	617
KITTITAS																	42
Klickitat						9											1
LEWIS						3											69
LINCOLN													1				
MASON																	44
OKANOGAN													8				41
PACIFIC						5											8
PEND OREILLE													1				1
PIERCE						1											1374
SAN JUAN																	15
SKAGIT															2		159
SKAMANIA						5											
SNOHOMISH													1		2		1561
SPOKANE													30				37
STEVENS													2				
THURSTON						1											333
WAHIAKUM						1											
WALLA WALLA																	11
WHATCOM																	89
WHITMAN																	26
YAKIMA																	18
COUNTY UNKNOWN																	1
OUT-OF-STATE						123							4				335
NON U.S.													1				512

PATTERNS, WASHINGTON STATE RESIDENTS AND OCCURRENCES, 1986

KITSAP	KITTITAS	Klickitat	LEWIS	LINCOLN	MASON	OKANOGAN	PACIFIC	PEND OREILLE	PIERCE	SAN JUAN	SKAGIT	SKAMANIA	SNOHOMISH	SPOKANE	STEVENS	THURSTON	WAHIAKUM	WALLA WALLA	WHATCOM	WHITMAN	YAKIMA	OUT-OF-STATE
									5					5						1	5	
														35						12	4	7
									366					9							162	2
									14					3							120	
																5			1		1	1
									2													502
									4					2							4	
									1							1						155
									5					4							15	
														16								
									119					3							54	1
									1					1								
									17					11				1			55	
									19							149					3	
									1				5					14				
									2							1		1				
									27		3		35	4		2		2			4	9
									105				1	1				2				1
		8							9					3		1					102	
									1							1					9	18
									48							77		1			3	6
														20							1	
									28							45					1	
									3				1	40							35	1
									3							9						10
														20							1	1
									2184					12		8		1			2	3
											3		1					5			1	1
									3		55		1	2				71			4	
									2					1								11
									3		3		182	3				7			2	2
									7					1800							52	21
														63								1
									91							498					1	1
									112		1			13		1					75	3
																			451			
									13					65				1	39		44	18
									167					4							654	2
									131		2			242		4			7	32	70	
									15					63				174			18	

TABLE 14

LIVEBIRTHS AND ABORTIONS, WITH RATE AND RATIO INDICATORS,
BY PATIENT'S PLACE OF RESIDENCE, WASHINGTON STATE 1986

COUNTY	FEMALE POPULATION*	LIVE BIRTHS	ABORTIONS	ABORTION RATIO**	ABORTION RATE***	FERTILITY RATE****
STATE TOTAL	1,051,887	69,431	26,991	389	26	66
ADAMS	3,037	259	51	197	17	85
ASOTIN	3,696	256	63	246	17	69
BENTON	25,479	1,913	569	297	22	75
CHELAN	10,318	875	252	288	24	85
CLALLAM	11,050	713	99	139	9	65
CLARK	49,515	3,181	958	301	19	64
COLUMBIA	743	68	13	191	18	92
COWLITZ	18,039	1,169	203	174	11	65
DOUGLAS	5,395	379	51	135	9	70
FERRY	1,351	84	17	202	13	62
FRANKLIN	7,712	774	190	245	25	100
GARFIELD	434	22	2	91	5	51
GRANT	10,775	903	264	292	25	84
GRAYS HARBOR	13,456	911	310	340	23	68
ISLAND	10,962	835	185	222	17	76
JEFFERSON	3,558	197	19	96	5	55
KING	341,264	19,957	11,839	593	35	58
KITSAP	37,340	2,785	727	261	19	75
KITTITAS	6,431	280	165	589	26	44
Klickitat	3,508	239	39	163	11	68
LEWIS	11,921	833	207	249	17	70
LINCOLN	1,885	129	22	171	12	68
MASON	7,089	458	118	258	17	65
OKANOGAN	6,803	546	129	236	19	80
PACIFIC	3,125	221	35	158	11	71
PEND OREILLE	1,877	123	24	195	13	66
PIERCE	125,465	9,487	3,585	378	29	76
SAN JUAN	1,831	105	26	248	14	57
SKAGIT	15,050	1,027	297	289	20	68
SKAMANIA	1,731	106	19	179	11	61
SNOHOMISH	93,868	6,637	1,766	266	19	71
SPOKANE	84,329	5,372	1,947	362	23	64
STEVENS	6,776	439	66	150	10	65
THURSTON	34,510	2,122	925	436	27	61
Wahkiakum	700	33	1	30	1	47
WALLA WALLA	10,542	623	216	347	20	59
WHATCOM	28,886	1,561	540	346	19	54
WHITMAN	11,375	424	206	486	18	37
YAKIMA	40,061	3,385	845	250	21	85
UNKNOWN			1			

* WOMEN, AGED 15-44; 1986 ESTIMATES FROM OFFICE OF FINANCIAL MANAGEMENT

** INDUCED ABORTIONS PER 1,000 RESIDENT LIVE BIRTHS, ALL AGES

*** INDUCED ABORTIONS PER 1,000 FEMALE POPULATION AGED 15-44

**** LIVE BIRTHS PER 1,000 FEMALE POPULATION AGED 15-44

TABLE 15

INDUCED ABORTIONS BY AGE OF PATIENT BY COUNTY OF RESIDENCE, WASHINGTON STATE 1986

COUNTY OF RESIDENCE	TOTAL	UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	AGE UNKNOWN
STATE TOTALS	26,991	183	2,887	3,731	8,928	5,850	3,375	1,631	353	26	27
ADAMS	51		9	4	20	9	5	3		1	
ASOTIN	63		10	12	17	17	6	1			
BENTON	569	8	76	84	195	124	52	24	5		1
CHELAN	252		33	28	87	48	42	12	2		
CLALLAM	99	2	16	23	25	18	13	2			
CLARK	958	8	120	142	313	211	102	45	17		
COLUMBIA	13		3	3	5	1	1				
COWLITZ	203		31	23	69	48	26	5	1		
DOUGLAS	51	1	7	3	18	8	11	2	1		
FERRY	17		5	3	7	1	1				
FRANKLIN	190	1	25	33	56	43	20	11			
GARFIELD	2				2						
GRANT	264	3	30	46	86	60	29	7	2	1	
GRAYS HARBOR	310	2	45	44	106	57	37	17	1	1	
ISLAND	185	1	15	20	60	35	33	19	2		
JEFFERSON	19		3	3	3	4	4		2		
KING	11,839	65	1,095	1,469	3,819	2,745	1,621	810	183	18	14
KITSAP	727	7	109	108	196	134	117	41	14	1	
KITTITAS	165		8	26	73	30	19	9			
Klickitat	39		7	4	11	9	5	3			
LEWIS	207	2	30	26	55	51	31	9	3		
LINCOLN	22		3	3	4	8	1	3			
MASON	118	1	13	10	45	26	12	8	3		
OKANOGAN	129	1	23	22	30	20	21	12			
PACIFIC	35		1	6	12	12	1	1	2		
PEND OREILLE	24	2	4	1	7	4	2	4			
PIERCE	3,585	26	383	548	1,253	772	380	172	43		8
SAN JUAN	26		2	2	6	4	3	8	1		
SKAGIT	297	3	45	49	85	59	34	19	2		1
SKAMANIA	19		3	5	2	6	1	1	1		
SNOHOMISH	1,766	12	192	240	580	395	222	106	16	1	2
SPOKANE	1,947	11	224	321	704	362	198	108	17	2	
STEVENS	66	2	12	7	19	11	5	8	2		
THURSTON	925	9	108	123	308	195	115	55	10	1	1
WAHKIACUM	1				1						
WALLA WALLA	216	2	30	35	80	36	23	8	2		
WHATCOM	540	10	49	91	170	95	75	41	9		
WHITMAN	206	1	13	37	108	20	16	10	1		
YAKIMA	845	3	105	126	291	172	91	47	10		
UNKNOWN	1			1							

TABLE 16

PREGNANCY OUTCOME OF ADOLESCENTS BY AGE OF PATIENT BY PLACE OF RESIDENCE, WASHINGTON STATE 1986													
COUNTY AND STATE TOTALS	AGE 13-14 RATE	AGE 15-17 RATE	AGE 18-19 RATE	AGE 20-24 RATE	AGE 25-29 RATE	AGE 30-34 RATE	AGE 35-39 RATE	AGE 40-44 RATE	AGE 45-49 RATE	AGE 50-54 RATE	AGE 55-59 RATE	AGE 60-64 RATE	AGE 65-69 RATE
STATE TOTALS													
LIVE BIRTHS	69254 65.8	114 .8	2419 24.4	4717 76.7									
FETAL DEATHS	422 .4	1 .7	17 .2	40 .7									
ABORTIONS	26755 25.4	183 1.3	2887 29.1	3730 60.6									
TOTAL PREGNANCIES	96431 91.6	298 2.1	5323 53.7	8487 138.0									
ADAMS													
LIVE BIRTHS	259 85.3		12 35.3	24 113.7									
FETAL DEATHS	1 .3												
ABORTIONS	50 16.5		9 26.5	4 19.0									
TOTAL PREGNANCIES	310 102.1		21 61.8	28 132.7									
ASOTIN													
LIVE BIRTHS	256 49.3		8 22.3	30 135.1									
FETAL DEATHS	3 .8												
ABORTIONS	63 17.0		10 27.9	12 54.1									
TOTAL PREGNANCIES	322 87.1		18 50.2	42 189.2									
BENTON													
LIVE BIRTHS	1909 74.9	3 .8	55 23.2	140 95.2									
FETAL DEATHS	13 .5												
ABORTIONS	580 22.0	8 2.2	76 32.1	84 57.1									
TOTAL PREGNANCIES	2482 97.4	11 3.0	131 55.3	224 152.3									
CHELAN													
LIVE BIRTHS	874 84.7	1 .7	42 42.0	69 111.3									
FETAL DEATHS	1 .6												
ABORTIONS	252 24.4		33 33.0	28 45.2									
TOTAL PREGNANCIES	1132 109.7	1 .7	75 75.0	98 156.1									
CLALLAM													
LIVE BIRTHS	710 64.3	2 1.2	21 19.2	57 84.1									
FETAL DEATHS	5 .5												
ABORTIONS	97 8.8	2 1.2	16 14.6	23 33.9									
TOTAL PREGNANCIES	812 73.6	4 2.4	37 33.8	81 119.5									
CLARK													
LIVE BIRTHS	3179 64.2	1 .1	116 24.9	233 80.5									
FETAL DEATHS	11 .2												
ABORTIONS	950 19.2	8 1.1	120 25.7	142 49.1									
TOTAL PREGNANCIES	4140 83.6	9 1.2	236 50.6	376 129.9									
COLUMBIA													
LIVE BIRTHS	67 90.2		1 14.9	4 95.2									
FETAL DEATHS	1 .3												
ABORTIONS	13 17.5		3 44.8	3 71.4									
TOTAL PREGNANCIES	80 107.7		4 59.7	7 166.6									
COWLITZ													
LIVE BIRTHS	1164 64.5	4 1.5	52 29.9	110 101.9									
FETAL DEATHS	1 .1												
ABORTIONS	203 11.3		31 17.8	23 21.3									
TOTAL PREGNANCIES	1368 75.9	4 1.5	83 47.7	133 123.2									
DOUGLAS													
LIVE BIRTHS	378 70.1	1 1.3	13 25.0	24 74.5									
FETAL DEATHS	5 .5												
ABORTIONS	50 9.3	1 1.3	7 13.5	3 9.3									
TOTAL PREGNANCIES	428 79.4	2 2.6	20 38.5	27 83.8									
FERRY													
LIVE BIRTHS	84 62.2		2 14.8	11 132.5									
FETAL DEATHS	17 12.6		5 37.0	3 36.1									
ABORTIONS	101 74.8		7 51.8	14 168.6									
TOTAL PREGNANCIES													
FRANKLIN													
LIVE BIRTHS	770 99.8	2 1.7	43 54.4	61 125.0									
FETAL DEATHS	4 .5		1 1.3	1 2.0									
ABORTIONS	189 24.5	1 .9	25 31.8	33 67.6									
TOTAL PREGNANCIES	963 124.8	3 2.6	69 87.7	95 194.6									
GARFIELD													
LIVE BIRTHS	22 50.7		2 44.4	1 35.7									
FETAL DEATHS	2 4.6												
ABORTIONS	24 55.3		2 44.4	1 35.7									
TOTAL PREGNANCIES													
GRANT													
LIVE BIRTHS	902 83.7	1 .6	47 40.1	79 108.8									
FETAL DEATHS	13 1.2												
ABORTIONS	260 24.1	3 1.7	30 25.6	46 63.4									
TOTAL PREGNANCIES	1175 109.0	4 2.3	77 65.7	127 175.0									
GRAYS HARBOR													
LIVE BIRTHS	904 67.2	6 2.8	49 36.2	112 133.3									
FETAL DEATHS	8 .6		2 1.5	2 2.4									
ABORTIONS	307 22.8	2 .9	45 33.2	64 52.4									
TOTAL PREGNANCIES	1219 90.6	8 3.7	96 70.9	158 188.1									
ISLAND													
LIVE BIRTHS	835 78.2		13 13.3	70 115.5									
FETAL DEATHS	5 .5												
ABORTIONS	184 16.8	1 .7	15 15.4	20 33.0									
TOTAL PREGNANCIES	1024 93.5	1 .7	28 28.7	91 150.2									
JEFFERSON													
LIVE BIRTHS	196 55.1		5 16.1	14 72.9									
FETAL DEATHS	1 .3												
ABORTIONS	19 5.3		3 9.7	3 15.6									
TOTAL PREGNANCIES	216 60.7		8 25.8	17 88.5									
KING													
LIVE BIRTHS	19900 58.3	32 .8	487 16.8	908 50.4									
FETAL DEATHS	142 .4		5 .2	13 .7									
ABORTIONS	11742 34.4	65 1.6	1095 37.7	1469 81.5									
TOTAL PREGNANCIES	31784 93.1	97 2.4	1587 54.7	2390 132.6									
KITSAP													
LIVE BIRTHS	2782 74.5	3 .6	99 29.8	182 88.2									
FETAL DEATHS	16 .4												
ABORTIONS	719 19.3	7 1.3	109 32.8	108 52.3									
TOTAL PREGNANCIES	3517 94.2	10 1.9	208 62.6	290 140.5									
KITTITAS													
LIVE BIRTHS	279 43.4	1 1.5	8 10.0	22 44.5									
FETAL DEATHS	165 25.7		8 10.0	26 52.6									
ABORTIONS	444 69.1	1 1.3	16 20.0	46 97.1									
TOTAL PREGNANCIES													
Klickitat													
LIVE BIRTHS	239 68.1		10 29.5	16 76.2									
FETAL DEATHS	39 11.1		7 20.6	4 19.0									
ABORTIONS	278 79.2		17 50.1	20 95.2									
TOTAL PREGNANCIES													
LEWIS													
LIVE BIRTHS	833 69.9												
FETAL DEATHS	2 .2												
ABORTIONS	205 17.2	2 1.0											
TOTAL PREGNANCIES	1040 87.3	2 1.0											
LINCOLN													
LIVE BIRTHS	129 68.4		2 10.5	2 16.8									
FETAL DEATHS	10 1.5												
ABORTIONS	22 11.7		3 15.7	3 25.2									
TOTAL PREGNANCIES	151 80.1		5 26.2	5 42.0									
MASON													
LIVE BIRTHS	458 64.6		21 29.1	31 69.4									
FETAL DEATHS	2 .3												
ABORTIONS	117 16.5	1 .9	13 18.0	10 22.4									
TOTAL PREGNANCIES	577 81.4	1 .9	34 47.1	41 91.8									
OKANOGAN													
LIVE BIRTHS	545 80.1	1 .9	38 58.4	52 129.0									
FETAL DEATHS	10 1.5		1 1.5	1 2.5									
ABORTIONS	128 18.8	1 .9	23 35.3	22 34.6									
TOTAL PREGNANCIES	683 100.4	2 1.8	62 95.2	75 186.1									
PACIFIC													
LIVE BIRTHS	221 70.7		15 47.9	19 97.9									
FETAL DEATHS	5 .5												
ABORTIONS	35 11.2		1 3.7	6 30.9									
TOTAL PREGNANCIES	256 81.9		16 51.6	25 128.8									
PEND OREILLE													
LIVE BIRTHS	123 65.5		7 35.7	14 114.8									
FETAL DEATHS	1 .3												
ABORTIONS	22 11.7	2 5.8	4 20.4	1 8.2									
TOTAL PREGNANCIES	145 77.2	2 5.8	11 56.1	15 123.0									
PIERCE													
LIVE BIRTHS	9465 75.4	16 .9	388 31.1	808 104.3									
FETAL DEATHS	46 .4	1 .3	4 .3	3 .4									
ABORTIONS	3551 28.3	26 1.5	383 30.7	548 70.8									
TOTAL PREGNANCIES	13062 104.1	43 2.5	775 62.1	1359 175.5									
SAN JUAN													

TABLE 17

RESIDENT ABORTION RATES* WITH RANKS FOR WASHINGTON STATE COUNTIES, 1982-1986

1982 COUNTY	RATE	1983 COUNTY	RATE	1984 COUNTY	RATE	1985 COUNTY	RATE	1986 COUNTY	RATE
KING	34.6	KING	34.3	KING	33.6	KING	32.1	KING	34.4
CHELAN	33.4	CHELAN	33.7	CHELAN	30.5	KITTITAS	27.5	PIERCE	28.3
KITTITAS	31.3	KITTITAS	32.6	THURSTON	29.6	PIERCE	27.2	THURSTON	26.5
PIERCE	28.9	PIERCE#	29.1	PIERCE	29.0	THURSTON	26.9	KITTITAS	25.7
FRANKLIN	27.7	WHATCOM	26.2	KITTITAS	26.7	CHELAN	26.4	FRANKLIN	24.5
SAN JUAN	27.5	FRANKLIN	25.8	GRAYS HARBOR	26.0	ADAMS	24.6	CHELAN	24.4
WHATCOM	26.7	THURSTON	25.2	WHATCOM	23.0	CLARK	23.8	GRANT	24.1
THURSTON	25.7	GRAYS HARBOR	24.9	BENTON	22.8	WALLA WALLA	23.7	SPOKANE	22.9
WHITMAN	25.6	SKAGIT	24.6	FRANKLIN*	22.8	FRANKLIN	23.5	GRAYS HARBOR	22.8
GRAYS HARBOR	25.4	GRANT	24.3	SAN JUAN	22.4	GRAYS HARBOR	22.9	BENTON	22.0
CLARK	25.2	BENTON	24.0	SPOKANE	22.2	SPOKANE*	22.9	YAKIMA	21.0
COLUMBIA	24.9	CLARK	23.6	GRANT	22.0	GRANT	21.6	WALLA WALLA	20.3
BENTON	24.7	SAN JUAN*	23.6	WALLA WALLA	21.7	BENTON	21.2	SKAGIT	19.5
SKAGIT	24.3	ADAMS	23.4	CLARK	21.5	WHATCOM	20.5	KITSAP	19.3
GRANT	24.2	WHITMAN	22.3	SKAGIT*	21.5	YAKIMA*	20.5	CLARK	19.2
YAKIMA*	24.2	YAKIMA	22.2	WHITMAN	21.4	COLUMBIA	20.2	OKANOGAN	18.8
ASOTIN	23.1	WALLA WALLA	21.1	ISLAND	21.0	ASOTIN	19.4	SNOHOMISH	18.7
OKANOGAN*	23.1	OKANOGAN	19.9	OKANOGAN*	21.0	LEWIS	19.2	WHATCOM	18.3
WALLA WALLA	22.9	SPOKANE	19.6	YAKIMA	20.8	ISLAND	19.1	WHITMAN	18.0
ADAMS	22.7	PACIFIC	19.4	KITSAP	20.7	SKAGIT	18.3	COLUMBIA	17.5
ISLAND	20.9	KITSAP	18.4	ASOTIN	19.9	KITSAP	17.1	LEWIS	17.2
SPOKANE	19.9	ISLAND	17.3	PACIFIC	19.6	WHITMAN	17.0	ASOTIN	17.0
KITSAP	19.7	SNOHOMISH	17.1	ADAMS	19.1	SNOHOMISH	16.2	ISLAND	16.8
LEWIS*	19.7	LEWIS	16.9	MASON	18.9	MASON	15.1	ADAMS	16.5
PACIFIC	18.8	GARFIELD	16.7	LEWIS	18.7	PACIFIC*	15.1	MASON*	16.5
COWLITZ	18.5	MASON	16.0	SNOHOMISH	16.7	PEND OREILLE	14.8	SAN JUAN	14.2
MASON	18.2	COLUMBIA	15.3	COLUMBIA	16.2	OKANOGAN	13.8	FERRY	12.6
SNOHOMISH	18.0	DOUGLAS	14.4	WAKIAKUM	14.9	DOUGLAS	12.3	LINCOLN	11.7
DOUGLAS	17.6	PEND OREILLE	13.6	COWLITZ	14.2	STEVENS*	12.3	PEND OREILLE*	11.7
FERRY	15.5	ASOTIN	13.2	Klickitat	13.8	SKAMANIA	12.0	COWLITZ	11.3
GARFIELD	11.9	COWLITZ	12.7	SKAMANIA	13.2	COWLITZ	10.7	PACIFIC	11.2
Klickitat	11.1	SKAMANIA	12.2	DOUGLAS	13.1	SAN JUAN	10.4	Klickitat	11.1
SKAMANIA	10.7	LINCOLN	10.8	FERRY	10.4	Klickitat	10.2	SKAMANIA	11.0
STEVENS	10.3	Klickitat	10.2	GARFIELD	9.2	FERRY	9.6	STEVENS	9.4
LINCOLN	10.2	STEVENS	10.1	PEND OREILLE	8.5	CLALLAM	8.6	DOUGLAS	9.3
JEFFERSON	9.2	FERRY	8.9	CLALLAM	8.2	LINCOLN	8.5	CLALLAM	8.8
PEND OREILLE	8.8	WAKIAKUM	5.6	STEVENS	7.9	JEFFERSON	7.5	JEFFERSON	5.3
CLALLAM	8.6	JEFFERSON	5.1	JEFFERSON	7.7	WAKIAKUM	7.0	GARFIELD	4.6
WAKIAKUM	8.1	CLALLAM	4.6	LINCOLN	6.9	GARFIELD	6.9	WAKIAKUM	1.4

BORTIONS PER 1,000 FEMALE POPULATION AGED 15-44.
IED IN RANK WITH COUNTY OR COUNTIES ABOVE.

MARRIAGES AND DISSOLUTIONS

TABLE 1

		MARRIAGES BY COUNTY OF MARRIAGE BY BRIDE AND GROOM AGE GROUP, WASHINGTON STATE 1986																								
COUNTY		TOTAL	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-104	105-109	110-114	115-119	120-124	OTHER & UNKNOWN
STATE	BRIDE	43,255	2	5,138	13,620	9,591	5,900	3,756	2,132	1,171	606	418	324	227	152	70	22	5	121							
TOTAL	GROOM	43,255		11,727	11,985	10,899	6,708	4,397	2,689	1,617	1,041	667	523	372	238	146	74	23	149							
ADAMS	BRIDE	113		31	40	19	6	4																		
	GROOM	113		12	36	31	14	5	8																	
ASOTIN	BRIDE	123		19	43	21	17	10	5	3	3	1														
	GROOM	123		6	42	22	18	13	8	3	3	1														
BENTON	BRIDE	1,082		171	380	200	129	84	50	27	21	5	2	6	2	1	1									
	GROOM	1,082		70	339	274	134	96	56	38	22	21	11	4	6	5	2									
CHELAN	BRIDE	615		77	196	119	80	48	39	19	11	6	7	6	2											
	GROOM	615		22	146	176	87	64	42	23	19	11	4	10	6	2										
CLALLAM	BRIDE	498		66	129	99	81	53	25	12	10	4	7	5	2	3										
	GROOM	498		23	118	106	79	75	32	22	13	9	3	5	4	6	5									
CLARK	BRIDE	3,552		392	1,015	724	498	353	227	131	65	54	36	28	15	5	4									
	GROOM	3,552		146	830	836	574	381	268	164	123	58	57	49	22	11	5									
COLUMBIA	BRIDE	38		7	12	6	3	3																		
	GROOM	38		1	13	6	5	3	1	2	1	1	1	1	1											
COWLITZ	BRIDE	767		151	239	156	78	60	30	22	8	7	4	6	1	2										
	GROOM	767		46	253	171	109	62	49	24	20	6	11	4	5	5	2									
DOUGLAS	BRIDE	116		13	41	18	14	9	11	3	3	1	1	1	1											
	GROOM	116		6	32	26	18	12	8	4	3	1	3	1	1	1										
FERRY	BRIDE	59		15	14	6	10	3	3	3	1	1														
	GROOM	59		5	19	8	8	1	6	4	1	1														
FRANKLIN	BRIDE	197		32	76	34	21	13	8	4	1	3														
	GROOM	197		13	72	49	19	17	8	4	2	6	1	1	2	3	1									
GARFIELD	BRIDE	13		4	4	1	1																			
	GROOM	13		1	3	3	2		1	1		1	1	1	1											
GRANT	BRIDE	343		75	101	59	32	24	11	10	7	8	7	3	4											
	GROOM	343		25	110	73	40	20	19	16	9	5	8	4	6	1	3									
GRAYS HARBOR	BRIDE	635		85	187	102	85	71	38	32	13	11	2	3	2	3										
	GROOM	635		32	159	151	76	71	46	29	21	14	15	6	3	4	1									
ISLAND	BRIDE	591		100	208	112	68	41	26	12	8	3	5	3	3											
	GROOM	591		38	202	140	73	64	24	17	12	5	6	9	1	1										
JEFFERSON	BRIDE	176		15	37	38	35	25	13	5	1	2	2	1	1	1										
	GROOM	176		3	34	43	37	20	18	6	2	3	5	1	1	2										
KING	BRIDE	13,574		990	4,013	3,645	2,140	1,254	662	359	178	96	86	52	34	19	5									
	GROOM	13,574		281	3,104	3,885	2,434	1,563	839	515	334	215	152	88	57	41	18									
KITSAP	BRIDE	1,628		248	518	316	223	138	71	33	24	20	15	7	6	3										
	GROOM	1,628		65	557	380	228	150	92	56	24	19	17	18	7	4	3									
KITTITAS	BRIDE	204		32	73	39	25	11	9	5	3	2	2	2												
	GROOM	204		4	76	44	31	15	9	10	6	4	1	2	1											
Klickitat	BRIDE	155		22	43	21	16	22	11	9	1	3	3	2	1	1										
	GROOM	155		6	42	32	11	21	8	7	11	4	3	5	3	1										
LEWIS	BRIDE	548		117	178	84	52	41	30	14	10	5	8	4	3											
	GROOM	548		51	195	90	60	50	33	19	14	9	11	10	3	2	1									
LINCOLN	BRIDE	71		16	26	9	8	4	4	1	1															
	GROOM	71		6	25	17	7	6	1	3	2	2	1	1	1											
MASON	BRIDE	295		47	88	44	31	20	15	12	6	11	2	2	5											
	GROOM	295		12	86	63	37	28	24	13	9	4	4	8	2	4										
OKANOGAN	BRIDE	269		32	73	61	39	32	12	8	4	3	2	1	2											
	GROOM	269		9	69	72	43	31	13	12	7	6	3	2	1											
PACIFIC	BRIDE	224		29	51	41	40	23	14	4	5	6	3	3	2	1										
	GROOM	224		9	55	44	39	24	20	8	5	6	6	5	2											
PEND	BRIDE	60		12	14	9	5	10	2	2	1															
	GROOM	60		3	17	13	9	5	7	2	1															
PIERCE	BRIDE	5,546		818	1,904	1,201	640	403	227	120	63	56	45	31	8	10	2									
	GROOM	5,546		293	1,882	1,324	761	468	300	161	105	78	62	38	32	17	4									
SAN JUAN	BRIDE	235		9	35	61	56	36	21	9		2	1	2	1											
	GROOM	235		3	28	50	54	36	23	20	10	3	2	4	1											
SKAGIT	BRIDE	749		89	230	142	92	69	42	21	16	13	5	4	1											
	GROOM	749		37	220	172	98	71	48	30	24	15	14	5	4	3	3									
SKANANIA	BRIDE	132		14	30	21	18	15	10	14	4	4	4	2												
	GROOM	132		6	20	30	20	18	8	5	10	2	6	3	1	1	1									
SNOWHISH	BRIDE	3,246		380	1,047	672	427	299	188	91	55	28	21	15	12	2	2									
	GROOM	3,246		132	862	796	518	330	233	128	70	63	48	23	15	4	5									
SPOKANE	BRIDE	2,777		320	1,031	626	339	199	118	56	23	17	16	15	10	5	1									
	GROOM	2,777		114	889	724	425	234	150	89	50	36	16	14	20	12	1									
STEVENS	BRIDE	189		53	69	23	12	10	4	1																
	GROOM	189		21	65	43	19	13	9	5	7	2	1	3												
THURSTON	BRIDE	1,256		160	404	244	179	107	69	43	17	8	10	5	3											
	GROOM	1,256		55	374	283	181	133	78	61	27	18	11	10	7	2	4									
WANKIAKUM	BRIDE	28		7	8	4	4	3	1																	
	GROOM	28		2	9	5	3	2	3	1	1	1														
WALLA WALLA	BRIDE	466		71	152	84	52	50	18	13	7	3	4	3	3	2	1									
	GROOM	466		30	138	95	60	42	31	20	11	4	3	4	2	2	1									
WHATCOM	BRIDE	1,011		125	318	207	168	76	45	22	17	2	4	4	4	1										
	GROOM	1,011		44																						

TABLE 2

DISSOLUTIONS, ANNULMENTS, AND SEPARATE MAINTENANCE BY COUNTY OF DECREE, WASHINGTON STATE 1987

COUNTY	TOTAL	DISSOLUTION	ANNULMENT	SEPARATE MAINTENANCE	NOT STATED
STATE TOTAL	24,309	23,940	149	195	25
ADAMS	53	53			
ASOTIN	83	82		1	
BENTON	613	607	1	5	
CHELAN	405	401	3	1	
CLALLAM	252	252			
CLARK	1,216	1,202	6	6	2
COLUMBIA	16	16			
COWLITZ	448	441	3	3	1
DOUGLAS	11	10			1
FERRY	21	21			
FRANKLIN	143	143			
GARFIELD	17	17			
GRANT	245	242	3		
GRAYS HARBOR	326	325			1
ISLAND	314	308	2	4	
JEFFERSON	110	110			
KING	7,373	7,255	37	77	4
KITSAP	697	691	1	4	1
KITTITAS	95	92	1	2	
Klickitat	76	76			
LEWIS	333	330	1	2	
LINCOLN	861	843	9	8	1
MASON	60	57	2	1	
OKANOGAN	80	80			
PACIFIC	99	96		3	
PEND OREILLE	37	37			
PIERCE	3,244	3,167	39	28	10
SAN JUAN	46	46			
SKAGIT	403	401	1	1	
SKAMANIA	63	63			
SNOHOMISH	2,136	2,106	13	17	
SPOKANE	1,684	1,658	13	13	
STEVENS	118	117	1		
THURSTON	921	901	5	15	
WAHKIAKUM	12	12			
WALLA WALLA	260	259	1		
WHATCOM	461	454	5	1	1
WHITMAN	103	103			
YAKIMA	874	866	2	3	3

TABLE 3

DISSOLUTIONS BY COUNTY OF DIVORCE BY HUSBAND AND WIFE AGE GROUP, WASHINGTON STATE 1966

COUNTY	TOTAL	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	OTHER & UNK
STATE TOTAL	WIFE 25,990 HUSBAND 25,990	2	306 47	1,610 2,048	5,347 4,732	4,840 4,947	4,007 4,399	2,589 1,033	1,323 1,867	699 1,141	383 673	242 376	146 203	73 133	27 51	17 34	2,379 9,291	
ADAMS	WIFE 48 HUSBAND 48		2	11 6	7 7	11 7	3 5	7 8	3 7	1 2	1 2	1 1	1 1				1 3	
ASOTIN	WIFE 115 HUSBAND 115		3	18 12	27 26	29 30	16 18	11 14	4 8	2 2	2 2	1 1	1 1	1 1			1 1	
BENTON	WIFE 706 HUSBAND 706		11 5	120 67	166 144	130 138	114 110	64 88	37 50	16 38	10 19	11 8	3 5	3 5	3 3		21 26	
CHELAN	WIFE 444 HUSBAND 444		7	68 42	93 91	79 79	71 79	50 47	25 34	14 21	8 15	4 9	3 4	3 3	1 1	1 1	18 18	
CLALLAM	WIFE 320 HUSBAND 320		10	49 26	52 51	62 52	46 67	47 36	16 31	11 16	2 8	3 6	5 3	3 2	2 2		12 20	
CLARE	WIFE 1,273 HUSBAND 1,273		11 2	195 97	274 238	245 263	210 230	174 149	82 122	35 53	21 23	4 26	5 9	1 7	1 1	1 1	63 54	
COLUMBIA	WIFE 6 HUSBAND 6		2	1 1	1 2	1 1	1 1	1 1										
COWLITZ	WIFE 537 HUSBAND 537		8 3	90 39	112 103	95 96	89 112	58 63	26 34	16 33	13 25	7 7	5 3	1 5	1 2	2 2	17 8	
DOUGLAS	WIFE 36 HUSBAND 36			6 3	2 6	7 8	6 2	4 5	4 3	1 4	2 2	1 1					3 2	
FERRY	WIFE 28 HUSBAND 28		1	5 1	3 3	4 4	3 4	3 5	4 5	1 1			1 1	1 1			3 4	
FRANKLIN	WIFE 194 HUSBAND 194		2	30 22	46 34	36 37	31 33	23 25	8 9	5 3	2 3	2 2	1 1		1 1		10 9	
GARFIELD	WIFE 15 HUSBAND 15			1		4 1	3 6	3 1	1 1	1 3	1 1	2 1					1 1	
GRANT	WIFE 291 HUSBAND 291		8 2	59 30	62 66	55 55	38 42	21 32	14 21	7 12	7 7	5 4	4 5	3 4	1 1	1 1	7 9	
GRAYS HARBOR	WIFE 364 HUSBAND 364		4 1	60 28	71 61	52 64	55 56	33 53	27 26	9 19	10 12	6 3	3 4	3 3		1 1	33 32	
ISLAND	WIFE 307 HUSBAND 307		14 2	62 57	75 72	54 49	35 41	28 26	9 18	4 6	4 5	3 4	1 1			1 1	17 25	
JEFFERSON	WIFE 124 HUSBAND 124		2	14 10	24 18	16 28	25 23	16 12	6 8	6 8	1 5	1 3	1 1	1 1			12 7	
KING	WIFE 7,520 HUSBAND 7,520	1	46 3	715 1,170	1,436 1,367	1,387 1,248	1,166 863	717 527	385 527	193 306	90 190	69 85	35 52	17 30	3 14	3 9	1,258 1,256	
KITSAP	WIFE 819 HUSBAND 819		11 1	144 90	182 176	195 192	119 139	71 86	29 45	16 22	12 15	2 15	3 6	3 3		1 1	32 28	
KITTITAS	WIFE 107 HUSBAND 107			17 7	23 24	19 17	17 20	10 11	5 9	6 3	1 4	1 1	1 2	1 1	2 1		5 7	
Klickitat	WIFE 100 HUSBAND 100		2	14 5	13 18	18 14	30 25	14 19	3 14	2 3	1 1	1 1	1 1		1 1		1 1	
LEWIS	WIFE 343 HUSBAND 343		6	60 33	65 56	62 67	48 57	23 29	17 22	12 19	8 16	4 5	4 1	1 3	1 1		33 34	
LINCOLN	WIFE 820 HUSBAND 820		10	135 70	182 177	150 138	121 132	88 62	42 66	24 49	13 23	11 16	7 7	4 8	2 2		33 30	
MASON	WIFE 123 HUSBAND 123		3 1	21 10	22 26	14 25	22 14	13 13	7 8	4 5	4 7	2 3	1 1	2 2			10 8	
OKANOGAN	WIFE 132 HUSBAND 132			12 5	28 22	28 24	24 27	14 18	8 10	7 5	3 4	2 7	2 2	1 1			5 7	
PACIFIC	WIFE 102 HUSBAND 102		1	14 8	21 15	10 17	20 18	14 10	5 10	4 5	4 5	1 4	2 3			1 1	5 3	
PEND	WIFE 31 HUSBAND 31		1	2 3	5 5	1 5	6 5	5 3	3 2	2 2	1 2	1 3	1 1	1 1			4 1	
OREILLE	WIFE 3,313 HUSBAND 3,313		52 9	581 385	789 696	622 687	457 521	302 363	144 209	96 140	45 74	27 46	16 29	9 14	8 8	2 5	162 127	
SAN JUAN	WIFE 56 HUSBAND 56			4 2	12 6	14 13	15 12	6 10	3 8	3 2	1 1	1 1						
SKAGIT	WIFE 472 HUSBAND 472		5 1	61 26	99 87	84 79	78 83	60 73	19 42	15 16	8 14	5 8	5 5	2 4	2 1	1 1	29 28	
SKANAWIA	WIFE 55 HUSBAND 55			11 5	11 10	9 14	9 8	2 4	2 5	2 2	2 3	1 2	1 1	1 2			3 3	
SNORONISH	WIFE 2,340 HUSBAND 2,340	1	19 1	311 150	479 428	418 441	370 394	270 298	131 192	69 107	33 68	17 36	16 15	5 14	3 1	1 1	196 191	
SPOKANE	WIFE 1,903 HUSBAND 1,903		21 6	264 167	390 346	395 376	305 357	214 236	109 125	48 88	31 62	17 28	9 10	7 14	4 4	1 3	88 80	
STEVENS	WIFE 124 HUSBAND 124		3	14 13	23 23	22 17	22 23	17 14	2 8	2 9	2 1	3 1	4 1	1 1			16 10	
THURSTON	WIFE 890 HUSBAND 890		17 6	113 64	172 158	140 124	131 164	92 115	49 54	21 44	14 15	1 10	1 5	1 2	1 2	1 1	128 124	
WAMKIAKUM	WIFE 12 HUSBAND 12			1	4 3	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1			1 1	
WALLA WALLA	WIFE 270 HUSBAND 270		4 2	38 21	63 62	55 52	47 45	14 13	17 14	8 6	3 3	2 3	4 3	1 1	1 1		9 8	
WHATCOM	WIFE 561 HUSBAND 561		3	89 47	92 84	106 99	83 99	45 58	27 36	12 25	9 11	5 10	2 6	2 1	1 1	2 2	83 83	
WHLITMAN	WIFE 112 HUSBAND 112			20 11	26 24	23 24	10 19	6 10	8 10	2 2	2 4	1 1	1 1			1 1	5 4	
YAKIMA	WIFE 973 HUSBAND 973		15 2	179 107	193 194	185 198	160 157	92 115	37 63	30 45	14 20	7 13	3 8	2 2	4 4	2 1	54 43	

TABLE 4

DISSOLUTIONS BY TOTAL LIVING CHILDREN BY PLACE OF WIFE'S RESIDENCE, WASHINGTON STATE 1987*

COUNTY	TOTAL	NUMBER OF CHILDREN								EIGHT OR MORE	NOT STATED
		0	1	2	3	4	5	6	7		
STATE TOTAL	23,940	10,407	5,163	5,101	1,728	520	159	73	20	23	746
ADAMS	52	13	10	15	9	3		1		1	
ASOTIN	79	34	21	15	7	1					1
BENTON	594	248	140	122	51	15	3			2	13
CHELAN	288	129	67	51	19	8	2				12
CLALLAM	249	101	55	50	16	11					16
CLARK	1,019	410	219	257	76	24	6	4	1		22
COLUMBIA	14	5	5	2	1						1
COWLITZ	414	171	97	90	41	3	1				11
DOUGLAS	105	50	25	18	10	1	1				
FERRY	25	7	5	7	2						4
FRANKLIN	118	40	30	29	7	5	1	1		1	4
GARFIELD	13	6		2	2	2		1			
GRANT	232	77	50	64	24	8	3	2	1		3
GRAYS HARBOR	307	119	70	77	24	5	2	4			6
ISLAND	284	119	75	63	15	3		2			7
JEFFERSON	93	43	18	17	8	2	1				4
KING	6,850	3,264	1,429	1,315	449	147	45	14	2	5	180
KITSAP	659	288	146	132	55	16	3	3			16
KITTITAS	78	36	12	14	6	1				1	8
Klickitat	79	23	16	27	8	3	1				1
LEWIS	304	116	60	85	25	5	1	1			11
LINCOLN	29	10	7	4	3	2	1				2
MASON	74	35	13	13	7	3	1				2
OKANOGAN	86	40	20	19	4	2					1
PACIFIC	84	33	20	16	5	4	3				3
PEND OREILLE	45	16	2	16	9	1	1				
PIERCE	2,807	1,149	645	651	185	53	23	5	3	3	90
SAN JUAN	49	26	9	8	2	3					1
SKAGIT	361	152	69	91	29	7	3	1	1		8
SKAMANIA	48	13	12	14	8		1				
SNOHOMISH	2,049	805	470	482	158	51	12	10	1	1	59
SPOKANE	1,817	793	373	408	145	44	5	6	2		41
STEVENS	140	57	23	39	9	4		1	1	1	5
THURSTON	753	302	176	173	60	14	7	1	1	1	18
WANKIAKUM	11	4	4	3							
WALLA WALLA	218	106	36	47	15	6		1	1		6
WHATCOM	423	179	93	100	30	5	2		2		12
WHITMAN	113	45	17	36	7	6	2				
YAKIMA	809	317	196	169	64	16	7	5	3	4	28
OUT-OF-STATE	1,395	728	273	218	79	24	14	9		2	48
UNKNOWN	773	298	155	142	54	12	7	1	1	1	102

*INCLUDES ALL LIVING CHILDREN REGARDLESS OF AGE
DOES NOT INCLUDE RESIDENTS WHO OBTAIN DISSOLUTIONS OUTSIDE OF WASHINGTON STATE

APPENDIX

APPENDIX A

DEFINITIONS

GENERAL TERMS

ABORTION - The termination (spontaneous or induced) of a pregnancy before the fetus has attained viability. Where unqualified in this report, the term refers to induced abortions.

ABORTION-RELATED COMPLICATIONS - Complications encountered and detected at the time pregnancy termination occurs and before the abortion report is filed.

Cervical laceration - a tear wound of the cervix which requires sutures.

Failed abortion - the products of conception fail to be expelled from the uterus after induction.

Hemorrhage - copious or excessive bleeding, clinically assessed.

Infection - inflammation of the endometrium (the mucous coat of the uterus) or elevation of body temperature over 100.4 degrees for one or more days.

Retained products - retention of some of the fetal or placental tissue in the uterus after an abortion procedure. A second procedure is required for removal.

Uterine perforation - unintentional puncture of the uterine wall which requires intervention.

BIRTH WEIGHT - Weight of fetus or infant at time of delivery (normally recorded in pounds and ounces).

FETAL DEATH - Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy. The death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Reporting of fetal deaths to the state is required only when the gestational period is twenty weeks or more.

GESTATIONAL PERIOD - Number of weeks elapsed between the first day of the last menstrual period and date of delivery or date of pregnancy termination. The Abortion Reporting System relies upon the physician's estimate of gestational age. With current technology (i.e., ultrasound) accuracy is plus or minus 11 days.

INDUCED ABORTION - The purposeful interruption of pregnancy, irrespective of the duration of pregnancy, with the intention other than to produce a live born infant or to remove a dead fetus, the result of which is not a live birth. Procedures for false pregnancy, ectopic pregnancy and missed abortion (dead ovum retained in uterus in intended pregnancy) are not included.

INDUCED ABORTION PROCEDURES:

Dilatation and Evacuation (D&E) - dilatation of the cervical canal by means of laminaria tents (sterile dried seaweed) until the cervical opening is large enough to allow removal of the uterine contents by means of a sponge forceps or some other specially designed instrument.

Hysterectomy - removal of the uterus by surgical procedure either with the fetus inside or after the fetus is removed; usually performed when a pathological condition of the uterus, such as fibroid tumors, warrants its removal, or when a woman desires sterilization.

Hysterotomy - surgical entry into the uterus, as in a Caesarean section, to remove a fetus too immature to survive, even with extraordinary life support measures; usually performed only if other abortion measures have failed.

Prostaglandin - induction of labor resulting in the expulsion of the fetus by administration of a substance with hormone-like action, either vaginal suppository or intra-amniotic injection.

Saline - induction of labor with eventual expulsion of the fetus by insertion of a hollow needle through the abdominal wall, withdrawal of a portion of the amniotic fluid from the uterine cavity, and subsequent replacement with a concentrated salt solution.

Sharp Curettage - dilatation of the cervical canal with scraping and removal of fetal and placental tissues by use of a curette (which resembles a small spoon). Also, surgical D&C or surgical curettage.

Suction Curettage - dilatation of the cervical canal by the successive insertion of instruments of increasing diameter called dilators until the opening is large enough to insert a flexible tube (cannula) into the uterine cavity and permit the suction removal of fetal and placental tissues by an electric vacuum pump. Also, vacuum aspiration, suction D&C, or early uterine evacuation.

INFANT DEATH - Death of a child under one year of age.

LIVE BIRTH - The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes, or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

LIVE BIRTH ORDER - Total number of live births to a given mother, including current birth.

MATERNAL DEATH - Death attributed to complications of pregnancy, childbirth, or the puerperium; includes abortion related deaths.

NEONATAL DEATH - Death of an infant within the first 27 days of life.

NULLIPAROUS - Having never given birth to a liveborn infant.

OCCURRENCE DATA - Data allocated by place where event occurred, regardless of the person's place of residence.

PARITY - Previous live births; does not include current birth.

PERINATAL DEATH - Fetal deaths plus deaths to infants within the first six days of life.

PREMATURE BIRTH - A live birth weighing 2,500 grams (5-1/2 pounds) or less. If birth weight is not stated, length of gestation (under 37 weeks) is used.

RESIDENCE DATA - Data allocated by place of residence of the decedent (deaths), or by place of residence of the child's mother (births, fetal deaths) or patient (abortions).

SPONTANEOUS ABORTION - An unintended interruption of pregnancy the result of which is a fetal death of any gestational age. Also, miscarriage or miscarried pregnancy.

TRIMESTER - The duration of human pregnancy, approximately 266 days, divided by 3, resulting in three equal time periods equaling 88.67 days, or 12.67 weeks, or approximately three months, each. As a useful rule-of-thumb, gestation weeks 1 through 12 are considered the first trimester of pregnancy; weeks 13 through 24, the second trimester; and over 24 weeks, the third trimester.

RATES AND RATIOS

Rates and ratios are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant (i.e. 1,000, 10,000, or 100,000). See below.

ABORTION RATE - Number of abortions per 1,000 female population aged 15 to 44.

ABORTION RATIO - Number of abortions per 1,000 live births.

AGE-SPECIFIC RATE - Number in event of concern for a specific age group per some fixed constant of population in that age group. For instance, the age-specific death rate is the number of deaths in a specific age group per 100,000 population in that age group. See different rates, i.e. fertility, pregnancy, abortion, for most typically used fixed constant in each rate.

CAUSE-SPECIFIC DEATH RATE - Number of deaths from a specific cause per 100,000 population.

COMPLICATION RATE - Number of complication cases per 1,000 procedures; one case may have more than one complication.

(CRUDE) BIRTH RATE - Number of live births per 1,000 population.

(CRUDE) DEATH RATE - Number of deaths per 1,000 population.

FERTILITY RATE - Number of live births per 1,000 women, 15-44 years of age.

FETAL DEATH RATIO - Number of fetal deaths per 1,000 live births.

INFANT DEATH RATE - Number of infant deaths per 1,000 live births.

MATERNAL DEATH RATE - Number of maternal deaths per 10,000 live births.

NEONATAL DEATH RATE - Number of neonatal deaths per 1,000 live births.

PERINATAL DEATH RATE - Number of perinatal deaths per 1,000 live births plus fetal deaths.

PREGNANCY RATE - Number of total pregnancies (live births, fetal deaths, and abortions) per 1,000 female population aged 15-44.

APPENDIX B
TECHNICAL NOTES

RELIABILITY OF THE DATA

In analyzing any data, the possibility of errors in the data must not be overlooked. There are several types of possible errors, including underreporting or under-registration, errors made by the informant, and errors in compilation and processing. The most potentially dangerous error, however, is probably that of improper interpretation.

Statistics are neither more true nor false than the interpretation given to them. It should be emphasized that most of the rates computed in this report are crude rates. For comparing geographic areas, crude rates are limited. They do not reflect differences in age, sex, race, and other population characteristics. In addition, it is important to recognize the possible distortion in these rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates. Special caution should also be exercised in analyzing trend data, because of changes throughout the years in medical diagnosis, coding definitions, and registration coverage.

This year's report used an automated process to create all the tables published. The programs were reapplied to the previous five years of data pertaining to induced abortion to facilitate trend analysis. Some differences with previously published totals resulted. Therefore, there is some slight variation between totals published in the 1982 volume of Induced Termination of Pregnancy, Washington State and this report. The difference is not statistically significant.

COLLECTION YEAR

Data for the Vital Statistics and Induced Terminations of Pregnancy report are compiled from items on birth, death, marriage, and divorce certificates, and abortion reports received before April 15, 1987. (See Appendix F for samples.)

INTERSTATE EXCHANGES

Washington State is a member of the interstate exchange agreement and receives birth and death certificates of residents who have died in other states. Although, no formal agreement exists, some states have agreed to exchange abortion reports. Out-of-state marriage and divorce certificates are not exchanged.

POPULATION

Population data in this report are an estimate of population provided by the Washington State Office of Financial Management, April 1, 1986.

County populations for women in the age-groups, 15-17 and 18-19, were determined by using the state totals for these age groups and applying the same proportions to the individual counties.

RACE

The race of women obtaining induced abortions, although collected, is not useful for analysis because of the large number of reported unknowns and blanks. In 1986, "unknown" was the second largest category, amounting to more than all other racial categories combined except white among reported abortions.

The determination of race on birth and death certificates follows decision rules established by the National Center for Health Statistics (NCHS).

If more than one race is listed and one is Hawaiian, Hawaiian is selected. In cases of other races, the first non-white race listed is selected.

To determine race of newborns on birth certificates, each parent's race is first established according to the previous rules. Rules to determine race of the child, then, fall along a similar pattern:

1. If either parent is Hawaiian, then the child's race is considered Hawaiian.
2. In cases where one parent is white and the other non-white, the non-white race is selected as the race of the child.
3. If both parents are non-white, the father's race is selected except where the mother's race is Hawaiian.

The racial category, Mexican/Chicano, is exclusive to persons who identified themselves as either Mexican, Chicano, or Mexican-American. Persons who identified themselves as Hispanic or as one of several other ethnic groups of Spanish origin, such as Cuban or Puerto Rican, were not included in this category. Using the category Mexican/Chicano as a surrogate for Spanish origin or Hispanic could result in erroneous conclusions.

OCCURRENCE DATA

The validity of occurrence death data has some limitations. As the death certificate does not specify inside or outside of corporate limits for place of death, rural deaths may be incorrectly assigned to cities because the location of death was in close proximity to a city. Informants, moreover, often are unaware of city boundaries.

CAUSE OF DEATH CLASSIFICATION

The causes of death presented herein are classified in accordance with the The International Classification of Diseases, Ninth Revision published by the World Health Organization. The State of Washington began using this revision January 1, 1979.

RANKING OF LEADING CAUSES OF DEATH

In the interest of comparability, this summary uses, in general, the cause of death groups established by the National Center for Health Statistics (NCHS).

LOW BIRTH WEIGHT

Traditionally, low birth weight has been defined as 2,500 grams or less. However, the International Classification of Diseases, Ninth Revision (ICD-9) redefines low birth weight as less than 2,500 grams. Thus, 2,500 grams should now be included with the normal birth weight category. The impact of this change is minimal in the United States, where most weights are given in pounds and ounces. No weight of pounds and ounces converts exactly to 2,500 grams (5lb, 8oz is 2,495g and 5lb 9oz is 2,523g). It is, therefore, unlikely that many weights of 2,500 grams are recorded. In fact, none were found in a study of 1984 Washington State births. In the interests of consistency with past data, Washington State has chosen to continue including 2,500 grams with the low birth weight category.

ABORTION COMPLICATIONS

Complication totals and rates of abortion procedures should be interpreted with some caution. Some incomplete reporting could have resulted where followup care was carried out after reports were filed or by another physician. In addition, when comparing total rates between years, differences in forms and data processing rules may create artificial changes. In 1986, minor complaints reported by physicians among "Other Complications" were not suppressed as in previous years. These were items, such as "unexplained pain" or "hemorrhage less than or equal to 500cc."

ROUNDING

Rates are rounded to the nearest tenth. When the rate or percent is less than one-tenth, the entry is 0. Where whole numbers are used, a blank indicates none or zero.

APPENDIX C

CONVERSION OF BIRTH WEIGHT GROUPS IN GRAMS TO POUNDS AND OUNCES

GRAMWEIGHT	POUNDS AND OUNCES
1,000 grams and under	2 lbs. 3 oz. and less
1,001 - 1,500	2 lbs. 4 oz. - 3 lbs. 4 oz.
1,501 - 2,000	3 lbs. 5 oz. - 4 lbs. 6 oz.
2,001 - 2,500	4 lbs. 7 oz. - 5 lbs. 8 oz.
2,501 - 3,000	5 lbs. 9 oz. - 6 lbs. 9 oz.
3,001 - 3,500	6 lbs. 10 oz. - 7 lbs. 11 oz.
3,501 - 4,000	7 lbs. 12 oz. - 8 lbs. 13 oz.
4,001 - 4,500	8 lbs. 14 oz. - 9 lbs. 14 oz.
4,501 grams and over	9 lbs. 15 oz. and over

One pound = 453.59 grams

APPENDIX D

 POPULATION OF THE STATE OF WASHINGTON
 BY AGE GROUP, BY SEX, APRIL 1, 1986

AGE GROUP	TOTAL	MALE	FEMALE
TOTAL	4,419,700	2,199,743	2,219,957
UNDER 1 YR	70,226	35,853	34,373
1 - 4	273,034	140,067	132,967
5 - 14	607,086	310,309	296,777
15 - 19	330,062	169,358	160,704
20 - 24	352,323	181,233	171,090
25 - 34	796,375	408,886	387,489
35 - 44	672,645	340,041	332,604
45 - 54	419,464	213,444	206,020
55 - 64	387,316	186,322	200,994
65 - 74	305,339	139,578	165,761
75 - 84	154,419	59,924	94,495
85 AND OVER	51,411	14,728	36,683

APPENDIX E

POPULATION, STATE OF WASHINGTON, COUNTIES AND
CITIES OF 10,000 POPULATION AND OVER, APRIL 1, 1986

	CITY TOTAL	COUNTY TOTAL		CITY TOTAL	COUNTY TOTAL
ADAMS		13,900	KITTITAS		25,000
ASOTIN		17,000	ELLENSBURG	11,400	
BENTON		104,000	KLICKITAT		16,600
KENNEWICK	36,600		LEWIS		56,800
RICHLAND	30,240		CENTRALIA	11,800	
CHELAN		48,900	LINCOLN		9,700
WENATCHEE	17,980		MASON		35,400
CLALLAM		52,900	OKANOGAN		31,600
PORT ANGELES	17,300		PACIFIC		17,200
CLARK		205,000	PEND OREILLE		9,000
VANCOUVER	42,740		PIERCE		530,800
COLUMBIA		4,100	PUYALLUP	19,400	
COWLITZ		78,900	TACOMA	158,900	
KELSO	10,760		SAN JUAN		8,900
LONGVIEW	29,370		SKAGIT		69,000
DOUGLAS		23,300	MOUNT VERNON	14,260	
FERRY		6,100	SKAMANIA		7,800
FRANKLIN		35,300	SNOHOMISH		381,600
PASCO	18,420		EDMONDS	28,060	
GARFIELD		2,500	EVERETT	59,470	
GRANT		50,500	LYNNWOOD	24,000	
MOSES LAKE	10,390		MOUNTLAKE TERRACE	15,590	
GRAYS HARBOR		63,000	SPOKANE		355,900
ABERDEEN	17,010		SPOKANE (CITY)	172,700	
ISLAND		50,600	STEVENS		30,200
OAK HARBOR	13,480		THURSTON		142,200
JEFFERSON		17,900	LACEY	15,270	
KING		1,361,700	OLYMPIA	28,990	
AUBURN	29,950		WAHKIAKUM		3,600
BELLEVUE	81,770		WALLA WALLA		48,500
DES MOINES	13,690		WALLA WALLA (CITY)	25,590	
KENT	28,620		WHATCOM		116,700
KIRKLAND	19,410		BELLINGHAM	46,380	
MERCER ISLAND	20,670		WHITMAN		39,500
REDMOND	28,811		PULLMAN	22,530	
RENTON	34,460		YAKIMA		183,600
SEATTLE	488,200				
KITSAP		164,500			
BREMERTON	33,420				

APPENDIX F

STATE OF WASHINGTON DEPARTMENT OF SOCIAL AND HEALTH SERVICES

VITAL RECORDS

CERTIFICATE OF DEATH

LOCAL FILE NUMBER

1 NAME - FIRST, MIDDLE, LAST

2 SEX

3 DEATH DATE (MO DAY YR)

146-8

STATE FILE NUMBER

4 RACE (WHITE, BLACK, AM IND, 5 AGE - LAST BIRTH- 6 UNDER 1 YEAR 7 UNDER 1 DAY 8 BIRTHDATE (MO DAY YR) 9 COUNTY OF DEATH
ETC. SPECIFY) DAY (YRS) MOS DAYS HOURS MINS

10 CITY, TOWN OR LOCATION OF DEATH

11 PLACE OF DEATH - CHECK TYPE OF PLACE THEN GIVE ADDRESS OR INST NAME
1 AT SCENE 2 IN TRANSPORT 3 EMERG ROOM 4 HOSPITAL 5 NURSING HOME12 RECEIVED EMERGENCY CARE
AMBULANCE, FIRETR, PARAMED?

YES/NO

13 BIRTH STATE (IF NOT IN
USA GIVE COUNTRY)

14 CITIZEN OF WHAT COUNTRY

15 MARRIED, NEVER MARRIED,
WIDOWED, DIVORCED

16 SPOUSE (IF WIFE GIVE MAIDEN NAME)

17 WAS DECEDENT EVER IN
U.S. ARMED FORCES? (YES/NO)

18 SOCIAL SECURITY NO

19 USUAL OCCUPATION (GIVE KIND OF WORK DONE
DURING MOST OF WORKING LIFE EVEN IF RETIRED)

20 KIND OF BUSINESS OR INDUSTRY

21 RESIDENCE - NUMBER AND STREET

22 CITY/TOWN, OR LOCATION 23 INSIDE CITY LIMITS? (YES/NO)

24 COUNTY 25 STATE

26 FATHER - NAME FIRST, MIDDLE, LAST

27 MOTHER - MAIDEN NAME FIRST, MIDDLE, LAST

28 INFORMANT NAME

29 MAILING ADDRESS

STREET OR RFD NO

CITY OR TOWN

STATE

ZIP

30 BURIAL, CREMATION,
REMOVAL, OTHER (SPECIFY)

31 DATE (MO DAY YR)

32 CEMETERY, CREMATORY - NAME

33 LOCATION - CITY/TOWN, STATE

34 FUNERAL DIRECTOR

35 NAME OF FACILITY

36 ADDRESS OF FACILITY

SIGNATURE

X

TO BE COMPLETED ONLY BY CERTIFYING PHYSICIAN

TO BE COMPLETED ONLY BY MEDICAL EXAMINER OR CORONER

37 TO THE BEST OF MY KNOWLEDGE, DEATH OCCURRED AT THE TIME, DATE, AND PLACE AND
DUE TO THE CAUSE(S) STATED41 ON THE BASIS OF EXAMINATION AND/OR INVESTIGATION, IN MY OPINION DEATH OCCURRED AT
THE TIME, DATE AND PLACE AND DUE TO THE CAUSE(S) STATED

SIGNATURE

TITLE

SIGNATURE

TITLE

X

X

38 DATE SIGNED (MO DAY YR)

39 HOUR OF DEATH (24 HRS)

42 DATE SIGNED (MO DAY YR)

43 HOUR OF DEATH (24 HRS)

40 NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (TYPE OR PRINT)

44 PRONOUNCED DEAD (MO DAY YR)

45 HOUR PRONOUNCED DEAD
(24 HRS)

46 NAME AND ADDRESS OF CERTIFIER - PHYSICIAN, MEDICAL EXAMINER OR CORONER (TYPE OR PRINT)

47 IMMEDIATE CAUSE

ENTER ONLY ONE CAUSE PER LINE FOR (A), (B) and (C)

INTERVAL BETWEEN ONSET
AND DEATH(A)
DUE TO, OR AS A CONSEQUENCE OFINTERVAL BETWEEN ONSET
AND DEATH(B)
DUE TO, OR AS A CONSEQUENCE OFINTERVAL BETWEEN ONSET
AND DEATH

(C)

48 OTHER SIGNIFICANT CONDITIONS-CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN ABOVE

49 AUTOPSY? (YES/NO)

50 WAS CASE REFERRED TO MEDICAL
EXAMINER OR CORONER? (YES/NO)51 ACC. SUICIDE, HOM. UNDET. OR 52 INJURY DATE (MO DAY YR) 53 HOUR OF INJURY (24 HRS) 54 DESCRIBE HOW INJURY OCCURRED
PENDING INVEST (SPECIFY)55 INJURY AT WORK? (YES/NO) 56 PLACE OF INJURY - AT HOME, FARM, STREET, FACTORY,
OFFICE BLDG, ETC. (SPECIFY)

57 LOCATION - STREET OR RFD NO., CITY/TOWN, STATE

58 REGISTRAR

SIGNATURE

X

59 DATE RECEIVED (MO DAY YR)

IF DEATH OCCURRED IN INSTITUTION SEE
HANDBOOK REGARDING COMPLETION OF
RESIDENCE ITEM 5.PARENTS
DISPOSITION

CERTIFIER

CAUSE OF DEATH

CONDITIONS IF ANY WHICH GAVE RISE TO
IMMEDIATE CAUSE STATING UNDERLYING
CAUSE LAST.FOR STATE
REGISTRAR
USE ONLY

ITEM DOCUMENTARY EVIDENCE REVIEWED BY DATE ITEM DOCUMENTARY EVIDENCE REVIEWED BY DATE

144003

Bc

STATE OF WASHINGTON DEPARTMENT OF SOCIAL AND HEALTH SERVICES
VITAL RECORDS

146-8

CERTIFICATE OF LIVE BIRTH

LOCAL FILE NUMBER		STATE FILE NUMBER	
B. COPIES	1. CHILD'S NAME First Middle Last	2. SEX	3. DATE OF BIRTH MO. DAY YR. 4. HOUR
C. HOSPITAL	5. TYPE OF BIRTHPLACE (SPECIFY TYPE) ☐ 1 HOSPITAL ☐ 3 BIRTH CENTER ☐ 5 HOME ☐ 2 ENROUTE ☐ 4 OTH. MED. FACIL. ☐ 6 OTHER	6. NAME OF FACILITY/IF NOT A FACILITY ENTER NAME OF PLACE AND ADDRESS	7. CITY/TOWN/LOCATION 8. COUNTY OF BIRTH
D. OCCURRENCE	9. I CERTIFY THAT THE STATED INFORMATION CONCERNING THIS CHILD IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF ☒ X	10. DATE SIGNED MO. DAY YR.	11. NAME, TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (TYPE OR PRINT)
E. RESIDENCE	12. CERTIFIER — NAME AND TITLE (Type or print)	13. MAILING ADDRESS (STREET/BOX NO. CITY, STATE, ZIP CODE)	
F.	14. FATHER'S NAME First Middle Last	15. AGE (AT TIME OF THIS BIRTH)	16. STATE OF BIRTH (IF NOT USA GIVE COUNTRY)
G.	17. MOTHER'S NAME First Middle MAIDEN	18. AGE (AT TIME OF THIS BIRTH)	19. STATE OF BIRTH (IF NOT USA GIVE COUNTRY)
H. TRACT	20. RESIDENCE (NUMBER AND STREET)	21. CITY/TOWN/LOCATION	22. INSIDE CITY LIMITS (YES/NO) 23. COUNTY 24. STATE
I.	25. MOTHER'S MAILING ADDRESS (IF SAME AS ABOVE ENTER ZIP CODE ONLY)		
J.	26. NAME OF INFORMANT (TYPE OR PRINT)	27. RELATION TO CHILD	
K.	28. DATE RECEIVED BY LOCAL REGISTRAR	29. REGISTRAR (SIGNATURE)	30. DATE RECEIVED BY STATE REGISTRAR
L.	31. RECORD AMENDMENT (STATE REGISTRAR USE ONLY) ITEM DOCUMENTARY EVIDENCE REVIEWED BY DATE ITEM DOCUMENTARY EVIDENCE REVIEWED BY DATE		
M.			
N.	TYPE OR PRINT LEGAL PORTION IN PERMANENT BLACK INK CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY—DETACHED FROM CERTIFICATE BEFORE PERMANENT FILING.		
O. F-OCCUP	32. RACE (White, Black, American Indian, etc.) (specify)	33. OCCUPATION (Indicate most recent employment) (Pressman, painter, computer programmer) (specify)	34. TYPE OF BUSINESS OR INDUSTRY (paper mill, hwy. construction, nuclear) (specify)
P. M-OCCUP	35. RACE (White, Black, American Indian, etc.) (specify)	36. OCCUPATION (Indicate most recent employment) (fruit packer, cashier, registered nurse) (specify)	37. TYPE OF BUSINESS OR INDUSTRY (apple orchard, retail sales, hospital) (specify) 38. IS MOTHER MARRIED? ☐ Yes ☐ No
Q.	39. PRIOR LIVE BIRTHS (DO NOT INCLUDE THIS BIRTH) ☐ NONE NOW LIVING NOW DEAD 37 WEEKS OR MORE (Full term) _____ LESS THAN 37 WEEKS (Premature) _____ DATE LAST LIVE BIRTH (Mo. Yr.) _____	40. OTHER PREGNANCY OUTCOMES (NOT LIVE BIRTHS) ☐ NONE SPONTANEOUS INDUCED (Any Gest. Age) 37 WEEKS OR MORE _____ 20-36 WEEKS _____ LESS THAN 20 WEEKS _____ DATE LAST OTHER PREGNANCY OUTCOME (Mo. Yr.) _____	41. TOTAL PRIOR PREGNANCIES 42. DATE LAST NORMAL MENSTRUATION BEGAN Mo. Day Yr.
R.	43. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1st, 2nd, 3rd, etc.)	44. TOTAL NUMBER OF PRENATAL VISITS (If none, enter 0)	45. AMNIOCENTESIS (Indicate Trimester) ☐ 1st ☐ 2nd ☐ 3rd ☐ Not done ☐ Unknown
S.	46. DID MOTHER SMOKE AT ANY TIME DURING PREGNANCY? ☐ Yes ☐ No ☐ Unknown	47. THIS BIRTH (single, twin, etc.)	48. IF NOT SINGLE (Born 1st, 2nd, etc.)
T.	49. BIRTH WEIGHT	50. APGAR SCORE 1 Min. 5 Min.	51. WAS BABY TRANSFERRED TO ANOTHER FACILITY? ☐ Yes ☐ No ☐ Unknown
U.	CHECK ALL BOX(ES) IN EACH COLUMN THAT APPLY		
V.	52. COMPLICATIONS DURING OR RELATED TO PREGNANCY (MATERNAL)	53. COMPLICATIONS OF LABOR	54. METHOD OF DELIVERY
W.	55. CONDITIONS OF NEWBORN	56. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD	
X.	☐ 0. None ☐ 1. Diabetes (gestational) ☐ 2. Diabetes (established) ☐ 3. Chronic hypertension ☐ 4. Pyelonephritis ☐ 5. Epilepsy ☐ 6. Preeclampsia ☐ 7. Eclampsia ☐ 8. Rh sensitization ☐ 9. Herpes-Active _____ Hu. ☐ 10. Syphilis ☐ 11. Rubella ☐ 12. Polyhydramnios ☐ 13. Other (specify)	☐ 0. None ☐ 1. Abruptio placenta ☐ 2. Placenta previa ☐ 3. Rupture of uterus ☐ 4. Cord prolapse ☐ 5. Membranes ruptured > 24hrs. ☐ 6. Breech ☐ 7. Cephalopelvic disproportion ☐ 8. Prolonged labor ☐ 9. Augmented labor ☐ 10. Other (specify below)	☐ 0. None ☐ 1. Spontaneous ☐ 2. Vacuum extraction ☐ 3. Outlet forceps ☐ 4. Induced labor ☐ 5. Primary C-section ☐ 6. Repeat C-section ☐ 7. Vaginal delivery after previous C-section ☐ 8. Other (specify below)
Y.	☐ 0. None ☐ 1. Hyaline membrane/RDS ☐ 2. Sepsis (documented) ☐ 3. Seizures ☐ 4. Fetal distress/asphyxia ☐ 5. Erb's palsy ☐ 6. Other birth injuries (specify below) ☐ 7. Hemolytic disease ☐ 8. Fetal alcohol syndrome ☐ 9. Jaundice (bilirubin > 10) ☐ 10. Other (specify below)	☐ 0. None ☐ 1. Anencephalus ☐ 2. Spina bifida, meningocele ☐ 3. Hydrocephalus ☐ 4. Microcephalus ☐ 5. Patent ductus arteriosus ☐ 6. Other heart malformations (specify below) ☐ 7. Cleft lip ☐ 8. Cleft palate ☐ 9. Anal atresia/stenosis ☐ 10. T.E. fistula, esophageal atresia ☐ 11. Hypospadias ☐ 12. Omphalocele ☐ 13. Polydactyly ☐ 14. Syndactyly ☐ 15. Adactyly ☐ 16. Other limb reduction ☐ 17. Congenital dislocation of hip ☐ 18. Club foot ☐ 19. Down's syndrome ☐ 20. Other malformations (specify below)	

2015-87

STATE OF WASHINGTON DEPARTMENT OF SOCIAL AND HEALTH SERVICES

VITAL RECORDS

CERTIFICATE OF FETAL DEATH

146-8

LOCAL FILE NUMBER

STATE FILE NUMBER

A. DISTRICT

B. COPIES

C. HOSPITAL

D. OCCURRENCE

E. RESIDENCE

F.

G.

H. TRACT

I.

J.

K.

L.

M.

N.

O. OCCUP

P. M.OCCUP

Q.

R.

S.

T.

U.

V.

W.

X.

Y.

Z.

AA. QUERIES

BB.


CC.

TYPE OR PRINT ENTIRE FORM IN PERMANENT BLACK INK

FETUS	1. FETUS NAME—FIRST		MIDDLE	LAST	2. SEX	3. DATE OF DELIVERY (Mo-Day-Yr)	4. HOUR	
	5. PLACE OF DELIVERY (specify type) ☐ 1 Hospital ☐ 3 Birth Center ☐ 5 Home ☐ 2 Enroute ☐ 4 Oth Med Facil ☐ 6 Other		6. NAME OF FACILITY/IF NOT A FACILITY ENTER NAME OF PLACE AND ADDRESS		7. CITY/TOWN/LOCATION		8. COUNTY OF DELIVERY	
CAUSE FETAL DEATH	9. PART I (enter only one cause per line for (A), (B), AND (C)) Fetal or Maternal condition directly causing fetal death. Fetal and/or Maternal conditions, if any, giving rise to the immediate cause (A) stating the underlying cause last.							10. SPECIFY FETAL OR MATERNAL
	A IMMEDIATE CAUSE							
	B DUE TO, OR AS A CONSEQUENCE OF:							
C DUE TO, OR AS A CONSEQUENCE OF:								
CERTIFIER	11. PART II. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER Conditions contributing to Fetal Death but not related to cause given in Part (A).					12. FETUS DIED ☐ 1 Before Labor ☐ 3 During Delivery ☐ 2 During Labor ☐ 4 Unknown		13. AUTOPSY ☐ YES ☐ NO
	14. I CERTIFY THAT THE STATED INFORMATION CONCERNING THIS FETUS IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF X					15. DATE SIGNED (Mo-Day-Yr)		16. NAME, TITLE ATTENDANT AT DELIVERY IF OTHER THAN CERTIFIER (Type or Print)
PARENTS	17. CERTIFIER NAME AND TITLE (Type or Print)					18. MAILING ADDRESS (Street, Box Number, City, State, Zip)		
	19. FATHER'S NAME—FIRST			MIDDLE	LAST	20. AGE (At Time of This Delivery)		21. STATE OF BIRTH (If not U.S. give country)
	22. MOTHER'S NAME—FIRST			MIDDLE	MAIDEN	23. AGE (At Time of This Delivery)		24. STATE OF BIRTH (If not U.S. give country)
DISPOSITION	25. RESIDENCE (Number and Street)		26. CITY/TOWN/LOCATION		27. INSIDE CITY LIMITS ☐ YES ☐ NO	28. COUNTY		29. STATE
	30. BURIAL, CREMATION, REMOVAL, OTHER (Specify)		31. DATE (Mo-Day-Yr)		32. CEMETERY/CREMATORY—NAME		33. LOCATION—CITY/TOWN, STATE	
	34. FUNERAL DIRECTOR SIGNATURE X		35. NAME OF FACILITY		36. ADDRESS OF FACILITY			
36A. REGISTRAR SIGNATURE X					36B. DATE RECEIVED BY REGISTRAR (Mo-Day-Yr)			

CONFIDENTIAL INFORMATION FOR MEDICAL AND RESEARCH USE ONLY

FATHER	37. RACE (White, Black, American Indian, etc.) (specify)		38. OCCUPATION (Indicate most recent employment) (fruit packer, cashier, registered nurse) (specify)		39. TYPE OF BUSINESS OR INDUSTRY (paper mill, heavy construction, nuclear) (specify)		40. EDUCATION—Highest Grade Completed (0-17+)			
	41. RACE (White, Black, American Indian, etc.) (specify)		42. OCCUPATION (Indicate most recent employment) (fruit packer, cashier, registered nurse) (specify)		43. TYPE OF BUSINESS OR INDUSTRY (apple orchard, retail sales, hospital) (specify)		44. EDUCATION—Highest Grade Completed (0-17+)			
MOTHER	45. PRIOR LIVE BIRTHS ☐ NONE 37 WEEKS OR MORE (Full term) _____ LESS THAN 37 WEEKS (Premature) _____ DATE LAST LIVE BIRTH (Mo Yr) _____				46. OTHER PREGNANCY OUTCOMES (not live births) (Do not include this delivery) ☐ NONE 37 WEEKS OR MORE _____ 20-36 WEEKS _____ LESS THAN 20 WEEKS _____ DATE LAST OTHER PREGNANCY OUTCOME (Mo Yr) _____				47. IS MOTHER MARRIED? ☐ Yes ☐ No	
	49. DATE LAST NORMAL MENSES BEGAN Mo Day Yr. _____				50. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1st, 2nd, 3rd, etc.)		51. TOTAL NUMBER OF PRENATAL VISITS (If none, enter 0)		52. AMNIOCENTESIS (Indicate Trimester) ☐ 1st ☐ 2nd ☐ 3rd ☐ Not done ☐ Unknown	
	53. DID MOTHER SMOKE AT ANY TIME DURING PREGNANCY? ☐ Yes ☐ No ☐ Unknown		54. THIS FETUS (Single, Twin, etc.) (Specify)		55. IF NOT SINGLE (Delivered 1st, 2nd, etc.)		56. FETUS WEIGHT (Specify Unit)		57. WAS MOTHER TRANSFERRED TO ANOTHER FACILITY? ☐ Yes ☐ No ☐ Unknown	
COMPLICATIONS (check all boxes that apply)	58. COMPLICATIONS DURING OR RELATED TO PREGNANCY (Maternal)		59. COMPLICATIONS OF LABOR		60. METHOD OF DELIVERY		61. CONDITIONS OF FETUS		62. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS	
	☐ 0 None ☐ 1 Diabetes (gestational) ☐ 2 Diabetes (established) ☐ 3 Chronic Hypertension ☐ 4 Pylonephritis ☐ 5 Epilepsy ☐ 6 Preeclampsia ☐ 7 Eclampsia ☐ 8 Rh Sensitization ☐ 9 Herpes active _____ Hs. ☐ 10 Syphilis ☐ 11 Rubella ☐ 12 Polyhydramnios ☐ 13 Other (specify below)		☐ 0 None ☐ 1 Abruptio placentae ☐ 2 Placenta previa ☐ 3 Rupture of uterus ☐ 4 Cord prolapse ☐ 5 Membranes ruptured > 24hrs ☐ 6 Breech ☐ 7 Cephalopelvic disproportion ☐ 8 Prolonged labor ☐ 9 Augmented labor ☐ 10 Other (specify below)		☐ 1. Spontaneous ☐ 2. Vacuum extraction ☐ 3. Outlet forceps ☐ 4. Induced labor ☐ 5. Primary C-section ☐ 6. Repeat C-section ☐ 7. Vaginal delivery after previous C-section ☐ 8. Other (specify below)		☐ 0 None ☐ 1 Fetal Hemorrhage ☐ 2 Placenta and Cord conditions (specify) ☐ 3 Hemolytic Disease ☐ 4 Fetal Hydrops ☐ 5 Shoulder Dystocia ☐ 6 Other (specify below)		☐ 0 None ☐ 1 Anencephalus ☐ 2 Spina bifida, meningocoele ☐ 3 Hydrocephalus ☐ 4 Microcephalus ☐ 5 Heart malformations (specify below) ☐ 6 Cleft lip ☐ 7 Cleft palate ☐ 8 Anal atresia/stenosis ☐ 9 Down's Syndrome ☐ 10 T.E. fistula, esophageal atresia ☐ 11. Hypospadias ☐ 12. Omphalocele ☐ 13. Polydactyly ☐ 14. Syndactyly ☐ 15. Adactyly ☐ 16. Other limb reduction ☐ 17. Congenital dislocation of hip ☐ 18. Club foot ☐ 19. Other malformations (specify below)	



REPORT OF INDUCED TERMINATION OF PREGNANCY

State File Number _____

1a. Facility Identification Number		1b. Patient Identification Number		2. Age of Patient		3. Date of Pregnancy Termination _____/_____/_____ Mo Day Yr.	
4a. Residence—State		4b. County		4c. City, Town, or Location			
5. Race of Patient 1 ☐ White 2 ☐ Black 3 ☐ American Indian or Alaskan Native 4 ☐ Asian or Pacific Islander 5 ☐ Other (specify) _____ 9 ☐ Unknown		5b. Ethnic Origin: Hispanic 1 ☐ Yes		PREVIOUS PREGNANCIES (Complete Each Section) 6a. SPONTANEOUS ABORTIONS (Stillbirths & Miscarriages) Number _____ None 00 ☐ 6b. LIVE BIRTHS Number _____ None 00 ☐ 6c. INDUCED ABORTIONS (Do not include this termination) Number _____ None 00 ☐			
7a. Primary Procedure Used To Terminate Pregnancy (check only one) TYPE OF TERMINATION PROCEDURES 1 ☐ Suction Curettage 2 ☐ Dilatation and Evacuation 3 ☐ Sharp Curettage 4 ☐ Saline 5 ☐ Prostaglandin 6 ☐ Hysterotomy 7 ☐ Hysterectomy 8 ☐ Other (specify) _____		7b. Additional Procedures Used for This Termination, If Any (check all that apply) 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐		8. Complications of Procedure(s) used (check all that apply) 0 ☐ None 1 ☐ Hemorrhage 2 ☐ Infection 3 ☐ Uterine Perforation 4 ☐ Cervical Laceration 5 ☐ Retained Products 6 ☐ Failed Abortion 7 ☐ Other (specify) _____			
9. Date Last Normal Menses Began _____/_____/_____ Mo Day Yr.		10. Physician's Estimate of Gestation _____ weeks		11. Name of Attending Physician (type or print) _____			
12. Name of Person Completing Report (type or print) _____ Title _____				13. Completion Date of This Report _____/_____/_____ Mo Day Yr.			

STATE OF WASHINGTON DEPARTMENT OF SOCIAL AND HEALTH SERVICES
VITAL RECORDS

CERTIFICATE OF MARRIAGE

146-8

COUNTY OF LICENSE		DATE		STATE FILE NUMBER			
OFFICIAL	I CERTIFY THE PERSONS NAMED BELOW WERE MARRIED ON			1. DATE (MO DAY YR)	2. COUNTY OF CEREMONY	3. RELIGIOUS/CIVIL CEREMONY (SPECIFY)	4. DATE SIGNED (MO DAY YR)
	5. OFFICIAL Signature X			6. OFFICIAL ADDRESS			
GROOM	7. NAME (FIRST MIDDLE LAST)				8. BIRTHDATE (MO DAY YR)		9. BIRTH STATE (IF NOT USA GIVE COUNTRY)
	10. USUAL RESIDENCE (NUMBER AND STREET)		11. CITY/TOWN/LOCATION		12. INSIDE CITY LIMITS (YES/NO)	13. COUNTY	14. STATE
	15. FATHER'S NAME		16. BIRTH STATE (IF NOT USA GIVE COUNTRY)		17. MOTHER'S MAIDEN NAME		18. BIRTH STATE (IF NOT USA GIVE COUNTRY)
	19. GROOM Signature X		20. DATE SIGNED (MO DAY YR)				
BRIDE	21. NAME (FIRST MIDDLE LAST)				22. MAIDEN NAME (IF DIFFERENT)		23. BIRTHDATE (MO DAY YR)
	25. USUAL RESIDENCE (NUMBER AND STREET)		26. CITY/TOWN/LOCATION		27. INSIDE CITY LIMITS (YES/NO)	28. COUNTY	29. STATE
	30. FATHER'S NAME		31. BIRTH STATE (IF NOT USA GIVE COUNTRY)		32. MOTHER'S MAIDEN NAME		33. BIRTH STATE (IF NOT USA GIVE COUNTRY)
	34. BRIDE Signature X		35. DATE SIGNED (MO DAY YR)				
	36. WITNESS Signature X				37. WITNESS Signature X		
	38. COUNTY AUDITOR Signature X				39. DATE RECEIVED (MO DAY YR)		

B 57303

DSHS 9-170 (REV. 1-87) -1200- 3

STATE OF WASHINGTON DEPARTMENT OF SOCIAL AND HEALTH SERVICES
VITAL RECORDS

CERTIFICATE OF DISSOLUTION,
DECLARATION OF INVALIDITY OF MARRIAGE
OR LEGAL SEPARATION

146-8

COURT FILE NUMBER		STATE FILE NUMBER	
DECREE	I CERTIFY THE MARRIAGE OF THE PERSONS NAMED BELOW WAS ORDERED AS A		1. DISSOLUTION OF MARRIAGE ☐ DECLARATION OF INVALIDITY ☐
	4. CLERK OF SUPERIOR COURT Signature X		2. DATE OF ENTRY (MO DAY YR) 3. COUNTY OF DECREE
TO BE COMPLETED BY PETITIONER'S ATTORNEY			
HUSBAND	5. NAME FIRST, MIDDLE, LAST		6. DATE OF BIRTH (MO DAY YR)
	8. USUAL RESIDENCE—STREET ADDRESS		9. CITY, TOWN OR LOCATION
WIFE	13. NAME FIRST, MIDDLE, LAST		14. MAIDEN NAME (IF DIFFERENT THAN MARRIED NAME)
	17. USUAL RESIDENCE—STREET ADDRESS		18. CITY, TOWN OR LOCATION
22. PLACE OF THIS MARRIAGE—COUNTRY		23. STATE (IF NOT USA GIVE COUNTRY)	24. DATE OF THIS MARRIAGE (mo. day yr.)
26. PETITIONER (HUSBAND, WIFE BOTH, OTHER SPECIFY)		27. ATTORNEY FOR PETITIONER—NAME (Type or Print)	
28. ADDRESS—STREET		CITY OR TOWN STATE ZIP CODE	

3 14903

DSHS 9-171 (REV. 9-86) 487